

Screenshot walkthrough

Madison Action Layer v2: how the AI makes decisions, what it produces, how it fails safely and how far it scales. All screenshots from real runs on 2026-10-09.

1 The workflow: four agents in one n8n canvas

3 Never trust the AI blindly: the validator

5 The validator rejects the failed AI answer

7 Output: an alert a busy marketer can act on

9 Visibility: the shared decision log

11 Reliability: duplicates are not re-processed

2 Intelligence: Claude's routing decision

4 Failing safely: Claude unreachable, work still routed

6 ...and the team is told the AI was skipped

8 Action: tasks land in the CRM

10 Scale: 400 requests, 100 at a time


Author Mayank Bhadrasen

Stack n8n 2.12.3 (self-hosted) + Claude Haiku 4.5

Integrations HubSpot · Slack · Google Sheets · Gmail

The workflow: four agents in one n8n canvas

One webhook in, real actions out. Each event only runs the branch it needs — blocked, duplicate and fallback branches stay grey.



① Gatekeeper (no AI): schema, date and Popper checks + idempotency lookup.

③ Execution Agent: HubSpot task → Slack alert → log → answer Madison.

② Routing Agent: Claude Haiku 4.5 with a strict JSON schema, then a validator.

④ Insights Agent: daily/on-demand batch report → email, Slack, Sheet, HTML.

Intelligence: Claude's routing decision

The Routing Agent receives the variant, the campaign context and market context, and must answer in a fixed schema.

The screenshot displays the Routing Agent interface (Claude Haiku 4.5) with four numbered callouts highlighting key components:

- System Prompt:** Located in the INPUT section under 'request_body', it defines the agent's role as a routing agent in Madison's Action Layer, responsible for deciding what happens to each variant before it reaches the team's CRM and chat. It includes rules for channel fit (score 1-5) and constraints for Google Ads headlines and Facebook descriptions.
- JSON Schema:** Located in the INPUT section under 'output_config', it defines the required fields for the output: decision, priority, owner_team, slack_channel, channel_fit, risk_flags, rationale, suggested_fix, hubspot_task, slack_message, and confidence. It also includes an enum for 'decision' with values: auto_approve, needs_review, and block.
- Output:** Located in the OUTPUT section, it shows the JSON response from the agent. The response includes fields like 'model', 'id', 'type', 'role', 'content', 'text', 'stop_reason', 'stop_sequence', 'stop_details', 'usage' (input_tokens: 2199, output_tokens: 474), 'cache_creation', 'cache_read', 'cache_creation', 'cache_read', 'service_tier', 'inference_geo', and 'diagnostics'.
- Parameters:** Located in the center, it shows the configuration for the POST request to the Anthropic API. It includes the URL, authentication type (Predefined Credential Type), credential type (Anthropic), and headers (anthropic-version, 2023-06-01).

- System prompt: channel limits, severity calibration, decision + priority rules.
- JSON schema with enums — the answer is machine-checkable, not free text.
- Decision: needs_review, owner, channel fit 4/5, two risk flags with evidence, a rewrite.
- Real usage: 2,199 input + 474 output tokens.

Never trust the AI blindly: the validator

Every answer is checked before anything is sent. Refusals, truncation, bad JSON or invalid values go to a rule-based fallback.

The screenshot displays the 'Validate AI Decision' interface, which is divided into several sections: INPUT, PARAMETERS, SETTINGS, and OUTPUT. The interface is designed to validate AI-generated content before it is sent.

INPUT Section: Shows the routing agent (Claude Haiku 4.5) and the message content. The content is a JSON object with fields like 'decision', 'priority', 'owner_team', 'slack_channel', 'channel_fit', 'score', 'note', 'risk_flags', 'evidence', and 'campaign_targets'.

PARAMETERS Section: Contains the 'Mode' (Run Once for All Items) and 'Language' (JavaScript) settings. A red 'Execute step' button is visible.

OUTPUT Section: Displays the validation results. The output is a JSON object with fields like 'ai_ok', 'ai_problem', 'decision', 'risk_flags', 'rationale', 'suggested_fix', 'hubspot_task', 'due_in_days', 'slack_message', and 'confidence'.


Numbered Callouts:

- 1:** Points to the 'ai_ok' field in the output, which is set to 'true'.
- 2:** Points to the 'risk_flags' field in the output, which contains an array of objects with 'type', 'severity', and 'evidence' fields.
- 3:** Points to the 'rationale' field in the output, which provides a detailed explanation of the validation results.
- 4:** Points to the 'cost_usd' field in the output, which is set to '0.004569'.

- 1** ai_ok: true — the answer passed every check.
- 2** Checks: API error, refusal, max_tokens, JSON parse, enum values, required text.
- 3** Risk flags carry the exact evidence and a severity.
- 4** Cost tracked per event: \$0.0046, latency 6.7 s.

Failing safely: Claude unreachable, work still routed

Live test fallback-1: model ID set to an invalid value. The path bends through the fallback router instead of stopping.



- 1 Routing Agent errors (⚠) after 3 retries — but continues.
- 3 Rule-based Fallback Router: regex risks + team by channel.

- 2 Validator answers false → branch to fallback.
- 4 Plan Actions continues: task + Slack alert still sent.

The validator rejects the failed AI answer

Validate AI Decision receives Claude's API error instead of a decision, marks it invalid and hands the event to the fallback router.

The screenshot displays the 'Validate AI Decision' interface with four numbered callouts:

- 1** INPUT: Routing Agent (Claude Haiku x) error. The message is 'The resource you are requesting could not be found'. The timestamp is 1791550163538. The name is NodeApiError. The description is model: claude-haiku-x.
- 2** OUTPUT: ai_ok: false, ai_problem: api_error: The resource you are requesting could not be found.
- 3** JavaScript code snippet:


```

1 // ② ROUTING AGENT - answer checker. Never trusts the AI blindly:
2 // API errors (rate limit / timeout / 5xx after 3 retries),
3 // out-of-range values all mark the decision invalid, so the
4 // rule-based fallback takes over.
5 const res = $input.first().json;
6 const started = $('Build Claude Request').first().json.ai_started_at_ms;
7 const PRICE_IN = 1.0 / 1e6, PRICE_OUT = 5.0 / 1e6; // Claude
8 // Haiku 4.5: $1 / $5 per million tokens
9
10 const ENUMS = {
11   decision: ['auto_approve', 'needs_review', 'block'],
12   priority: ['urgent', 'high', 'normal', 'low'],
13   owner_team: ['Paid Media', 'Lifecycle & Email', 'Social & Influencer', 'Content & SEO', 'Brand & Legal Review'],
14   slack_channel: ['campaign-urgent', 'campaign-review', 'campaign-digest'],
15 };
16
17 let problem = null;
18 let decision = null;
19 if (res.error) {

```
- 4** OUTPUT: # input_tokens 0, # output_tokens 0, # cost_usd 0.

- 1** Claude's error arrives as data (model claude-haiku-x not found) after 3 retries.
- 2** ai_ok: false + ai_problem: api_error, so the answer is rejected.
- 3** Allowed values for decision, priority, owner team and Slack channel are enforced.
- 4** No tokens used: \$0 AI cost for this event.

...and the team is told the AI was skipped

The fallback alert in #campaign-review — a human checks it; nothing is lost.

The screenshot shows a Slack interface for the 'Madison Project' workspace. The left sidebar contains navigation options like Home, DMs, Activity, Files, Channels, Agents & Tools, and Admin. The main area displays the '# campaign-review' channel. A message from 'Madison Bot' (APP) is shown, dated 07:49. The message content includes a HubSpot task and a fallback alert. Three orange circles highlight specific parts of the message:

- 1**: A warning icon and the text: "AI router unavailable (api_error: The resource you are requesting could not be found). 'Discover Harem Pants!' for TechCorp needs a manual check."
- 2**: The 'Channel fit' status: "3/5 — Not assessed (AI unavailable)."
- 3**: The HubSpot task status: "Spot task #405971552959 - ⚠️ Routed by fallback rules - confidence 0 - evt_fallback-1_0001."

1 ⚠️ AI router unavailable — with the real API error.

2 Channel fit: not assessed (AI unavailable).

3 HubSpot task created · 'Routed by fallback rules' · confidence 0.

Output: an alert a busy marketer can act on

Slack Block Kit message in #campaign-review — decision, owner, channel fit, evidence and the fix, linked to the HubSpot task.

The screenshot shows a Slack interface with a sidebar on the left containing navigation options like Home, DMs, Activity, Files, Agents & tools, and Admin. The main channel is #campaign-review. A message from a bot (Claude Haiku 4.5) is displayed, detailing a HubSpot task review. The message is structured with a decision, owner, channel fit, risk flags, and suggested fixes. Four numbered callouts are present:

- 1**: Points to the 'Risk flags' section, which lists 'unverifiable claim (medium)' and 'channel mismatch (medium)'.
- 2**: Points to the 'Suggested fix' section, which provides a revised headline and body text.
- 3**: Points to the 'Channel fit' section, which states '2/5 - Headline is 53 characters (limit 30); body is 89 characters (acceptable); copy uses casual tone with emoji-like language'.
- 4**: Points to the HubSpot task ID and routing information: 'HubSpot task #405887122139 - Routed by Claude Haiku 4.5 - confidence 0.72 - evt_v2-50_0042'.

1 Risk flags quote the copy ('Unbeatable comfort').

3 Channel fit 2/5 with the reason (53 chars vs 30).

2 Suggested fix: a headline that fits the 30-char Google Ads limit.

4 HubSpot task ID + 'Routed by Claude Haiku 4.5' + confidence.

Action: tasks land in the CRM

Each routed variant becomes a HubSpot task with an imperative title, priority and due date (urgent = today).

The screenshot shows the HubSpot Tasks interface. The left sidebar contains navigation links for Home, Contacts, Companies, Deals, Tasks, Sales, Activity Feed, Prospecting Agent, Sales Workspace, Platform, and Dashboards. The main area displays a list of tasks with columns for Task Title, Task stage, Task → Contacts, Task → Companies, Last contacted, Last engagement, Task Type, and Due date (EDT). Three orange boxes highlight specific columns: 1. Task Title, 2. Task stage, and 3. Due date (EDT).

Task Title	Task stage	Task → Contacts	Task → Companies	Last contacted	Last engagement	Task Type	Due date (EDT)
Block & investigate ...	Not Started	--	--	--	--	To-do	Today at 6:22 AM EDT
Investigate & rerout...	Not Started	--	--	--	--	To-do	Today at 6:31 AM EDT
Block & investigate ...	Not Started	--	--	--	--	To-do	Today at 6:32 AM EDT
Resolve brief mism...	Not Started	--	--	--	--	To-do	Today at 6:32 AM EDT
Block: Fix campaig...	Not Started	--	--	--	--	To-do	Today at 6:33 AM EDT
Block & clarify: Gla...	Not Started	--	--	--	--	To-do	Today at 6:33 AM EDT
Resolve brand mis...	Not Started	--	--	--	--	To-do	Today at 6:33 AM EDT
Clarify campaign ro...	Not Started	--	--	--	--	To-do	Today at 6:33 AM EDT
Block & reassign: H...	Not Started	--	--	--	--	To-do	Today at 6:33 AM EDT
Block & clarify: Gla...	Not Started	--	--	--	--	To-do	Today at 6:33 AM EDT
URGENT: Block AD...	Not Started	--	--	--	--	To-do	Today at 6:33 AM EDT
Block: Resolve Tass...	Not Started	--	--	--	--	To-do	Today at 6:34 AM EDT
URGENT: Block har...	Not Started	--	--	--	--	To-do	Today at 6:34 AM EDT
BLOCK: Resolve ch...	Not Started	--	--	--	--	To-do	Today at 6:34 AM EDT
Reject & reroute Yo...	Not Started	--	--	--	--	To-do	Today at 6:34 AM EDT
Publish email varia...	Not Started	--	--	--	--	To-do	Today at 6:52 AM EDT
Publish Instagram v...	Not Started	--	--	--	--	To-do	Today at 6:52 AM EDT
Publish Google Ads ...	Not Started	--	--	--	--	To-do	Today at 6:52 AM EDT
Publish Google Ads ...	Not Started	--	--	--	--	To-do	Today at 6:57 AM EDT
Publish email varia...	Not Started	--	--	--	--	To-do	Today at 6:57 AM EDT
Publish Instagram v...	Not Started	--	--	--	--	To-do	Today at 6:57 AM EDT
Publish Google Ads ...	Not Started	--	--	--	--	To-do	Today at 6:57 AM EDT
Publish embroidere...	Not Started	--	--	--	--	To-do	Today at 6:57 AM EDT
Publish Duster Coat...	Not Started	--	--	--	--	To-do	Today at 6:57 AM EDT
Publish Bolero Jack...	Not Started	--	--	--	--	To-do	Today at 6:57 AM EDT
Publish choker nec...	Not Started	--	--	--	--	To-do	Today at 6:57 AM EDT
Block: Resolve brief...	Not Started	--	--	--	--	To-do	Tomorrow at 6:32 AM EDT
Block: Fix campaig...	Not Started	--	--	--	--	To-do	Tomorrow at 6:32 AM EDT
Resolve brief/chan...	Not Started	--	--	--	--	To-do	Tomorrow at 6:32 AM EDT
Block & realign: Tas...	Not Started	--	--	--	--	To-do	Tomorrow at 6:32 AM EDT
Block AD-0029: Red...	Not Started	--	--	--	--	To-do	Tomorrow at 6:33 AM EDT

- 1 Imperative task titles written by Claude.
- 2 All created via the HubSpot API — status Not Started.
- 3 Due date set from priority (today / tomorrow / 3 days).

Visibility: the shared decision log

Google Sheet appended in one batch per report — readable without opening n8n.

logged_at	run_id	event_id	headline	decision	priority	owner_team	status	ai	skipped	risk_count	why	spot_task_id	slack_poste	latency_s	cost_usd
2026-10-09 10:5 v2-50		evt_v2-50_0004	block	low	Gatekeeper	blocked	skipped			1	Blocked by Gatekeeper: missing		no	0	0
2026-10-09 10:5 v2-50		evt_v2-50_0007	Stay warm, loo	low	Gatekeeper	blocked	skipped			1	Blocked by Gatekeeper: invalid		no	0.2	0
2026-10-09 10:5 v2-50		evt_v2-50_0006	Upgrade your v	high	Lifecycle & Email	completed	ai			0	Strong email var	405966640871	yes	6.5	0.003861
2026-10-09 10:5 v2-50		evt_v2-50_0008	Discover elega	urgent	Paid Media	completed	ai			1	Strong performa	405979909865	yes	6.6	0.004231
2026-10-09 10:5 v2-50		evt_v2-50_0014	block	low	Gatekeeper	blocked	skipped			3	Blocked by Gatekeeper: missing		no	0	0
2026-10-09 10:5 v2-50		evt_v2-50_0002	Introducing the	high	Social & Influenc	completed	ai			0	No HIGH or MET	405986992882	yes	6.9	0.004005
2026-10-09 10:5 v2-50		evt_v2-50_0009	Introducing Ciga	normal	Social & Influenc	completed	ai			0	The variant is we	405963677375	yes	7.5	0.004044
2026-10-09 10:5 v2-50		evt_v2-50_0011	Discover elega	normal	Social & Influenc	completed	ai			1	Copy is well-su	405966806764	yes	6.6	0.004097
2026-10-09 10:5 v2-50		evt_v2-50_0017	Discover our sil	low	Gatekeeper	blocked	skipped			1	Blocked by Gatekeeper: invalid		no	0.1	0
2026-10-09 10:5 v2-50		evt_v2-50_0012	Step into style	normal	Social & Influenc	completed	ai			2	HIGH-severity pl	405987930861	yes	6.7	0.00447
2026-10-09 10:5 v2-50		evt_v2-50_0001	Discover Harer	normal	Social & Influenc	completed	ai			2	Variant is publi	405966581439	yes	8.3	0.004676
2026-10-09 10:5 v2-50		evt_v2-50_0021	Introducing our	low	Gatekeeper	blocked	skipped			2	Blocked by Gatekeeper: missing		no	0	0
2026-10-09 10:5 v2-50		evt_v2-50_0005	Elevate your st	high	Social & Influenc	completed	ai			1	Strong performa	405859666651	yes	8.7	0.004692
2026-10-09 10:5 v2-50		evt_v2-50_0003	Discover the per	normal	Social & Influenc	completed	ai			1	The variant has	405859666652	yes	8.8	0.004668
2026-10-09 10:5 v2-50		evt_v2-50_0024	block	low	Gatekeeper	blocked	skipped			1	Blocked by Gatekeeper: missing		no	0	0
2026-10-09 10:5 v2-50		evt_v2-50_0010	Introducing Gloc	high	Social & Influenc	completed	ai			2	Strong performa	405924769477	yes	9.2	0.004965
2026-10-09 10:5 v2-50		evt_v2-50_0018	Introducing the	normal	Social & Influenc	completed	ai			0	No HIGH or MET	405987701467	yes	4.8	0.004019
2026-10-09 10:5 v2-50		evt_v2-50_0022	Upgrade your v	normal	Lifecycle & Email	completed	ai			0	Clean email vari	405966677712	yes	5.7	0.003959
2026-10-09 10:5 v2-50		evt_v2-50_0027	Introducing the	low	Gatekeeper	blocked	skipped			1	Blocked by Gatekeeper: invalid		no	0	0
2026-10-09 10:5 v2-50		evt_v2-50_0016	Discover the co	normal	Social & Influenc	completed	ai			1	The variant has	405924769483	yes	8.1	0.004763
2026-10-09 10:5 v2-50		evt_v2-50_0015	Discover unpara	normal	Lifecycle & Email	completed	ai			2	The headline ex	405966460665	yes	8.2	0.00485
2026-10-09 10:5 v2-50		evt_v2-50_0029	Discover the per	low	Gatekeeper	blocked	skipped			2	Blocked by Gatekeeper: missing		no	0	0
2026-10-09 10:5 v2-50		evt_v2-50_0013	Discover unpara	normal	Social & Influenc	completed	ai			2	Channel fit is ac	405966334661	yes	8.8	0.004894
2026-10-09 10:5 v2-50		evt_v2-50_0023	Discover our too	high	Paid Media	completed	ai			0	Strong conversi	405862844121	yes	6.7	0.004233
2026-10-09 10:5 v2-50		evt_v2-50_0025	Introducing the	normal	Social & Influenc	completed	ai			1	Variant has no H	405987901166	yes	7.2	0.004779
2026-10-09 10:5 v2-50		evt_v2-50_0020	Discover high-v	normal	Social & Influenc	completed	ai			2	Copy is well-writ	405960284879	yes	8.1	0.00485
2026-10-09 10:5 v2-50		evt_v2-50_0034	block	low	Gatekeeper	blocked	skipped			1	Blocked by Gatekeeper: missing		no	0	0
2026-10-09 10:5 v2-50		evt_v2-50_0019	Discover timeles	normal	Paid Media	completed	ai			2	Headline violat	405873973953	yes	8.1	0.005059
2026-10-09 10:5 v2-50		evt_v2-50_0036	Introducing our	low	Gatekeeper	blocked	skipped			2	Blocked by Gatekeeper: missing		no	0	0
2026-10-09 10:5 v2-50		evt_v2-50_0037	Step into elega	low	Gatekeeper	blocked	skipped			1	Blocked by Gatekeeper: invalid		no	0	0
2026-10-09 10:5 v2-50		evt_v2-50_0038	Reveal your cas	low	Gatekeeper	blocked	skipped			2	Blocked by Gatekeeper: missing		no	0	0
2026-10-09 10:5 v2-50		evt_v2-50_0026	Refine your sty	normal	Social & Influenc	completed	ai			2	The variant has	405960284881	yes	7.7	0.004699
2026-10-09 10:5 v2-50		evt_v2-50_0032	Discover stunn	high	Content & SEO	completed	ai			0	Strong performa	405966769894	yes	4.9	0.003983
2026-10-09 10:5 v2-50		evt_v2-50_0026	Refine your sty	normal	Social & Influenc	completed	ai			1	The variant is te	405987796725	yes	8	0.004814
2026-10-09 10:5 v2-50		evt_v2-50_0031	Discover chic co	normal	Social & Influenc	completed	ai			0	Variant is well-cr	405987901166	yes	5.9	0.003951
2026-10-09 10:5 v2-50		evt_v2-50_0044	block	low	Gatekeeper	blocked	skipped			1	Blocked by Gatekeeper: missing		no	0	0
2026-10-09 10:5 v2-50		evt_v2-50_0045	Discover our tim	low	Gatekeeper	blocked	skipped			2	Blocked by Gatekeeper: missing		no	0	0
2026-10-09 10:5 v2-50		evt_v2-50_0033	Discover timeles	normal	Social & Influenc	completed	ai			2	HIGH-severity pl	405966461630	yes	6.2	0.004333
2026-10-09 10:5 v2-50		evt_v2-50_0028	Discover sleek s	high	Brand & Legal R	completed	ai			3	Variant must be	405966677720	yes	7.2	0.005173
2026-10-09 10:5 v2-50		evt_v2-50_0035	Introducing our	normal	Social & Influenc	completed	ai			1	Variant is well-su	405885554421	yes	5.6	0.004481
2026-10-09 10:5 v2-50		evt_v2-50_0047	Upgrade your v	low	Gatekeeper	blocked	skipped			1	Blocked by Gatekeeper: invalid		no	0	0
2026-10-09 10:5 v2-50		evt_v2-50_0030	Upgrade your cu	normal	Social & Influenc	completed	ai			2	Channel fit is ad	405987932888	yes	7.8	0.004723
2026-10-09 10:5 v2-50		evt_v2-50_0040	Discover unpara	normal	Social & Influenc	completed	ai			0	Variant is well-cr	405901647589	yes	6.3	0.004338
2026-10-09 10:5 v2-50		evt_v2-50_0039	Discover the ult	high	Social & Influenc	completed	ai			1	Strong performa	405966806771	yes	6.9	0.004854
2026-10-09 10:5 v2-50		evt_v2-50_0041	Discover elega	normal	Lifecycle & Email	completed	ai			2	Email subject lin	405966335726	yes	7.1	0.004579
2026-10-09 10:5 v2-50		evt_v2-50_0043	Introducing our	normal	Social & Influenc	completed	ai			0	No HIGH or MET	405987901173	yes	5.6	0.004106
2026-10-09 10:5 v2-50		evt_v2-50_0042	Stay warm this	normal	Paid Media	completed	ai			2	Headline exceed	405987122139	yes	6.5	0.004653
2026-10-09 10:5 v2-50		evt_v2-50_0048	Introducing our	normal	Lifecycle & Email	completed	ai			0	Clean email vari	405987932890	yes	5	0.003945
2026-10-09 10:5 v2-50		evt_v2-50_0049	Discover the ver	high	Content & SEO	completed	ai			0	Strong conversi	405949138657	yes	5	0.003875
2026-10-09 10:5 v2-50		evt_v2-50_0046	Revolutionize yo	high	Content & SEO	completed	ai			0	Strong variant w	405960040660	yes	5.9	0.003955

1 Decision mix: auto_approve / needs_review / block.

2 Routed by Claude (ai) or skipped by the Gatekeeper.

3 HubSpot task ID — traceable to the CRM.

4 Latency and cost per decision.

Scale: 400 requests, 100 at a time

Real HTTP load against the production webhook on a 1 vCPU VPS. Full results: [scale_test_results.md](#).

```
mayank@Mayanks-MacBook-Air Assignment_4 % cat scale_test/results/v2-400.json
{
  "label": "v2-400",
  "requests": 400,
  "concurrency": 100,
  "wall_clock_s": 71.8,
  "throughput_per_min": 334.1,
  "latency_s": {
    "min": 2.544,
    "p50": 16.302,
    "p95": 26.819,
    "max": 31.503,
    "mean": 15.66
  },
  "http_status": {
    "200": 260,
    "422": 140
  },
  "status": {
    "blocked": 140,
    "completed": 260
  },
  "ai_status": {
    "ai": 260,
    "skipped": 140
  },
  "failures": 0,
  "ai_cost_usd": 1.1659,
  "ai_cost_per_routed_event_usd": 0.00448,
  "sample_errors": []
}
```

1 400 requests · 100 concurrent · 71.8 s · 334/min.

3 0 HTTP errors: 260 routed, 140 correctly rejected (422).

2 Latency p50 16 s / p95 27 s — the saturation point (≤ 50 concurrent: ~ 9 s).

4 Total AI cost \$1.17 → \$0.0045 per routed event.

Reliability: duplicates are not re-processed

Re-sending an already-processed event is answered from the action log — no AI call, no task, no alert.

```
mayank@Mayanks-MacBook-Air Assignment_4 % cat scale_test/results/dup-check.json
{
  "label": "dup-check",
  "requests": 1,
  "concurrency": 1,
  "wall_clock_s": 0.2,
  "throughput_per_min": 304.8,
  "latency_s": {
    "min": 0.194,
    "p50": 0.194,
    "p95": 0.194,
    "max": 0.194,
    "mean": 0.19
  },
  "http_status": {
    "200": 1
  },
  "status": {
    "duplicate": 1
  },
  "ai_status": {
    "": 1
  },
  "failures": 0,
  "ai_cost_usd": 0,
  "ai_cost_per_routed_event_usd": 0.0,
  "sample_errors": []
}
```

1 status: duplicate

3 AI cost \$0

2 0.19 s end to end