

Lab Assignment

Name-Mayank Bharti

Roll no.-22cs3039

Branch-CSE

1.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Shopping List</title>

  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 20px;
      background-color: lavender;
    }

    h1 {
      color: purple;
    }

    form {
      margin-bottom: 20px;
    }

    label {
      display: block;
      margin-bottom: 5px;
    }

    input, select {
      margin-bottom: 10px;
      padding: 8px;
      width: 100%;
    }

    button {
      padding: 10px;
      background-color: #4CAF50;
```

```

        color: white;
        border: none;
        cursor: pointer;
    }

    table {
        width: 100%;
        border-collapse: collapse;
        margin-top: 20px;
    }

    th, td {
        border: 1px solid #ddd;
        padding: 12px;
        text-align: left;
    }
</style>

</head>
<body>

    <h1>Shopping List</h1>

    <form id="itemForm">
        <label for="itemName">Item Name:</label>
        <input type="text" id="itemName" placeholder="Enter item
name">

        <label for="itemQuantity">Quantity:</label>
        <input type="number" id="itemQuantity" placeholder="1"
value="1">

        <label for="itemPriority">Priority:</label>
        <select id="itemPriority">
            <option value="low">Low</option>
            <option value="medium">Medium</option>
            <option value="high">High</option>
        </select>

        <label for="storeName">Store Name:</label>
        <input type="text" id="storeName" placeholder="Enter store
name">

        <label for="storeSection">Store Section:</label>
        <input type="text" id="storeSection" placeholder="Enter
store section">

        <label for="itemPrice">Price:</label>

```

```

        <input type="number" id="itemPrice" placeholder="Enter
price">

        <button type="button" onclick="addItem()">Add Item</button>
</form>

<table id="itemList">
    <thead>
        <tr>
            <th>Item</th>
            <th>Quantity</th>
            <th>Store</th>
            <th>Section</th>
            <th>Price</th>
        </tr>
    </thead>
    <tbody>
        <!-- Table content will go here -->
    </tbody>
</table>

<script>
    function addItem() {
        var itemName =
document.getElementById("itemName").value;
        var itemQuantity =
document.getElementById("itemQuantity").value;
        var itemPriority =
document.getElementById("itemPriority").value;
        var storeName =
document.getElementById("storeName").value;
        var storeSection =
document.getElementById("storeSection").value;
        var itemPrice =
document.getElementById("itemPrice").value;

        saveItemToLocalStorage(itemName, itemQuantity,
itemPriority, storeName, storeSection, itemPrice);
        addRowToTable(itemName, itemQuantity, storeName,
storeSection, itemPrice);
    }

    function saveItemToLocalStorage(name, quantity, priority,
store, section, price) {
        var items =
JSON.parse(localStorage.getItem('shoppingList')) || [];
        items.push({
            name: name,
            quantity: quantity,

```

```

        priority: priority,
        store: store,
        section: section,
        price: price
    });
    localStorage.setItem('shoppingList',
JSON.stringify(items));
    }

    function addRowToTable(name, quantity, store, section,
price) {
        var table =
document.getElementById("itemList").getElementsByTagName('tbody')[0]
;
        var newRow = table.insertRow(table.rows.length);
        var cell1 = newRow.insertCell(0);
        var cell2 = newRow.insertCell(1);
        var cell3 = newRow.insertCell(2);
        var cell4 = newRow.insertCell(3);
        var cell5 = newRow.insertCell(4);
        cell1.innerHTML = name;
        cell2.innerHTML = quantity;
        cell3.innerHTML = store;
        cell4.innerHTML = section;
        cell5.innerHTML = price;
    }

    window.onload = function () {
        var storedItems =
JSON.parse(localStorage.getItem('shoppingList')) || [];
        for (var i = 0; i < storedItems.length; i++) {
            addRowToTable(storedItems[i].name,
storedItems[i].quantity, storedItems[i].store,
storedItems[i].section, storedItems[i].price);
        }
    };
</script>

</body>
</html>

```

Shopping List

Item Name:

White sauce Pasta

Quantity:

1

Priority:

Low

Store Name:

Hungry Maks

Store Section:

c

Price:

150

Add Item

Item	Quantity	Store	Section	Price
Maggie	1	Ram Bharose	a	20
White sauce Pasta	1	Hungry Maks	c	150

2.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-
width, initial-scale=1.0">

    <title>Shopping List</title>

    <style>

        body {

            font-family: Arial, sans-serif;

            margin: 20px;

            background-color: lavender;
```

```
}
```

```
h1 {  
    color: purple;  
}
```

```
form {  
    margin-bottom: 20px;  
}
```

```
label {  
    display: block;  
    margin-bottom: 5px;  
}
```

```
input, select {  
    margin-bottom: 10px;  
    padding: 8px;  
    width: 100%;  
}
```

```
button {
```

```
padding: 10px;
background-color: #4CAF50;
color: white;
border: none;
cursor: pointer;
}
```

```
table {
width: 100%;
border-collapse: collapse;
margin-top: 20px;
}
```

```
th, td {
border: 1px solid #ddd;
padding: 12px;
text-align: left;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1>Shopping List</h1>

<form id="itemForm">
  <label for="itemName">Item Name:</label>
  <input type="text" id="itemName"
placeholder="Enter item name">

  <label for="itemQuantity">Quantity:</label>
  <input type="number" id="itemQuantity"
placeholder="1" value="1">

  <label for="itemPriority">Priority:</label>
  <select id="itemPriority">
    <option value="low">Low</option>
    <option value="medium">Medium</option>
    <option value="high">High</option>
  </select>

  <label for="storeName">Store Name:</label>
  <input type="text" id="storeName"
placeholder="Enter store name">
```



```
        <label for="storeSection">Store  
Section:</label>  
        <input type="text" id="storeSection"  
placeholder="Enter store section">  
  
        <label for="itemPrice">Price:</label>  
        <input type="number" id="itemPrice"  
placeholder="Enter price">  
  
        <button type="button"  
onclick="addItem()">Add Item</button>  
    </form>  
  
    <table id="itemList">  
        <thead>  
            <tr>  
                <th>Item</th>  
                <th>Quantity</th>  
                <th>Store</th>  
                <th>Section</th>  
                <th>Price</th>
```

```
        </tr>
    </thead>
    <tbody>
        <!-- Table content will go here -->
    </tbody>
</table>

<p id="accessCounter">Number of times accessed:
0</p>

<script>
    function addItem() {
        var itemName =
document.getElementById("itemName").value;
        var itemQuantity =
document.getElementById("itemQuantity").value;
        var itemPriority =
document.getElementById("itemPriority").value;
        var storeName =
document.getElementById("storeName").value;
        var storeSection =
document.getElementById("storeSection").value;
```

```
        var itemPrice =  
document.getElementById("itemPrice").value;  
  
        saveItemToLocalStorage(itemName,  
itemQuantity, itemPriority, storeName,  
storeSection, itemPrice);  
  
        addRowToTable(itemName, itemQuantity,  
storeName, storeSection, itemPrice);  
  
        updateAccessCounter();  
    }  
  
    function saveItemToLocalStorage(name,  
quantity, priority, store, section, price) {  
        var items =  
JSON.parse(localStorage.getItem('shoppingList')) ||  
[];  
  
        items.push({  
            name: name,  
            quantity: quantity,  
            priority: priority,  
            store: store,  
            section: section,
```

```
        price: price
    });

    localStorage.setItem('shoppingList',
JSON.stringify(items));
}

function addRowToTable(name, quantity,
store, section, price) {
    var table =
document.getElementById("itemList").getElementsByTa
gName('tbody')[0];

    var newRow =
table.insertRow(table.rows.length);

    var cell1 = newRow.insertCell(0);
    var cell2 = newRow.insertCell(1);
    var cell3 = newRow.insertCell(2);
    var cell4 = newRow.insertCell(3);
    var cell5 = newRow.insertCell(4);

    cell1.innerHTML = name;
    cell2.innerHTML = quantity;
    cell3.innerHTML = store;
    cell4.innerHTML = section;
```

```
        cell15.innerHTML = price;
    }

    function updateAccessCounter() {
        var accessCount =
localStorage.getItem('accessCount') || 0;
        accessCount++;
        localStorage.setItem('accessCount',
accessCount);
        document.getElementById('accessCounter'
).innerText = 'Number of times accessed: ' +
accessCount;
    }

    window.onload = function () {
        var storedItems =
JSON.parse(localStorage.getItem('shoppingList')) ||
[];
        for (var i = 0; i < storedItems.length;
i++) {
```

```

        addRowToTable(storedItems[i].name,
storedItems[i].quantity, storedItems[i].store,
storedItems[i].section, storedItems[i].price);
    }
    updateAccessCounter();
};
</script>

</body>

</html>

```

Shopping List

Item Name:

Quantity:

Priority:

Store Name:

Store Section:

Price:

Item	Quantity	Store	Section	Price
Maggie	1	Ram Bharose	a	20
White sauce Pasta	1	Hungry Maks	c	150
Pizza	5	Dominos	ab	2000

Number of times accessed: 12