


ASSIGNMENT - 4 BOOTSTRAP

q1

create a html page like



using Boot Strap

soln :

CODE : -

```
<!DOCTYPE html>
<html>
<head>
<title>Boot strap Practice</title>
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
```

```
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>
```

```
<style>
.container-fluid{
background-color:black;
}
.container{
/* background-color: white; */
}
.top{
background-color:#2a2a2b;
color: white;
font-size: 15px;
font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
}
.middle{
background-color: ivory;
}
.box1{
padding: 50px;
margin:25px;
background-color: black;
font-size: 20px;
color: blanchedalmond;
height: 280px;
text-align: center; align-content: center;
display: flex;
justify-content: center;
align-items: center;
font-family: sans-serif;
}
.message{
margin: 10px;
background-color:#ada9a8;
font-size: 15px;
color:#2a2a2b;
padding: 4px;
height: auto;
width: 93%;
}
h4{
margin: 7px;
}
hr{
color:gray;
}
.row{
padding: 10px;
margin:25px;
```

```

background-color:#d5dbd6;
font-size: 20px;
color: blanchedalmond;
height: 280px;
text-align: center; align-content: center;
width: 95%;
}
.col-sm-3{
background-color: black;
text-align: center; align-content: center;
display: flex;
justify-content: center;
align-items: center;
font-family: sans-serif;
color: aliceblue;
font-size: 20px;
margin-left: 4px;;
height:260px;
width:253px;
}
.headings{
margin-left: 45px;
}
.bottom
{
background-color:#2a2a2b;
color: white;
font-size: 18px;
font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
}
</style>
</head>

```

```

<body>
<div class="container-fluid">
<div class="container">
<div class="container-fluid top">
<h4>TO THE NEW </h4>
<br><br>
<nav class="navbar navbar-inverse">
<div class="container-fluid">
<ul class="nav navbar-nav">
<li class="active"><a href="#">TEXT LINK</a></li>
<li><a href="#"> TEXT LINK</a></li>
<li><a href="#">TEXT LINK</a></li>
<li><a href="#">TEXT LINK</a></li>
<li><a href="#">TEXT LINK</a></li>
</ul>
</div>
</nav>


```

```

</div>
<div class="container-fluid middle">
<div class="box1">960 x 360 px</div>
<div class="container">
<div class="message"> njjslnlkcq nklxkq jbwjwkbdjkqwj kjsjkwkjqw jjqwnjkqwj
jjnwdwnqwjndwj jnjnkjqwbbsbkjwbjkwqb vjhjvvhj bkougoo hohohiohio nlhih
kgigigigiguyuy yigigigig gigigiug </div>
</div>
<br>
<h4 class="headings">LATEST FROM GALLERY</h4>
<hr>
<div class="row">
<div class="col-sm-3" title="image box"> 215x315 px</div>
<div class="col-sm-3">215x315 px</div>
<div class="col-sm-3">215x315 px</div>
<div class="col-sm-3">215x315 px</div>
</div>
</div>
<div class=" container-fluid bottom "> copyright &copy; 2009-2017 To THE NEW </div>
</div>
</div>
</body>
</html>

```

OUTPUT:-



Q 2 Create a form using html and bootstrap

TO THE NEW

[Home](#) [Quick Help](#)

Bug Report

Title:*

Description:*

Operating system:

Windows XP

Product:*

Formoid

Version:*

License:
☐ Free ☐ Business

Severity:

Critical

Attachments:

No file selected

Choose File

Send

CODE :-

```
<!DOCTYPE html>
<html>
<head>
<title> form </title>
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>
<style>
.rows{
border-bottom: aqua;
}
.col-sm-5{
font-size: 20px;
color:darkcyan;
font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;
}
.col-sm-3{
font-size: 20px;
color: darkcyan;
font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;
word-break: 2px;
```

```
}  
.container{  
height: auto;  
border: 2px solid gainsboro;  
border-radius: 5px;  
margin-left: 400px; }  
.col-sm-6{  
border-radius: 5px;  
border: 2px solid gainsboro;  
}  
.head {  
background-color: gainsboro;  
font-size: 20px;  
color: white;  
width: 100%;  
height: 50px;  
border-radius: 5px;  
float: left;  
font-weight: 200;  
}  
.s1{  
background-color: #5bc998;  
color: white;  
font-size: 18px;  
}  
.t1{  
width: 30%;  
}  
.head1{  
width: 100%;  
background-color: gainsboro;  
font-size: 20px;  
color: white;  
font-weight: 400;  
height: 50px;  
border-radius: 5px;;  
}  
.fl{  
width: 100%;  
height: 40px;  
border: 2px solid gainsboro;  
border-radius: 3px;  
float: left;  
}  
.sp{  
float: left;  
width: 200px;  
font-size: 20px;  
color: gray;  
  
}
```

```

.up{
color:transparent;
float: right;

}
.up::-webkit-file-upload-button{
visibility: hidden;
}
.up::before{
content:"choose file";
color:white;
display: inline-block;
background-color: gray;
border: 2px solid gainsboro;
border-radius: 3px;
padding: 5px 8px;
font-size:20px;
float: right;
border-radius: 5px;
height:37px;
width: 50%;
margin-left: 30px;

}
.t{
align-content: center;
margin: 0 auto;
display: flex;
font-weight: bold;
}
.bottom{
background-color:lightgray;
align-content: center;
height: 50px;
border-radius: 5px;
margin-top: 45px;
padding-top: 2px;
}
.btn{
padding: 7px;
float:right;
margin-top: 8px;
margin-right: 30px;
width: 70px;
background-color: #5bc998;
color: white;
border-radius: 5px;
}
var fileName = $(this).val().split("\\").pop();
$(this).siblings(".custom-file-label").addClass("selected").html(fileName);
});

```

```

</style>
</head>
<body>
<div class="container-fluid background">
<!-- top heading section starts-->
<div class="rows">
<div class="col-sm-5">TO THE NEW</div>
<div class="col-sm-4"></div>
<div class="col-sm-3"> HOME Quick Help</div>
</div>
<!-- heading section ends -->
<hr style="color: darkgray;">
<!-- starting code for form -->
<div class="rows">
<div class="col-sm-3"></div>
<div class="col-sm-6">
<div class=" t">
<label for="Bug Reoprt" class="head1">Bug Report</label>
</div>
<br>
<label for="Title*">Title*</label>
<input type="text" class="form-control">
<br>
<label for="Description">Description</label>
<textarea class="form-control"></textarea>
<br>
<label for="sel1"> Operating System :</label>
<select class=" form-control s1" id=sel1>
<option> windows xp </option>
<option> Linux and ubuntu </option>
</select>
<br>
<label for="sel2"> Products:</label>
<select class=" form-control s1" id="sel2">
<option> Formoid </option>
<option> Drupal</option>
</select>
<br>
<label for="version"> versions </label>
<textarea class="form-control t1" rows="2" id="comment"></textarea>
<br>
<label for="licnece">Licence </label>
<br>
<input type="radio" class="form-check-input" id="ra2"> Free
<input type="radio" class="form-check-input" id="ra1" style="margin-left: 250px;">
Business
<br>
<label for="sel2"> Security </label>
<select class=" form-control s1" id="sel2">
<option> Critical </option>
<option> linean</option>

```



```

</select>
<br>
<label for=" Attach">Attachments:</label>
<div class="fl"><span class="sp">NO file uploaded </span> <input class="up"
type="file" value="choose file "></div>
<div class="bottom">
<button type="button" class="btn">Send</button>
</div>
</div>
</div>
</div>
<div class="col-sm-3"></div>
</div>
</div>
</body>
</html>

```

OUTPUT :-

[TO THE NEW](#)

[HOME](#) [Quick Help](#)

Bug Report

Title*

Description

Operating System :

windows xp

Products:

Formoid

versions

Licence

☐ Free
 ☐ Business

Security

Critical

Attachments:

NO file uploaded

choose file

Send