




ERPConnect

APIs

Updated date: 20-12-2023



Cogxim Softwares Pvt. Ltd.

Contents

1. Push APIs

Page No.

a.	Authentication/Token.....	3
b.	Zone Master.....	4
c.	Area Office.....	5
d.	Dealer Creation.....	6
e.	Location Creation.....	8
f.	Color Master.....	10
g.	Group Master.....	11
h.	Spare/Parts creation.....	12
i.	Vehicle Model creation.....	14
j.	Rate Master.....	16
k.	Vehicle Dispatch.....	18
l.	Spare/Part Dispatch.....	21
m.	Affiliate Leads creation.....	27
n.	Call Centre Dealer information via Pin-code.....	29
o.	Call Follow-up status.....	30
p.	Serial Dispatch.....	36
q.	Part Dispatch.....	41
r.	TCD Master.....	43
s.	Erp Booking.....	46
t.	Dealer Info by Pin-code.....	47
u.	TSM Master.....	49
v.	Warranty Dispatch.....	55
w.	Booking Upgrades.....	62

2. Pull APIs

a.	Vehicle Sales Order.....	23
b.	Vehicle Sale.....	25
	i. Sale information	
	ii. Dealer Stock	
	iii. In-Transit	
	iv. Sale without booking	
c.	Daily Job Report.....	32
d.	Line Order Report.....	34
e.	Old Transactions.....	38
f.	Spare Sales Order.....	39
g.	Lead Information.....	41
h.	Service history.....	51
i.	Daily Job ReportTokenize.....	53
j.	Warranty Claim job order.....	56
k.	Chassis IMEI and VCUID insert.....	58
l.	Vehicle Sales Register.....	61
m.	Counter Sales Report.....	62

AUTHENTICATION

AutoGenius ERP uses the following authentication type

1. API Key (to get the access token username and password in **Base64** is required. Life of token is 30 days for Staging and 24 hours for production)
2. All communication are in **JSON**

1. Login and Token generation

Purpose	Returns Token with successful message
URL	http://erpapi.autogeniuserp.com/V1/login/loginemail?Ver=1.1
Method	POST
Param. Type	Form
Data	<code>"loginemail"</code> - "Ver" – version of API i.e. 1.1 - "username" – identifier of user (string length 3 to 100) - "password" -- password of the user(Base64)
Note	Username and Password will be provided after the registration of Vendor. When Login is successful, API Token will be generated which can be used in all API until the expiration i.e. 30 days from the date of generation for Staging and 24 Hours for Production.
Example FormData	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/login/loginemail?Ver=1.1' \ --form 'username="demoerp@gmail.com"' \ --form 'password="UHHhZGVlcEtbWVzaEAX"'</pre> username: demoerp@gmail.com Password: RGVtb0AyMjly (Base64)
Example RAW Format JSON	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com /V1/login/loginemail?Ver=1.1' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=d1ry1abklbrtt3lyosc1m1jv' \ --data-raw '{ "username": "demoerp@gmail.com", "password": " RGVtb0AyMjly" }'</pre>
Response Success	<pre>{ "Valid": true, "Description": "User Login Successfully", "Value": [{ "accesstoken": "bKToyrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7Jel5elFIP14PO8R0ZQU8W5FxJMf81T9ohpj kFMVtF6Xn5HIIQAaTOup1xo8gG8zJxchpB9KgtCiqG2i0mA9QjBdSnQkhhroc8x9JevcozpecqW9hM2mag7fxhEPdWipugTuZELTw WL8U50vcFFhdTn5bxE3u4fOZcU8gVnKqO4jzlvps439eOrP5Ri3iEjh6KmyZ0pwPEfmT3JaViB9xQCVhewm4ATg9rNy9lxGyeXaN BjA95Jxwna09gSD8wjl3Nc2zQ2VFOYSbWtj7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunInpK9c9XSnoGJWwqb9cFR7o MK8KzorHAOf9BS0oZdokDOOZTHhUHpepdUgQck9mmweyllq5nfGYylXSkf9cwJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaL W43YzHofHKO3CW7q2Yt ", "LoginEmail_Idno": "23", "loginemail": "demoerp@gmail.com", "vendorname": "Demo ERP Pvt Ltd", "vendorcode": "DEMO" }] }</pre>
Response invalid Email / Password	<pre>{ "Valid": false, "Description": "Invalid Username or Password.", "Value": [] }</pre>
Response	<pre>{</pre>

Invalid Password	<pre>"Valid": false, "Description": "invalid Password", "Value": [] }</pre>
------------------	---

2. Zone Master

Purpose	Returns Area Office Zone wise												
URL	http://erpapi.autogeniuserp.com/V1/erpmaster/Zone?Ver=1.1&vendorid=17												
Method	POST												
Param. Type	Raw												
Authorization	API key in Header. Possible value "Token <Token generated while login>"												
Data	"Area" - "Ver" – version of API i.e. 1.1 - "zonedisplayname" – AreaOffice (string length 3 to 150) - "zoneid" -- identity of zone (Integer possible values 1,2,3,4 and 5) - "vendorid" -- Identity if the Vendor registered with Cogxim (integer possible value 17)												
Note	Zone Master require standard Zones to create the custom one. Zoneid are <table> <thead> <tr> <th>Zone_Idno</th><th>Zone_Name</th></tr> </thead> <tbody> <tr> <td>1</td><td>North</td></tr> <tr> <td>2</td><td>East</td></tr> <tr> <td>3</td><td>West</td></tr> <tr> <td>4</td><td>South</td></tr> <tr> <td>5</td><td>Central</td></tr> </tbody> </table>	Zone_Idno	Zone_Name	1	North	2	East	3	West	4	South	5	Central
Zone_Idno	Zone_Name												
1	North												
2	East												
3	West												
4	South												
5	Central												
Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/erpmaster/Zone?Ver=1.1&vendorid=17' \ --header 'Authorization: Token bKT0yrcZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FxFJmF81T9ohpjKFmVtF6Xn5HIIQAaTOu p1xo8gG8zJxchpB9KgtCiqG2i0mA9QjBdSnQkhroc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE 3u4fOZcU8gVnKqO4jflVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCVhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl 3Nc2zQ2VFOYSbWtI7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunlnpK9c9XSnoGJWWqb9cFR7oMK8KzorHAOf9B50oZ dokDOOZTHhUHpepdUgQck9mmweyllq5nfGYlXSkf9cwJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q 2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=yysbsb0s2p0y5m2zgk4cogqn' \ --data-raw '{ "zonedisplayname": "South Zone TI", "zoneid": 4, "vendorid": 17 }'</pre>												
Response Success	<pre>{ "Valid": true, "Description": "South Zone TI saved successfully in South zone, and Id is 7. Please save this for future reference as vendorzoneid.", "Value": [{ "Msg": "South Zone TI saved successfully in South zone, and Id is 7. Please save this for future reference as vendorzoneid.", "StatusCode": "200", "ResponseStatus": "true" }] }</pre>												

3. Area Office

Purpose	Returns Area Office Zone wise												
URL	http://erpapi.autogeniuserp.com/V1/erpmaster/Area?Ver=1.1&vendorid=17												
Method	POST												
Param. Type	Raw												
Authorization	API key in Header. Possible value "Token <Token generated while login>"												
Data	"Area" - "Ver" – version of API i.e. 1.1 - "Vendorid" – Identity if the Vendor registered with Cogxim (integer possible value 17) - "areaoffname" – AreaOffice (string length 3 to 150) - "zoneid" -- identity of zone (Integer possible values 1,2,3,4 and 5) - "vendorid" -- Identity if the Vendor (integer possible value 17)												
Note	Areaoffice is required in Dealer creation. Zoneid are <table> <thead> <tr> <th>Zone_Idno</th><th>Zone_Name</th></tr> </thead> <tbody> <tr> <td>1</td><td>North</td></tr> <tr> <td>2</td><td>East</td></tr> <tr> <td>3</td><td>West</td></tr> <tr> <td>4</td><td>South</td></tr> <tr> <td>5</td><td>Central</td></tr> </tbody> </table>	Zone_Idno	Zone_Name	1	North	2	East	3	West	4	South	5	Central
Zone_Idno	Zone_Name												
1	North												
2	East												
3	West												
4	South												
5	Central												
Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/erpmaster/Area?Ver=1.1&vendorid=17 \ --header 'Authorization: Token bKT0yrcZKqNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FxmJf81T9ohpjKFMvtF6Xn5HIIQAaTOu p1xo8gG8zJxchpB9KgtCiqG2i0mA9QjBdSnQkhroc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE 3u4fOZcU8gVnKqO4jflVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCVhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl 3Nc2zQ2VFOYSbWtj7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunlNpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9B50oZ dokDOOZTHhUHpepdUgQck9mmweyllq5nfGYylXSkf9cwJqkNabjVlrxZGZ1YYbtSjs4wj2K6u95oMnZ0FaLW43YzHofHK03CW7q 2Yt' \ --header 'Content-Type: application/json' \ --data-raw '{ "areaoffname": "TIArea0002", "zoneid": 5, "vendorid": 17 }'</pre>												
Response Success	<pre>{ "Valid": true, "Description": "TIArea0002 saved successfully. with areaofficeid - 4", "Value": [{"Msg": "TIArea0002 saved successfully. with areaofficeid - 4", "StatusCode": "200", "ResponseStatus": "true"}] }</pre>												

4. Dealer

Purpose	Dealer Creation API will create a dealer and its separate DB. Login credentials for this Dealer will be the email supplied in API and the default password is Auto@123; which further used to login in https://www.autogenius.co.in/
URL	http://erpapi.autogeniuserp.com/V1/erpmaster/Dealer?Ver=1.1&vendorid=17
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Dealer" - "Ver" – version of API i.e. 1.1 - "Vendorid" – Identity if the Vendor registered with Cogxim - "compname" – name of Company (string upto length 5 to 100) - "compcode" -- identity of Company (2 to 10 without special character and spaces) - "adress1" – Address of company (string upto length 250) - "adress2" – Address of company (string upto length 250) - "city" – City name of Company (string upto length 200) - "state" – State name of company (string upto length 200) - "pin" – Pincode (string length 6) - "pan" – PAN Card (string length 10, possible value "XXXXXXXXXX") - "phone_off" – Office Contact Number (string length 10 possible value "9888888888") - "mobile" – Mobile number (string length 10, possible value "8888888888") - "email" – Emailld of company (string length upto 150) - "contactperson" – Name of contact person (string length upto 100) - "reg_date" – Date of Registration of Company/Firm (DateTime dd/MM/yyyy) - "trad_cert" – Trade Certificate number of Company/Firm (string length upto 60) - "compgstin_no" – GSTIN number of company (string length 15, possible value "08XXXXXXXXXX1ZY") - "brand_name" – Brand Name of the Company (string length upto 500) - "dealercode" – Identity of Dealer (string length upto 100) - "vendorid" -- Identity if the Vendor (integer possible value 17) - "areaofficeid" – identity of office location created earlier (integer) - "fameii_code" – FameII Code of Dealer if available (string length upto 20) - "credit_limit" – Supplier Credit Limit (float) - "cin_no" – Company Identification Number (string length upto 50) - "vat_no" – VAT Number (string length upto 50) - "is_tcs" – Whether TCS applicable? (Boolean true or false) mandatory - "tcs_percent" – TCS percentage (float) - "reg_address" – Registration Address (string length upto 500). This can same as Address1 and Address2 - "2w" – Dealership type 2 Wheeler (Possible value "0" or "1") mandatory - "3w" – Dealership type 3 Wheeler (Possible value "0" or "1") mandatory - "4w" – Dealership type 4 Wheeler (Possible value "0" or "1") mandatory - "b2b" – Whether dealer is B2B? (true or false) mandatory
Note	All fields are mandatory to create a Dealer, Any one of Dealership type is mandatory
Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/erpmaster/Dealer?Ver=1.1&vendorid=17 \ --header 'Authorization: Token bKToyrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Nppr4huP7Jel5elFIP14PO8R0ZQU8W5FxmF81T9ohpjKFMVtF6Xn5HIIQAaTOup 1xo8gG8zJxchpB9KgItCiqG2i0mA9QjBdSnQkHroc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTWL8U50vcCFHdTn5bxE3u 4fOZcU8gVnKQ04jflVps439eOrP5Ri3iJh6KmyZ0pwPEfmT3JaViB9xQCVhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl3Nc2 zQ2VFOYSbWtJ7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunInpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9BS0oZdokDO OZTHhUHpepdUgQck9mmweyllq5nfGYylXSkf9cwJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=cg42stndflw1xeofhz1tojvz' \ --data-raw '{ "compname": "DEMO2704", "compcode": "DEMO2704", "adress1": "Nirman Nager", "adress2": "", "city": "Jaipur", "state": "Rajasthan", "pin": "", "pan": "", "phone_off": "", "mobile": "9202304271", "email": "DEM O2704@outlook.com", "contactperson": "JAI", "reg_date": "01-01- 2022", "trad_cert": "85265998", "compgstin_no": "08AWXPS2704P4ZQ", "brand_name": "", "comp_image": "", "dealercode": "DEM O2704", "areaofficeid": "1", "cin_no": "12345688", "vat_no": "12345688", "is_tcs": false, "tcs_percent": 0.0, "fameii_code": "", "cedit_ limit": "50000", "reg_address": "Nirman Nager", "2w": "0", "3w": "0", "4w": "0", "b2b": true, "vendorid": "17" }</pre>
Response Success	<pre>{ "Valid": true, "Description": "DataBase backup successfully.", }</pre>

	"Value": [{"Msg": "Dealer Created successfully. ", "StatusCode": "200", "ResponseStatus": "true"}] }
Response Error	{ "Valid": false, "Description": "Company Name already exists.", "Value": [] } { "Valid": false, "Description": "Company Code already exists.", "Value": [] } { "Valid": false, "Description": "Mobile No already exists.", "Value": [] } { "Valid": false, "Description": "Dealer Code already exists.", "Value": [] } { "Valid": false, "Description": "GSTIN No already exists.", "Value": [] } { "Valid": false, "Description": "Email Id already exists.", "Value": [] } { "Valid": false, "Description": "Area Office Id not found.", "Value": [] } { "Valid": false, "Description": "State not found.", "Value": [] } { "Valid": false, "Description": "City not found.", "Value": [] }

5. Location

Purpose	Returns Locations for the Dealer according to fixed location areas.
URL	http://erpapi.autogeniuserp.com/V1/erpmaster/Location?Ver=1.1&vendorid=17
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Dealer Location" - "Ver" – version of API i.e. 1.1 - "Vendorid" – Identity if the Vendor registered with Cogxim - "locname" – location name of Company (string upto length 5 to 100) - "loccode" -- identity of Company (2 to 10 without special character and spaces) - "locareaidno" – identity of location area type (integer possible values 1,2,3 & 4) - "add1" – Address of company (string upto length 250) - "add2" – Address of company (string upto length 250) - "city" – City name of Company (string upto length 200) - "state" – State name of company (string upto length 200) - "pin" – Pincode (string length 6) - "email" – EmailId of location (string length upto 150) - "gstinno" – GSTIN number of location (string length 15, possible value "08XXXXXXXXXX1ZY") - "mobileno" – Mobile number (string length 10, possible value "8888888888") - "contpername1" – Name of contact person (string length upto 100) - "contpername2" – Name of alternate contact person (string length upto 100) - "contpermob1" – Mobile number of contact person (string length 10, possible value "8888888888") - "contpermob2" – Mobile number of alternate contact person (string length 10, possible value "8888888888") - "contperemail1" – EmailId of location (string length upto 150) - "contperemail2" – EmailId of location (string length upto 150) - "dealercode" – Identity of Dealer (string length upto 100) - "vendorid" -- Identity if the Vendor (integer possible value 17) - "formtype" – to create location for Dealer use "DL" (string length 2, possible values "DL" or "EL") - "vendorlocationidno" – identity of Vendor DB Location possibly primary key (integer) - "uniqueid" – identity for the Location of Vendor Location (string length upto 100) possible values may be locationcode or the primary key. - "tsmcode" – tsmcode i.e. sales person assigned for the Location of Vendor Location (string length upto 100) possible values tsmcode created using TSM api.
Note	FormType value is DL to create Dealer Location FormType value is EL to create location at ERP LocationArealid: 1 = Showroom, 2 = Store, 3 =Yard, 4 =CityArea
Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/erpmaster/Location?Ver=1.1&vendorid=17 \ --header 'Authorization: Token bKT0yrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FxmF81T9ohpjKFMVtF6 Xn5HIIQAaTOup1xo8gG8zJxchpB9KglTCiqG2i0mA9QjBdSnQkHroc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZ ELTwWL8U50vcCFHdTn5bxE3u4fOZcU8gVnKqO4jFzIVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCVhewm4 ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl3Nc2zQ2VFOYSbWtJ7pUe4IMUKIGRVSTLCDPuLmthTXOXQ44dRs3ZU 0KunlNpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9BS0oZdokDOOZTHhUHpepdUgQck9mmweyllq5nfGYlXSkf9c wJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=cg42stndflw1xeofhz1tojvz' \ --data-raw '[{ "loccode": "JSL0001", "locname": "Mr Allen Cooper", "locareaidno": 3, "add1": "Mansarover Jaipur,", "add2": "Maradu,", "state": "Rajasthan", "city": "Jaipur", "pincode": "302020",</pre>

	<pre> "gstino": "08XXXXXXXXX1ZS", "email": "jsl0001@gmail.com", "mobilen": "9000000002", "contpername1": "Mr Allen Cooper", "contpername2": "", "contpermob1": "9000000002", "contpermob2": "", "contperemail1": "jsl0001@gmail.com", "contperemail2": "", "vendoridno": 17, "compid": 88, "formtype": "DL", "dealercode": "JAS0001", "vendorlocationidno": 0, "uniqueid": "JSL0001", "tsmcode": "TSM002", }]' </pre>
Response Success	<pre> { "Valid": true, "Description": "Dealer Location saved successfully.", "Value": [{"Msg": "Dealer Location saved successfully.", "StatusCode": "200", "ResponseStatus": "true"}] } </pre>
Response Error	<pre> { "Valid": false, "Description": "Form Type value only 'DL' or 'EL'", "Value": [{ "Msg": "Form Type value only 'DL' or 'EL'", "StatusCode": 200, "ResponseStatus": false }] } </pre>

6. Color Master

Purpose	Returns Color
URL	http://erpapi.autogeniuserp.com/V1/erpmaster/ColorMast?Ver=1.1&vendorid=17
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Color" - "Ver" – version of API i.e. 1.1 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "uniqueid" – Identity of color from Vendor item Table (string length upto 50) <i>mandatory</i> - "colorname" – name of color (string upto length 250) - "colorcode" – UniqueCode of item (string upto length 250) <i>mandatory</i>
Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/erpmaster/ColorMast?Ver=1.1&vendorid=17' \ --header 'Authorization: Token bKToyrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FxJMf81T9ohpjKFMVtF6 Xn5HIIQAaTOup1xo8gG8zJxchpB9KgItCiqG2i0mA9QjBdSnQkhroc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZ ELTwWL8U50vcCFHdTn5bxE3u4fOZcU8gVnKqQ4jfzIVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCVhewm4 ATg9rNy9lxGyeXaNbJA95Jxwna09gSD8wjl3Nc2zQ2VFOYSbWtJ7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU 0KunInpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9BS0oZdokDOOZTHhUHpepdUgQck9mmweyllq5nfGYylXSkf9c wJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=nftnc5g3oafdrffrsoruk2gw' \ --data-raw '{ "data": [{ "colorcode": "CRED", "colorname": "CRIMSON RED", "uniqueid": "CRED", "status": true }, { "colorcode": "AMBR", "colorname": "AMBER", "uniqueid": " AMBER ", "status": true }] }'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Color saved successfully.", "Value": [{ "Msg": "Color saved successfully.", "StatusCode": "200", "ResponseStatus": "true" }] }</pre>

7. Group Master

Purpose	Returns Group of Item
URL	http://erpapi.autogeniuserp.com/V1/erpmaster/IGroup?Ver=1.1&vendorid=17
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"IGrp" - "Ver" – version of API i.e. 1.1 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "vendorigrpidno" – Identity of item group from Vendor item group table (integer) <i>mandatory</i> - "igrpname" – name of group (string upto length 250) <i>mandatory</i> - "igrptype" – Type of IGrp (integer) possible values 1 or 2 <i>mandatory</i> - "sersno" – Serial no of Vehicle Group - "vhcltype" – Type of Vehicle (integer, possible values 0, 1 or 2) <i>mandatory</i>
Note	IGRPTYPE is 2 for Parts/Spare, 1 for Vehicle, 4 for Accessories, 12 Battery VhclType: 1=Internal Vehicle, 2 External Vehicle
Example	<pre>curl --location --request POST 'http://localhost:14863/V1/erpmaster/IGroup?Ver=1.0&vendorid=17' \ --header 'Authorization: Token bKT0yrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FxJMf81T9ohpjKFMVtF6 Xn5HIIQAaTOup1xo8gG8zJxchpB9KglTCiqG2i0mA9QjBdSnQkhroc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZ ELTwWL8U50vcCFHdTn5bxE3u4fOZcU8gVnKqO4jflVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCVhewm4 ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl3Nc2zQ2VFOYSbWtJ7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU 0KunlnpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9BS0oZdokDOOZTHhUHpepdUgQck9mmweyllq5nfGYylXSkf9c wJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=nftnc5g3oafdrffrsoruk2gw' \ --data-raw '{ "data": [{ "igrpname": "New Group1", "igrptype": "1", "sersno": "", "vhcltype": "2", "vendorigrpidno": 1 }, { "igrpname": "New Group2", "igrptype": "1", "sersno": "", "vhcltype": "2", "vendorigrpidno": 2 }] }'</pre>
Response Success	Response { "Valid": true, "Description": "Color saved successfully.", "Value": { { "Msg": "Color saved successfully.", "StatusCode": "200", "ResponseStatus": "true" } } }

8. Spare/Parts Creation

Purpose	Returns Model / Item
URL	http://erpapi.autogeniuserp.com/V1/erpmaster/Spare?Ver=1.1&vendorid=17
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Parts" - "Ver" – version of API i.e. 1.1 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "vendoritemidno" – Identity of item from Vendor item table(integer) - "itemname" – name of Item (string upto length 250) <i>mandatory</i> - "itemcode" – UniqueCode of item (string upto length 250) <i>mandatory</i> - "itemdesc" – Description of Item (string upto length 250) - "hsncode" – HSN/SAC Code of Item as per GOI (string upto length 6) - "dlrprice" – Dealer Price for the Item (float) <i>mandatory</i> - "grpido" – groupid of item create using Group Master API (integer) <i>mandatory</i> - "custprice" – Customer Price for the Item (float) <i>mandatory</i> - "moq" – Minimum order quantity (integer) possible value 0 - "boq" – Bill of Quantities of the Item (integer) possible value 0 - "sgst" – Dealer Price for the Item (float) <i>mandatory</i> - "cgst" – Dealer Price for the Item (float) <i>mandatory</i> - "igst" – Dealer Price for the Item (float) <i>mandatory</i> - "ugst" – Dealer Price for the Item (float) <i>mandatory</i> - "ipurrate" – Dealer Purchase rate of the Item (float) <i>mandatory</i> - "iselectric" – whether Item id is electric vehicle or not (possible value true or false) - "noofbatteries" – number of Battery if EV (integer) - "uniqueid" – Unique Id for the Part either any uniquecode or primary key (string length upto 50) <i>mandatory</i> - "itemtype" – Item Type Id shared (integer) <i>mandatory</i> - "itemsubtype" – Item subtype name (string) - "vorrage" – VOR Rate (float) <i>mandatory</i>
NOTE	ItemType=2 for Parts, 12 for E-Device ItemSubType: Battery, Controller, Charger, Converter, Motor
Example	<pre>curl --location 'http://localhost:14863/V1/erpmaster/Spare?Ver=1.1&vendorid=17' \ --header 'Content-Type: application/json' \ --header 'Authorization: Token BSry1vtn0n15zVPD4pyvzokSIqNV1rnRNbE4DclJ3vutF7QISBkSH3wgWhHybWvxBJ2MMJpaMiklUtS3lyAKSI36HeTj2U18PpgWL38BFmCAIBkzAb8d50s8MirhaRUULmiSgwJ 8LBHJhYhd2oDwmU6fLBHkaotmjuZuV5i3PQFvabrJ3FvBy3nWKMBumkY2AeAFbeYa8qmnnaVXZHR4LrXlmuI8gUjwRZ9ptgg0eFfPH12yktptdpgmU2xN0d7FvAeTe78Sffdr K5J02IOJ0usO4vDyqUw4mYP26CM2dElhFPfHYruDyRyodPhMN0fz5QpG0QA5tbpFHnugzLv4c2LLOslb1Xcj9IWwrrHhrr6vHZKGngkW1yTndYw5EzbgvE8dLhclCldff62ctpb7 9bDLd3AhlIwBtr3wAkkV1Bs3AGS2ag27VHJcJvAdgZNBq1x3rBeydFJcuu3tZj4IK0pKXe3MCoEZS00ykmTmJUCKIujU' \ --header 'Cookie: ASP.NET_SessionId=1532ms5zmcte4ppm13dnyyvi' \ --data '{ "itemtype": 12, "itemsubtype": "Motor", "itemname": "Motor12345", "itemcode": "Motor12345", "itemdesc": "Motor test part", "hsncode": "Motor12345", "dlrprice": 4000.00, "custprice": 4000.00, "moq": 0, "boq": 0, "sgst": 2.5, "cgst": 2.5, "igst": 5.0, "ugst": 0, "grpido": 11155, "ipurrate": 5000.00, "iselectric": false, "noofbatteries": 0, "vendoritemidno": 0, "uniqueid": "Motor12345", "vendorid": 17, "vorrage": 4000.00, }</pre>
Response Success	<pre>{ "Valid": true, "Description": "Parts saved successfully." }</pre>

	"Value": [{"Msg": "Parts saved successfully.", "StatusCode": "200", "ResponseStatus": "true"}]

9. Vehicle Model

Purpose	Returns Model / Item
URL	http://erpapi.autogeniuserp.com/V1/erpmaster/Vehicle?Ver=1.1&vendorid=17
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Vehicle" - "Ver" – version of API i.e. 1.1 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "vendoritemidno" – Identity of item from Vendor item table(integer) <i>mandatory</i> - "itemtype" – 1 for vehicle fixed <i>mandatory</i> - "itemname" – name of Item (string upto length 250) <i>mandatory</i> - "itemcode" – UniqueCode of item (string upto length 250) <i>mandatory</i> - "itemdesc" – Description of Item (string upto length 250) - "hsnocode" – HSN/SAC Code of Item as per GOI (string upto length 6) - "grpido" – groupid of item create using Group Master API (integer) <i>mandatory</i> - "oemmodelname" – OEM Model Name (string length upto 100) <i>mandatory</i> - "iselectric" – whether Item id is electric vehicle or not (possible value true or false) - "noofbatteries" – number of Battery if EV (integer) - "batterytype" – Type of Battery if EV (string fixed values) - "voltage" – Voltage of EV (integer) - "motortype" – Type of Motor if EV (string length upto 5) - "motorwatt" – Wattage if EV (string length upto 5) - "colorcode" – color code of vehicle (string upto length 10) - "itemcc" – Cubic capacity of vehicle (float) - "servicedays" – Service days for vehicle (integer possible values in days) - "isaccessorybilling" – whether accessory will be billing (true or false) - "hsrp" – HSRP – High security registration plate amount(float) - "speedtype" – speed type of vehicle (fixed value: High or Low) - "hsrp" – HSRP – High security registration plate amount(float) - "vehetype" – Vehicetype (string fixed values 2W, 3W or 4W) - "reorderlevel" – Re Order Level to reset stock (float) - "fame2discount" – Famell discount amount if EV (float) - "category" – Category of vehicle (string length upto 20) - "warrantyperiod" – Warranty period in months (integer) - "warrantykms" – Warranty Kilometers (integer) - "warrantyduration" – Warranty duration (fixed: Monthly/Yearly) - "displayname" – Display Name of the vehicle. - "compcode" – company code of same OEM (string upto length 3) ex. ABC, PQR - "uniqueid" – Unique code from vendor vehiclemaster table(length upto 50) - "typeapproval_certno": Type Approval Certification No (string)
Note	ItemType=1 for vehicle, 11 for Scooter
Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/erpmaster/Vehicle?Ver=1.1&vendorid=17' \ --header 'Authorization: Token bkToyrcZKgNzqd3FgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FxmF81T9ohpjKFMTvF6Xn5HIIQAaTOup1xo8gG8zJxchpB9KgtCiqG2i0mA9QJbDs nQkhrcc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE3u4fOZcU8gVnKqO4jzlvps439eOrP5Ri3iEjh6KmyZ0pwPEfmT3JaViB9xQCvhwem4A Tg9rNy9lxGyeXaNBjA95jxwna09gSD8wjl3Nc2zQ2VFOYSbWU7pUe4IMUKIGRVSTLCDPULMthTXOXQ44dRs3ZU0KunlnpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9B50oZd okDOOZTHHUhpepdUgQck9mmweyllq5nfGYyIXSkf9cwJqkNabjVlrXZGZ1YYbtSj4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=pojo22tbb3pawzkljmfoaxd' \ --data-raw '{ "data": [{ "itemtype": 1, "itemname": "Nayi Gaadi10 changed", "itemcode": "Nayi Gaadi10", "itemdesc": "Nayi Gaadi10 changed description only", "hsnocode": "888545", "grpido": 53, "oemmodelname": "", "iselectric": true, "noofbatteries": 0, "batterytype": "LA", "voltage": 24, "motortype": ""</pre>

	<pre> "motorwatt": "", "itemcc": 220, "servicedays": 30, "isaccessorybilling": false, "hsrp": 0, "speedtype": "High", "vehtype": "3W", "reorderlevel": 10000, "fame2discount": 0, "category": "", "colorcode": "RED", "warrantyperiod": 18, "warrantykms": 10000, "warrentyduration": "Month", "displayname": "GADDI 001", "compcode": "ABC", "vendoritemidno": 0, "uniqueid": "Gaadi0010", "typeapproval_certno": "certificateno" }] }' </pre>
Response Success	<pre> { "Valid": true, "Description": "Vehicle model saved successfully.", "Value": [{ "Msg": "Vehicle model saved successfully.", "StatusCode": "200", "ResponseStatus": "true" }] } </pre>

10. Rate Master

Purpose	Update Price of items state-wise and dealer-wise
URL	http://erpapi.autogeniuserp.com/V1/erpmaster/rate?Ver=1.1&vendorid=17
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Rate" - "Ver" – version of API i.e. 1.0 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "vendoritemid" – Identity of item from Vendor item table(integer) <i>mandatory</i> - "itemname" – name of item (string upto length 250) - "itemcode" – UniqueCode of item (string upto length 250) <i>mandatory</i> - "statename" – State name of company (string upto length 200) - "statecode" – GST State code of State (string upto length 2) possible values are 08,02 and so on listed with GOI <i>mandatory</i> - "effdate" – Date of effect of Rate (fixed string format dd-MM-yyyy) <i>mandatory</i> - "itemmrp" – MRP of Item (float) <i>mandatory</i> - "purrate" – Purchase rate of Item (float) <i>mandatory</i> - "insuamnt" – insurance amount of item (float) - "regamnt" – Registration amount of item (float) - "sgstper" – SGST percentage (float) <i>mandatory</i> - "cgstper" – CGST percentage (float) <i>mandatory</i> - "igstper" – IGST percentage (float) <i>mandatory</i> - "cess" – cess percentage (float) - "statefame2discount" – State Fame2 Discount percentage (float) <i>mandatory</i> in case of EV - "statefame2displayname" – State Fame2 Display Name (string upto length 250) <i>mandatory</i> in case of EV - "username" – name of user pushing API (string upto length 250) - "dealercode" – Identity of Dealer (string length upto 100) - "vendorid" -- Identity if the Vendor (integer possible value 17) - "compcode" – Identity of Company in Single OEM (string length upto 10) ex. ABC, PQR
Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/erpmaster/Rate?Ver=1.0&vendorid=17' \ --header 'Authorization: Bearer bKT0yrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FxFJmF81T9ohpjFMVtF6Xn5HIIQAaTOu p1xo8gG8zJxchpB9KglTciQGi0mA9QjBdSnQkhroc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE 3u4fOZcU8gVnKqO4JfzIVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCVhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl 3Nc2zQ2VFOYSbWti7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunInpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9BS0oZ dokDOOZTHHUhHpepdUgQck9mmweyllq5nfGYylXSkf9cwJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q 2Yt' \ --header 'Content-Type: text/plain' \ --header 'Cookie: ASP.NET_SessionId=htqllmllsstgymwrzquizcw' \ --data-raw '{ "data": [{ "vendoritemid": 2, "itemname": "BBT-22", "itemcode": "BBT-22", "statename": "Rajasthan", "statecode": "08", "effdate": "01-07-2020", "itemmrp": "80220", "purrate": "70220", "insuamnt": "1500", "regamnt": "2000", "sgstper": "14", "cgstper": "14", "igstper": "28", "cess": "2", "statefame2discount": 1000, "statefame2displayname": "", "username": "Salman", "vendorid": "17", "dealercode": "DEMOPC", "compcode": "" }], { "vendoritemid": 1,</pre>

	<pre> "itemname": "CD 110 CC", "itemcode": "CD 110 CC", "statename": "Rajasthan", "statecode": "08", "effdate": "01-07-2020", "itemmrp": "82200", "purrate": "72220", "insuamt": "1500", "regamnt": "2000", "sgstper": "14", "cgstper": "14", "igstper": "28", "cess": "2", "statefame2discount": 1500, "statefame2displayname": "", "username": "Salman", "vendorid": "17", "dealercode": "DEMO101", "compcode": "" }] }' </pre>
Response Success	<pre> { "Valid": true, "Description": "Rate saved successfully.", "Value": [{"Msg": "Statewise && Dealerwise, Pricelist transferred", "StatusCode": "200", "ResponseStatus": "true"}] } </pre>
Response success	<pre> { "Valid": true, "Description": "Rate saved successfully.", "Value": [{"Msg": "Statewise && All Dealer, Pricelist transferred", "StatusCode": "200", "ResponseStatus": "true"}] } </pre>
Response Success	<pre> { "Valid": true, "Description": "Rate saved successfully.", "Value": [{"Msg": "All INDIA && Dealerwise, Pricelist transferred", "StatusCode": "200", "ResponseStatus": "true"}] } </pre>
Response Error	<pre> {"Valid": false, "Description": "Pricelist either be statewise or All India. Please rectify and process again.", "Value": [{"Msg": "Pricelist either be statewise or All India. Please rectify and process again.", "StatusCode": "200", "ResponseStatus": "false"}]} </pre>
Response Error	<pre> {"Valid": false, "Description": "Pricelist either be Dealer specific or non dealer specific. Please rectify and process again.", "Value": [{"Msg": "Pricelist either be Dealer specific or non dealer specific. Please rectify and process again.", "StatusCode": "200", "ResponseStatus": "false"}]} </pre>

11. Vehicle Dispatch

Purpose	Returns Vehicle Dispatch
URL	http://erpapi.autogeniuserp.com/V1/dispatch/vdb?Ver=1.0
Method	POST
Param. Type	raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Vehicle Dispatch" - "Ver" – version of API i.e. 1.0 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "id" – vendor dispatch Identity basically Primary key (integer) <i>mandatory</i> - "invoice_no" – Invoice number of the dispatch (string length upto 100) <i>mandatory</i> - "invoice_date" – Date if Invoice of the dispatch (string dd/MM/yyyy) <i>mandatory</i> - "ordertype" – V for Vehicle (string fixed values) <i>mandatory</i> - "mfg_year" – manufacturing year of vehicle(integer)possible value 2022 <i>mandatory</i> - "mfg_month" – manufacturing month of vehicle(integer)possible values 1 to 12 <i>mandatory</i> - "mfg_day" – manufacturing day of vehicle(integer)possible values 1 to 30 <i>mandatory</i> - "item_code" – Unique Code of vehicle(string length upto 20) <i>mandatory</i> - "colr_code" – Unique Code of color of vehicle (string length upto 20) <i>mandatory</i> - "chasis_no" – Unique chassis number of vehicle (string length upto 20) <i>mandatory</i> - "motor_no" – Motor number Unique Code of vehicle(string length upto 20) - "key_no" – Key number of vehicle(string length upto 20) - "serv_bkno" – Service booking number of vehicle(string length upto 20) - "battery_id" – Battery id associated with this chasis (string length upto 20) - "battery_no" – Battery number of vehicle(string length upto 20) <i>mandatory</i> - "battery_no2" – Battery number of vehicle(string length upto 20) - "battery_no3" – Battery number of vehicle(string length upto 20) - "battery_no4" – Battery number of vehicle(string length upto 20) - "battery_no5" – Battery number of vehicle(string length upto 20) - "battery_no6" – Battery number of vehicle(string length upto 20) - "ecu_serno" – EV Electronic Control Unit serial number (string length upto 20) <i>mandatory</i> - "ecu_im_ei" – ECU IMEI number (string length upto 20) <i>mandatory</i> - "ecu_bal_mac" – ECU Bal MAC address (string length upto 20) <i>mandatory</i> - "immoblizer_status" – Status of Immobilizer (string fixed value "0" or "1") <i>mandatory</i> - "immoblizer_no" – Immobilizer number (string length upto 20) <i>mandatory</i> - "bike_simid" – Bike SIM identification (string length upto 20) <i>mandatory</i> - "bike_mobilenno" – Bike mobile number (string length upto 10) <i>mandatory</i> - "charger_no" – Charger number (string length upto 20) <i>mandatory</i> - "controller_no" – Controller number (string length upto 20) <i>mandatory</i> - "soundbar_serno" – Serial number of sound bar (string length upto 20) - "soundbar_bal_mac" – Bal MAC address of soundbar (string length upto 20) - "voltage" – value of Voltage (string length upto 10) - "regnumber" – Registration number of vehicle (string length upto 10) <i>mandatory</i> - "validity" – validity of vehicle (string length upto 10) <i>mandatory</i> - "startdate" – start date of vehicle (string dd/MM/yyyy format) <i>mandatory</i> - "tyre_no1" – Tyre No 1 (string length upto 20) - "tyre_no2" – Tyre No 2 (string length upto 20) - "gst_idno" – 1=SGST/CGST, 2=IGST - "loc_code" – Location code (string length upto 10) <i>mandatory</i> - "battery_chemistry" -- Chemical of Battery (string length upto 100) - "battery_capacity" -- Battery capacity (string length upto 100) - "battery_make" -- Battery capacity (string length upto 100) - "battery_code" – Battery code (string length upto 100) - "converter" – Battery Converter (string length upto 100) - "vcu" – Vehicle Control Unit (string length upto 100) <i>mandatory</i> - "fame2_discount" – FameII discount (float) <i>Mandatory if EV</i> - "nl_horn" – Noise Level by Horn in decibels (string length 5) - "nl_passbyorbystander" – Noise Level by Pass by or Bystander's position in decibels (string length 5) - "nl_driveroroprtr" – Noise Level by Driver-Perceived or Operator's car level in decibels (string length 5) - "validity" – validity of vehicle (string length upto 10) <i>mandatory</i>

	- "poid" – PurchaseOrderId received through PurchaseOrder (integer default 0 if not available) - "lineno" – rownumber of dispatch list (integer default 0 if not available) mandatory - "dealercode" – Dealer code (string length upto 10) mandatory - "vin_kms" – VIN warranty KMS (integer) - "vin_durationtype" – VIN warranty duration type (string length upto 1) possible values: d,m,y - "vin_duration" – VIN warranty duration value in years, months or days (integer) - "motor_kms" – motor warranty KMS (integer) - "motor_durationtype" – motor warranty duration type (string length upto 1) possible values: d,m,y - "motor_duration" – motor warranty duration value in years, months or days (integer) - "battery_kms" – Battery warranty KMS (integer) - "battery_durationtype" – Battery warranty duration type (string length upto 1) possible values: d,m,y - "battery_duration" – Battery warranty duration value in years, months or days (integer) - "charger_kms" – Charger warranty KMS (integer) - "charger_durationtype" – Charger warranty duration type (string length upto 1) possible values: d,m,y - "charger_duration" – Charger warranty duration value in years, months or days (integer) - "freight_value" – freight value / % (float) - "freight_type" – 1=Value, 2=% default (1) (integer) - "freight_amnt" – freight Amount (float) - "insurance_value" – insurance value / % (float) - "insurance_Type" – 1=Value, 2=% default (1) (integer) - "insurance_amnt" – insurance Amount (float) - "dva_percentage" – DVA% require as per GOI (float) - "typeapproval_certno": Type Approval Certification No (string)
--	--

Note	List of Freight/Insurance Type	
	Id	Type
	1	Per Unit
	2	%Age

Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/dispatch/vd?Ver=1.0' \ --header 'Authorization: Token bKT0yrcZKgNzqd3FgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14P08R0ZQU8W5FxmF81T9ohpjKfMvTf6Xn5HIIQAAtoU p1xo8G8JxchpB9KglTciqG2i0mA9QjBdSnQkhrOc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE 3u4foZcU8gVnkQ04jflVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaviB9xQCVhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl 3Nc2zQ2VFOYSbWtj7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZUOKunInpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9B50oZ dokDOOZTHhUHpepdUgQck9mmweylq5nfGYlXSkf9cWjKqNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLw43YzHofHKO3CW7q 2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=hfrslgwgu3ex41p0pkzm41uf' \ --data-raw '{"data":{"Id":29,"lineno":1,"invoice_date":"20/07/2022","invoice_no":"DEMO20230111001","mfg_year":2022,"mfg_month":12,"mfg_day":1,"item_code":"Vento001","colr_code":"RRED","chasis_no":"MD9EDPAE456JV0029","motor_no":"MSD15EE220041","key_no":"","serv_bkno":"","battery_id":"123456","battery_no":"B458GFBAF00025","battery_no2":"","battery_no3":"","battery_no4":"","battery_no5":"","battery_no6":"","ecu_serno":"","ecu_im_ei":"","ecu_bal_mac":"","immoblizer_status":"1","immoblizer_no":"","bike_simid":"1","bike_mobileneno":"","charger_no":"CH2522JV903","controller_no":"CTD15DEMOJV00029","soundbar_serno":"","soundbar_bal_mac":"","voltage":"","regnumber":"","validity":"","startdate":"29/06/2022","tyre_no1":"","tyre_no2":"","gst_idno":"1","loc_code":"TI1004-2","dealercode":"DEMOPC","vendorid":17,"battery_chemistry":null,"battery_capacity":null,"battery_make":null,"battery_idno":0,"battery_code":null,"converter":null,"vcu":"XYZ","fame2_discount":48000,"nl_horn":"57dB","nl_passbyorbystander":"66dB","nl_driveroroprtr":"","poid":2,"vin_kms":1000,"vin_durationtype":"d","vin_duration":5,"motor_kms":1000,"motor_durationtype":"y","motor_duration":5,"battery_kms":1000,"battery_durationtype":"y","battery_duration":5,"charger_kms":1000,"charger_durationtype":"y","charger_duration":5,"freight_value":5,"freight_type":2,"freight_amnt":3975,"insurance_value":5,"insurance_Type":2,"insurance_amnt":4173.75,"dva_percentage":10,"typeapproval_certno":"certificationno"}}'</pre>
---------	--

Response Success	{ "Valid": true, "Description": "Data Saved Successfully.", "Value": [{ "Msg": "Data Saved Successfully.", "StatusCode": "200", "ResponseStatus": "true" }] }
Response Error	{ "Valid": false, "Description": "Chassis No Already exists.", "Value": [] }
	{ "Valid": false, "Description": "Data not saved.", "Value": [] }
	{ "Valid": false, "Description": "Model Name not found.", "Value": [] }
	{ "Valid": false, "Description": "Color Code cannot be blank", "Value": [{ "Msg": "Color Code cannot be blank", "StatusCode": 200, "ResponseStatus": false }] }
	{ "Valid": false, "Description": "Dealer not found in this user.", "Value": [] }
	{ "Valid": false, "Description": "VCU cannot be blank", "Value": [{ "Msg": "VCU cannot be blank", "StatusCode": 200, "ResponseStatus": false }] }

12. Spare/Part Dispatch

Purpose	Returns Vehicle Dispatch
URL	http://erpapi.autogeniuserp.com/V1/dispatch/pdb?Ver=1.1
Method	POST
Param. Type	raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Part Dispatch" - "Ver" – version of API i.e. 1.0 <i>mandatory</i> - "vendor_idno" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "id" – vendor dispatch Identity basically Primary key (integer) <i>mandatory</i> - "invoice_no" – Invoice number of the dispatch (string length upto 100) <i>mandatory</i> - "invoice_date" – Invoice date of the dispatch (string dd/MM/yyyy) <i>mandatory</i> - "part_no" – Unique Code of vehicle(string length upto 20) <i>mandatory</i> - "item_idno" – Unique id of item provided by Cogxim ERP (integer) - "item_hsncode" – HSNCode/SAC Code as per GOI (string length upto 10) <i>mandatory</i> - "item_rate" – Item Rate (float) <i>mandatory</i> - "item_mrp" – Item MRP (float) <i>mandatory</i> - "item_qty" – Item Qty (integer) <i>mandatory</i> - "sgst" – SGST (float) <i>tax percent mandatory default 0</i> - "cgst" – CGST (float) <i>tax percent mandatory default 0</i> - "igst" – IGST (float) <i>tax percent mandatory default 0</i> - "ugst" – UGST (float) <i>mandatory default 0</i> - "item_disc" – Item discount (float) <i>mandatory default 0</i> - "discount_type" – Type of Item discount ("% or "value") - "loc_code" – Location code (string length upto 10) <i>mandatory</i> - "poid" – PurchaseOrderId received through PurchaseOrder (integer default 0 if not available) - "lineno" – rownumber of dispatch list (integer default 0 if not available) <i>mandatory</i>
Note	
Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com /V1/dispatch/pdb?Ver=1.1' \ --header 'Authorization: Token bKT0yrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7Jel5eIFIP14P08R0ZQU8W5FxmF81T9ohpjKFMVtF6Xn5HIIQAaTOu p1xo8gG8zJxchpB9KglCiqG2i0mA9QjBdSnQkhroc8x9JevcozpeccW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE 3u4fOZcU8gVnKqO4jflVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCVhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl 3Nc2Q2VFOYSbWtU7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunlpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9B50oZ dokDOOZTHhUHpepdUgQck9mmweyllq5nfGYylXSkf9cwJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q 2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=hfrslgwgu3ex41p0pkzm41uf' \ --data-raw '{ { "Id": 1570, "lineno": 1, "invoice_date": "28/06/2022", "invoice_no": "DEMO222300478", "part_no": " 75BRDMAA00A01", "item_idno": 0, "item_hsncode": "85443000", "item_rate": 23.26, "item_mrp": 23.26, "item_qty": 97, "sgst": 0.0, "cgst": 9.0, "igst": 0.0, "ugst": 0.0, "item_disc": 0.00, "discount_type": "%", "loc_code": "DMEOPCG1", "vendorid": 17, "poid": 0, "dealercode": "DEMOPC" } }'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Data Saved Successfully.", "Value": [] }</pre>
Response Error	<pre>{</pre>

	<pre>"Valid": false, "Description": "Data not saved.", "Value": [] }</pre>
	<pre>{ "Valid": false, "Description": "Dealer not found in this user.", "Value": [] }</pre>

13. Pull API – Vehicle Sales Order

Purpose	Returns Sales Order
URL	http://erpapi.autogeniuserp.com/V1/so/fg?Ver=1.1&vendorid=17&dealercode=DEMO101&fromdate=01-04-2021&todate=02-07-2022&ordrtype=V&ordrno=1
Method	POST
Param. Type	POST
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Vehicle Dispatch" - "Ver" – version of API i.e. 1.0 mandatory - "vendorid" – Identity if the Vendor registered with Cogxim mandatory - "fromdate" – From Date (string dd-MM-yyyy format) mandatory - "todate" – To Date (string dd-MM-yyyy format) mandatory - "orderno" – PurchaseOrder no (integer) - "dealercode" – Dealer code if required report for specific Dealer (string length upto 10)
Example	<pre>curl --location --request GET 'http://erpapi.autogeniuserp.com/V1/so/fg?Ver=1.1&vendorid=17&dealercode=DEMO101&fromdate=22-06-2022&todate=02-07-2022' \ --header 'Authorization: Token bKT0yrcZKqNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FxmJf81T9ohpjKFMVtF6Xn5SHIIQAaTOu p1xo8gG8zJxchpB9KgtCiqG2i0mA9QjBdSnQkhr0c8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE 3u4f0ZcU8gVnKqO4jflVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCVhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl 3Nc2zQ2VFOYSbWtj7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunInpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9BS0oZ dokDOOZTHhUHpepdUgQck9mmweyllq5nfGYylXSkf9cwJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHK03CW7q 2Yt' \ --header 'Cookie: ASP.NET_SessionId=hfrslgwgu3ex41p0pkzm41uf'</pre>
Response Success	<pre>{ "scount": "1", "data": [{ "SalesHeader": { "refno": 9, "prefixno": "", "pordrdate": "25-11-2022", "ordrtype": "V", "consignee": "L1", "customercode": "DEMO101", "amount": 6231150, "lineitems": 1, "submittedtoerp": "25-11-2022", }, "soDetails": [{ "Itemname": "BMW520D", "modelName": "BMW520D", "description": "BMW 520D Luxury Line", "Unit": "NOS", "qty": 12, "Rate": 496123, "dmsordridno": 10181 }] }] }</pre> Total no. of Sales Order LocationCode DealerCode Total no. of Line Items in this order
Response Error	<pre>{ "Valid": false, "Description": "version not match error", "Value": [{ "Msg": "version not match error", "StatusCode": 200, "ResponseStatus": false }] }</pre>
	<pre>{ "Valid": false, "Description": "order type cannot be blank", "Value": [{ "Msg": "order type cannot be blank", "StatusCode": 200, </pre>

	<pre> "ResponseStatus": false }] } </pre>
	<pre> { "Valid": false, "Description": "Vendor Id cannot be Zero", "Value": [{ "Msg": "Vendor Id cannot be Zero", "StatusCode": 200, "ResponseStatus": false }] } </pre>
	<pre> { "Valid": false, "Description": "dealer cannot be blank", "Value": [{ "Msg": "dealer cannot be blank", "StatusCode": 200, "ResponseStatus": false }] } </pre>
	<pre> { "Valid": false, "Description": "from date cannot be blank", "Value": [{ "Msg": "From date cannot be blank", "StatusCode": 200, "ResponseStatus": false }] } </pre>
	<pre> { "Valid": false, "Description": "To date cannot be blank", "Value": [{ "Msg": "To date cannot be blank", "StatusCode": 200, "ResponseStatus": false }] } </pre>

14. ERP Report Vehicle Dispatches

Purpose	Returns Dispatch Report
URL	http://erpapi.autogeniuserp.com/V1/erpreport/vdr?Ver=1.0
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Vehicle Dispatch" - "Ver" – version of API i.e. 1.0 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "fromdate" – From Date (string dd-MM-yyyy format) <i>mandatory</i> - "todate" – To Date (string dd-MM-yyyy format) <i>mandatory</i> - "vhclstatus" – Status of Vehicle for Report type (string fixed values) <i>mandatory</i> - "dealercode" – Dealer code if required report for specific Dealer (string length upto 10) - "subvendorcode" – Sub vendor Code (base64) from where leads will be pushed (string length 10) If API Privacy is true at ERP then SubvendorCode is mandatory. Vendor should have created Code self in Subvendor Form in ERP Portal.
Note	VhclStatus are: ALL, SOLD, IN STOCK, In Transit, SOLD WITHOUT BOOKING ID. Location Status can be Matched if dispatch location is same in location master, Mis Matched if dispatch location is not in location master or No Location Found if dispatch location sent as blank.
Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/erpreport/vdr?Ver=1.0' \ --header 'Authorization: Token bkToryrCZKgNzqd3FfgNV7JDGWUmrUXmpt67Npprw4huP7Jel5eIFIP14PO8R0ZQU8W5FxlMf81T9ohpjKFMTvF6Xn5HIIQAaTOup1xo8gG8zJxchpB9KglTciQg2i0mA9QjBdS nQkhroc8x9JevcopecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE3u4fOZcU8gVnKqO4jflVps439eOrP5Ri3iEjh6KmyZ0pwPEfmT3JaViB9xQCvhwem4A Tg9rNy9lxGyeXaNBjA95Jxwna09g5D8wjl3Nc2zQ2VFOYSbWtj7pUe4lIMUKIGRVSTLCPuLMthTXOXQ44dRs3ZU0KunlnpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9B50oZd okDOOZTHhUHpepdUgQck9mmwewyllq5nfGYlXSkf9cwlqkNabjVlrXZGZ1YbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=hfrslgwgu3ex41p0pkzm41uf' \ --data-raw '{ "vendorid": 17, "fromdate": "01-06-2022", "todate": "30-07-2022", "dealercode": "DEMOPC", "locationcode": "L1", "chassisno": "MBLH456789454", "mobilen": "9414303776", "vhclstatus": "sold", "subvendorcode": "QUJDLTE=" // Base64 }</pre>
Response Success	<pre>{ "Valid": true, "Description": "Vehicle Dispatches - Sold", "Value": [{ "Sale Date": "21-06-2022", "Invoice No": "DEMO212200870", "Invoice Date": "15-03-2022", "Location Code": "L1", "Location Status": "Matched", "Dealer Name": "Demo PC", "Zone": "South", "Area Office": "South Zone Area", "Mfg Year": "0", "Brand Name": "Demo Vehicle", "Model Code": "DEMOPC000KG4587", "Color Code": "GI", "Chasis No": "DEMO0000086", "Reg No": "GJ14ZV5847", "Motor No": "DEB00086", "Battery ID": "", "Battery No": "TK-06-LU-000531", "ECU Serial No": "", "ECU Im El": "", "ECU BAL MAC": "", "Immoblizer No": "", "Bike Sim Id": "1", "Bike Mobile No": "", "Charger No": "BCC00026", "Controller No": "ECB00086", "Soundbar Serial No": "", "Soundbar BAL MAC": "", "Voltage": "", "Reg Number": "RJ14AS4567", }] }</pre>

	<pre> "Start Date": "15-03-2022", "Tyre 1": "", "Tyre 2": "", "Vehicle Status": "Sold", "Booking Id": "", "Bill No": "29", "Bill Date": "21-06-2022", "Bill Type": "Counter Sale [Single]", "Financer Name": "", "Fin Amount": "0", "Name of the Party": "Raju gudipati", "Address1": "", "Address2": "", "State": "Telangana", "City": "Secunderabad", "Pin": "", "Mobile No": "9849699856", "Email": "", "App Push": "YES" "LeadId": 0, "VCU": "", }] } </pre>
Response Error	<pre> { "Valid": false, "Description": "Unauthorized" } </pre>
	<pre> { "Valid": false, "Description": "Subvendor Code is missing. Please provide subvendorcode.", "Value": [{ "Msg": "Subvendor Code is missing. Please provide subvendorcode.", "StatusCode": 200, "ResponseStatus": false }] } </pre>

15. Lead Lock

Purpose	Returns Lead lock
Production URL	http://erpapi.autogeniuserp.com/V1/leadafit/lglock?Ver=1.0
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Affiliate Lead" - "Ver" – version of API i.e. 1.0(mandatory) - "leadid" – identity of lead (alphanumeric length 1 to 150) (mandatory) - "leadtype" -- string (string 1 to 250) - "prefix" -- prefix if any (string length 1 to 200) - "name" -- user name (string length 1 to 200)) (mandatory) - "mobile" – user mobile number (string length 10) (mandatory) - "phone" -- user phone number (string length 10) - "email" -- user email (string length 1 to 200) - "date" – lead date (datetime yyyy-MM-dd) (mandatory) - "category" – category like vehicle,scooter (string length 1 to 200) - "area" – lead area name (string length 1 to 200) - "city" – city name (string length 1 to 200) - "brancharea" – branch area (string length 1 to 200) - "dncmobile" – weather mobile no is dnd (bit) true/false - "dncphone" -- weather phone no is dnd (bit) true/false - "company" – company Name for Lead is generated (string length 1 to 200) - "pincode" – Pin code (string length 1 to 200) (mandatory) - "time" – record time of lead (string length 1 to 200) (mandatory) - "branchpin" – Branch Pin Code (string length 1 to 200) (mandatory) - "parentid" -- Vendor id (alphanumeric length 1 to 200) - "model" – Model Name (string length 1 to 200) - "variant" – Model Variant (string length 1 to 200) - "color" – Model Colour (string length 1 to 200) - "dealercode" – Dealer Code For Vendor (string length 1 to 200) - "productcode" – Product Code (string length 1 to 200) (mandatory) - "remarks" -- Remark (string length 1 to 200) - "sourceapp" – source of Lead fixed value(BikeDkho, BikeWale) (string length 1 to 200) (mandatory) - "testride" – Whether TestRide required? (integer 0=No 1=Yes) - "testridedate" – If TestRide yes then provide Ride Date (yyyy-MM-dd) - "testridetime1" – Test ride From slot (string 24hr format, ex. 13:15:00) - "testridetime2" – Test ride To slot (string 24hr format, ex. 15:30:00) - "subsource" – Lead sub source linked with Main Source (string length 1 to 200) - "subvendorcode" – Sub vendor Code (base64) from where leads will be pushed (string length 10) If API Privacy is true at ERP then SubvendorCode is mandatory. Vendor should have created Code self in Subvendor Form in ERP Portal. - "leadnature" – Lead Nature created in ERP(string length upto 10) possible values high, low, medium, hot. Cold, warm. - "statecode" – GST State Code as per GOI (string length upto 2) possible values (08,16...) - "callcenterdealer_code" – Call center Dealercode if lead created from callcenter(string length upto 100) - "dealerlocation_code" – Location of Dealercode (string length upto 20)
Note	Company Name will the registered name with Cogxim. Various Sourceapp: DMS,ERP,Website,PWA,App,Justdial,Bikedekho,Bikewale,CarBike360,Zigwheels,CarAndBike,FB,IG,ConVox, Enquire Now Form,Digital Test Ride,Google Search,Google Display,Affiliate,Digital Test Drive
Example	<pre>curl --location --request POST curl --location --request GET 'http://erpapi.autogeniuserp.com/V1/leadafit/lglock?Ver=1.0' \ --header 'Authorization: Bearer bKToyrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeLSeIFIP14PO8R0ZQU8W5FxJmF81T9ohpjKFMVtF6Xn5HIIQAaTO up1xo8gG8ZJxchpB9KgtCiqG2i0mA9QjBdSnQkhroc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bx E3u4f0ZcU8gVnKqO4jfzlvps439eOrP5Ri3iEJh6KmyZ0pwpEFmT3JaViB9xQCVhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8w jl3Nc2zQ2VFOYSbWtj7pUe4lMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunlNpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9BS0 oZdokDOOZTHUHpepdUgQck9mmweyllq5nfGYlXSkf9cWJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW</pre>

	<pre> 7q2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=yihgdlpgykvqxch3vlpjl30' \ --data-raw '{ "leadid": "JD1D46815E17AC", "leadtype": "category", "prefix": "", "name": "Test1", "mobile": "8888888888", "phone": "", "email": "", "date": "2021-10-11", "category": "Motorcycle", "area": "Nirman Nagar", "city": "Jaipur", "brancharea": "Jaipur", "dncmobile": 0, "dncphone": 0, "company": "DemoERP", "pincode": "302019", "time": "13:10:11", "branchpin": "302019", "parentid": "PXX22.XX22", "model": "", "variant": "", "color": "", "dealercode": "", "productcode": "", "remarks": "", "sourceapp": "BikeDekho", "testride": "1", //0=no,1=yes "testridedate": "2023-08-20", "testridetime1": "16:25:00", "testridetime2": "16:00:00", "subsource": "Campagin Test", "subvendorcode": "QUJD", // Base64 "leadnature": "hot", "statecode": "08", "callcenterdealer_code": "KJ" "dealerlocation_code": "L1" }' </pre>
Response Success	<pre> { "Valid": true, "Description": "Lead submitted successfully", "Value": [{"Msg": "Lead submitted successfully", "StatusCode": "200", "ResponseStatus": "true"}] } </pre>
Sub source Error	<pre> {"Valid": false, "Description": "Lead sub source Test is not a mapped source with main source Facebook", "Value": [{"Msg": "Lead sub source Test is not a mapped source with main source Facebook", "StatusCode": "200", "ResponseStatus": "false"}]} </pre>

16. Call Centre - Dealer Information By Pin code

Purpose	Returns Dealer information by Pin code
Production URL	http://erpapi.autogeniuserp.com/V1/callcenter/pin?code=395004&Ver=1.0&vendorid=17
Method	GET
Param. Type	GET
Authorization	API key in Header. Possible value "Fixed Toekn assig for Affiliate Leads"
Data	"Pincode" - "Ver" – version of API i.e. 1.0 (mandatory) - "vendorid" – identity of vendor (integer) (mandatory) - "code" -- string (string length 6) (mandatory)
Example	<pre>curl --location --request GET 'http://erpapi.autogeniuserp.com/V1/callcenter/pin?code=302020&Ver=1.0&vendorid=17' \ --header 'Authorization: Bearer bKToyrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FxJMf81T9ohpjKFMVtF6Xn5HlIQaAToup1xo8gG8zJxchpB9KgtCiqG2i0mA9QjBdSnQkhroc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE3u4fOZcU8gVnKqO4jflVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCVhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wj13Nc2zQ2VFOYSbWtJ7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunInpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9BS0oZdokDOOZTHhUHpepdUgQck9mmweyllq5nfGYlXSkf9cwJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q2Yt' \ --header 'Cookie: ASP.NET_SessionId=arqfzwzsv152q4eujavbypv1'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Dealer list for Pincode 395001", "Value": [{ "DealerCode": "DemoPC", "DealerCompany": "COGxim Softwares Pvt. Ltd.", "ContactNo": "8302362152", "AlternateContactNo": "8302362152", "DealerStateName": "Rajasthan", "PinCode": "302020", "ActiveStatus": "Active" }] }</pre>
Response Error	<pre>[{ { "Valid": false, "Description": "Invalid Pincode 3950010", "Value": [{ "Msg": "Invalid Pincode 3950010", "StatusCode": 200, "ResponseStatus": false }] }] }</pre>
	<pre>{ "Valid": false, "Description": "Unauthorized" }</pre>
	<pre>[{ { "Valid": false, "Description": "Pincode not found error", "Value": [{ "Msg": "Pincode not found error", "StatusCode": 200, "ResponseStatus": false }] }] }</pre>

	<pre>{ "Valid": false, "Description": "Vendor Id cannot be Zero", "Value": [{ "Msg": "Vendor Id cannot be Zero", "StatusCode": 200, "ResponseStatus": false }] }</pre>
--	--

17. Follow-up Status by call center

Purpose	Returns Dealer information by Pin code
Production URL	http://erpapi.autogeniuserp.com/V1/callcenter/callstatus?Ver=1.0
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Call Status" - "Ver" – version of API i.e. 1.0 (mandatory) - "vendorid" – identity of vendor (integer) (mandatory) - "lms_leadid" – lead id of LMS (integer) mandatory - "cvx_leadid" – lead id of call center (convex here) mandatory - "mobile_no" – mobile number of customer of that lead (integer, length 10) mandatory - "call_answered" – call answered by customer (possible values Yes/No) mandatory, - "callans_dlrprimaryno" – call answered by dealer primary number (possible values Yes/No) mandatory - "callans_dlrsecondno" – call answered by dealer secondary number (possible values Yes/No) mandatory - "callans_cc" – call answered by call center (possible values Yes/No) mandatory - "call_duration" – call duration in minutes mandatory, - "recording_link" -- link of call record, - "call_datetime" – call date in dd-MM-yyyy possible value "13-06-2022" mandatory - "call_timestamp" – timestamp of call in hh:mm possible value 13:15, mandatory - "dtmf_captured" – Tr Info, - "pincode" – pincode of customer (integer) possible value 302020, - "call_Status" – call status of call mentioned by Vendor possible value IVRCADA, IVRCN, IVRCADN, mandatory - "nextfollowup_datetime" – next followup date and time in dd-MM-yyyy hh:mm possible value "13-06-2022 13:15" mandatory - "leadsource_app" – name of lead source string length upto 50 mandatory
Example	<pre>curl -location --request POST 'http://erpapi.autogeniuserp.com/V1/callcenter/callstatus?Ver=1.0' \ --header 'Authorization: Token bKToyrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeLSeIFIP14PO8R0ZQU8W5FxJMf81T9ohpjKFMVtF6Xn5HIIQAaT Oup1xo8gG8ZlxchpB9KglTCiqG2i0mA9QjBdSnQkhr0c8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTWL8U50vcCFHdT n5bxE3u4fOZcU8gVnKqO4jflVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCVhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09 gSD8wj13Nc2zQ2VFOYSbWt17pUe4lMUKlGRVSTLCPuLMthTXOXQ44dRs3ZU0KunInpK9c9XSnoGJWwqb9cFR7oMK8KzorH AOf9BS0oZdokDOOZTHhUHpepdUgQck9mmweyllq5nfGYylXSkf9cwlqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzH ofHKO3CW7q2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=arqfzwzsv152q4eujavbypv1' \ --data-raw '{ "lms_leadid": 100, "cvx_leadid": 5, "mobile_no": "9555555555", "call_answered": "Yes", "callAns_dlrprimaryno": "Yes", "callans_dlrsecondno": "No", "callans_cc": "Yes", "call_duration": "Yes", "recording_link": "link", "call_datetime": "13-06-2022", "call_timestamp": "13:15", "dtmf_captured": "Trinfo", }</pre>

	<pre> "pincode": "328001", "call_status": "IVRCADA", "nextfollowup_datetime": "14-06-2022 13:15:00", "vendorid": 17, "leadsource_app": " Call Center Conneqt Q" }' </pre>
Response Success	<pre> { "Valid": true, "Description": "Call status has been updated", "Value": [{ "Msg": "call status has been updated", "StatusCode": 200, "ResponseStatus": true }] } </pre>
Http method error	<pre> { "Valid": false, "Description": "The request resoure does not support http method 'GET'", "Value": [{ "Msg": "The request resoure does not support http method 'GET'", "StatusCode": 405, "ResponseStatus": false }] } </pre>

18. Daily Job Information

Purpose	Returns DailyJobInformation
URL	http://erpapi.autogeniuserp.com/V1/erpreport/djr?Ver=1.0
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Daily Job Data" - "Ver" – version of API i.e. 1.0 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "startdate" – From Date (string dd-MM-yyyy format) <i>mandatory</i> - "enddate" – To Date (string dd-MM-yyyy format) <i>mandatory</i> - "dealercode" – Dealer code if required report for specific Dealer (string length upto 10)
Note	To get all dealers job keep dealercode blank "" Replace Vendorid with actual Vendorid
Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/erpreport/djr?Ver=1.0' \ --header 'Authorization: Token bKToyrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FJmF81T9ohpjKFMVtF6Xn5HIIQAaTOu p1xo8gG8zJxchpB9KgtCiqG2i0mA9QjBdSnQkhroc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE 3u4fOZcU8gVnKqO4jflVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCVhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl 3Nc2zQ2VFOYSbWtj7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunInpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9BS0oZ dokDOOZTHhUHpepdUgQck9mmweyllq5nfGYlXSkf9cwJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q 2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=dwfmhkv45htefv3hco5fjz0' \ --data-raw '{ "vendorid": 17, "startdate": "27-07-2022", "enddate": "27-07-2022", "dealercode": "DEMO101" }'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Service data between dates - 01-07-2022 and 27-07-2022", "Value": [{ "Comp Name": "Demo Dealer Pvt. Ltd", "Dealer Code": "DEMO", "Job Date": "03-04-2023", "Job No": "1", "In Time": "10:47AM", "Job Category": "Appointment", "FFR Per%": "0", "Doc No": "2", "Doc Type": "Invoice", "Doc Date": "04-04-2023", "Close Time": "10:17AM", "Location": "Mansarovar", "Model": "Vento001", "Brand Name": "Vehicle", "Party Name": "Demo Party", "Supervisor": "Ramesh", "Technician": "Suresh", "KMS": "23957", "Service Head": "Free Service", "Job Type": "4th Free Service", "Reg No": "RJ14AB1111", "Vehicle Type": "External", "Engine No": "ENG20230419001", "Chassis No": "CHA20230419001", "Battery SerialNo1": "", "Battery SerialNo2": "" }] }</pre>

	<pre> "Battery SerialNo3": "", "Battery SerialNo4": "", "Battery SerialNo5": "", "Battery SerialNo6": "", "IndividualAH Battery1": "", "IndividualAH Battery2": "", "IndividualAH Battery3": "", "IndividualAH Battery4": "", "IndividualAH Battery5": "", "IndividualAH Battery6": "", "Sale Date": "16-11-2021", "Coupon No": "", "Expected delivery date": "03-04-2023", "Proforma Date": "", "Invoice Date": "04-04-2023", "Estimated Job expenses": "0", "Labour hours": "1", "Parts": "351.57", "Accessory": "0", "Oil": "0", "Labour": "50", "Outside Work": "0.00", "Total W/O Tax": "401.57", "GST_Amnt": "107.44", "IGST_Amnt": "0", "Net Total": "509.01" }] } </pre>
Response Error	<pre> { "Valid": false, "Description": "No Result Found.", "Value": [] } </pre>

19. Line-Order-wise

Purpose	Returns Line-Order-wise Report
URL	http://erpapi.autogeniuserp.com/V1/erpreport/lor?Ver=1.0
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Line-Order-wise data" - "Ver" – version of API i.e. 1.0 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "startdate" – From Date (string dd-MM-yyyy format) <i>mandatory</i> - "enddate" – To Date (string dd-MM-yyyy format) <i>mandatory</i> - "dealercode" – Dealer code if required report for specific Dealer (string length upto 10)
Note	To get all dealers job keep dealercode blank "" Replace Vendorid with actual Vendorid
Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/erpreport/lor?Ver=1.0' \ --header 'Authorization: Token bKToYrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FJmF81T9ohpjKFMVtF6Xn5HIIQAaTOu p1xo8gG8zJxchpB9KgtCiqG2i0mA9QjBdSnQkhroc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE 3u4fOZcU8gVnKqO4jflVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCvhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl 3Nc2zQ2VFOYSbWtj7pUe4IMUKIGRVSTLCDPULMthTXOXQ44dRs3ZU0KunInpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9BS0oZ dokDOOZTHhUHpepdUgQck9mmweyllq5nfGYlXSkf9cwJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q 2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=dwfmhkvi45htefv3hco5fjz0' \ --data-raw '{ "vendorid": 17, "startdate": "01-07-2022", "enddate": "27-07-2022", "dealercode": "DEMO101" }'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Lineorder Report between dates - 01-07-2022 and 27-07-2022", "Value": [{ "Dealer Name": "Demo Dealer Pvt. Ltd.", "Dealer Code": "DEMO101", "Location": "Mansarovar", "Doc Date": "07-07-2022", "Doc No": "16", "Doc Type": "Invoice", "Job Date": "07-07-2022", "Job No": "18", "Job Start Date": "07-07-2022", "Job Start Time": "10:58:26", "Job End Date": "07-07-2022", "Job End Time": "11:06:18", "Job Category": "NA", "Brand Name": "Vehicle", "Model": "Vento001", "Supervisor": "Ramesh", "Technician": "Suresh", "KMS": "970", "JOB Card Type": "Service", "JOB Head": "Free Service", "JOB Type": "1st Free Service", "Expected delivery date": "07-07-2022", "Estimated Job expenses": "0", "Payment Mode": "Cash", "Party Name": "Demo Party", "Contact No.": "8888888888", "Reg. No.": "" }] }</pre>

	<pre> "Vehicle Type": "External", "Engine No.": " ENG20230419001", "Chassis No": " CHA20230419001", "Sale Date": "15-04-2022", "Item Name": "", "Item Description": "", "Item Type": "", "Warranty": "REGULAR", "Qty": "", "MRP": "", "Pur Rate": "", "Rate": "0", "Total": "0", "WAV": "0", "WAV Total": "", "Contribution": "0", "SGST%": "", "SGST Amnt": "", "CGST%": "", "CGST Amnt": "", "IGST%": "", "IGST Amnt": "", "Discount": "", "Total Amount": "", "TotalRecords": "3", "Is_OEM": "", "OEM MRP": "", "Sale Rate": "", "New MRP": "", "Margin Amt": "", "Is_OutOfMargin": "", "WAVRTOL": "0", "FFR Status": "NA", "Remark": "" }] } </pre>
Response Error	<pre> { "Valid": false, "Description": "No Result Found.", "Value": [] } </pre>
	<pre> { "Valid": false, "Description": "VendorIdno cannot be 0", "Value": [] } </pre>
	<pre> { "Valid": false, "Description": "Start Date cannot be blank", "Value": [] } </pre>
	<pre> { "Valid": false, "Description": "End Date cannot be blank", "Value": [] } </pre>

20. Serial Dispatch

Purpose	Returns Serial Dispatch
URL	http://erpapi.autogeniuserp.com/V1/dispatch/srd?Ver=1.1
Method	POST
Param. Type	raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Serial Dispatch" - "Ver" – version of API i.e. 1.1 <i>mandatory</i> - "id" – vendor dispatch Identity basically Primary key (integer) <i>mandatory</i> - "invoiceno" – Invoice number of the dispatch (string length upto 100) <i>mandatory</i> - "invoicedate" – Date if Invoice of the dispatch (string dd/MM/yyyy) <i>mandatory</i> - "invoicetype" – V for Vehicle (string fixed values) <i>mandatory</i> - "itemcode" – Unique Code of vehicle(string length upto 20) <i>mandatory</i> - "chassisnumber" – Unique chassis number of vehicle (string length upto 20) <i>mandatory</i> - "serialno" – Serial number Unique Code of device (string length upto 20) - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "dealercode" – Dealer code (string length upto 10) <i>mandatory</i> - "devicetype" – Type of Device: Converter, Battery, Controller, Charger, Motor, ECU, VCU (string length upto 250) <i>mandatory</i> - "itemqty" – numbers of items (integer) <i>mandatory</i> - "lotno" – Lot Number (string length upto 250) - "mfgdate" – Manufacturing Date (Date format dd-MM-yyyy) - "invoiceitemcode" – InvoiceItemCode (string length 100) - "lineno" – rownumber of dispatch list (integer default 0 if not available) <i>mandatory</i> - "linkeditemcode" – ItemCode linked with Serial ItemCode (string length 100) - "poid" – PurchaseOrder given from ERPConnect at the time Order (integer)
Note	Invoicetype V for vehicle and P for parts Replace Vendorid with actual and the dealercode
Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/dispatch/srd?Ver=1.1' \ --header 'Authorization: Token bKT0yrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FxmJf81T9ohpjKFMVtF6Xn5HIIQAaTOu p1xo8gG82JxchpB9KgtCiqG2i0mA9QjBdSnQkhrOc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE 3u4f0ZcU8gVnKqO4jzIVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCVhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl 3Nc2zQ2VFOYSbWtU7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunlNpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9BS0oZ dokDOOZTHhUHpepdUgQck9mmweyllq5nfGYYlXSkf9cwJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q 2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=coibgmud02xatfqyx5x5hwyb' \ --data-raw '{"data":{"lineno":1,"invoicedate":"15-06- 2023","invoiceno":"DEMO2023060005","invoicetype":"P","chassisnumber":"","itemcode":"Battery12378991","serialno":"SR 2023060005","vendorid":17,"dealercode":"DEMO101","devicetype":"","itemqty":1,"lotno":"LOT001","mfgdate":"09-06- 2023","invoiceitemcode":"11112222"}}}'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Serial Items dispatched successfully.", "Value": [{ "Msg": "Serial Items dispatched successfully.", "StatusCode": "200", "ResponseStatus": "true" }] }</pre>
Error	<pre>{ "Valid": true, "Description": "Serial Items dispatched successfully. Following item codes are not found in ERP: 1111222278991,Battery12378991. Please crea te these items in ERP before sending.", "Value": [{ "Msg": "Serial Items dispatched successfully. Following item codes are not found in ERP: 1111222278991,Battery12378991. Please create these items in ERP before sending.", "StatusCode": "200", "ResponseStatus": "true" }] }</pre>

Error	<pre>{ "Valid": true, "Description": "Serial Items dispatched successfully. Following Serial numbers are duplicate in ERP: SR20230626001.", "Value": [{ "Msg": "Serial Items dispatched successfully. Following Serial numbers are duplicate in ERP: SR20230626001.", "StatusCode": "200", "ResponseStatus": "true" }] }</pre>

21. Old Transaction API

Purpose	1. Returns Old Transaction
URL	http://erpapi.autogeniuserp.com/V1/erpreport/oldt?Ver=1.0
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Old Transaction data" - "Ver" – version of API i.e. 1.0 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "startdate" – From Date (string dd-MM-yyyy format) <i>mandatory</i> - "enddate" – To Date (string dd-MM-yyyy format) <i>mandatory</i> - "dealercode" – Dealer code if required report for specific Dealer (string length upto 10)
Note	To get all dealers job keep dealercode blank "" Replace VendorId with actual VendorId
Example	<pre>curl --location --request GET 'http://erpapi.autogeniuserp.com/V1/erpreport/oldt?Ver=1.0' \ -- header 'Authorization: Token JaXb8nZFEmB8vzGcUOu3kMMCsIor28K5MYEBIFXSx0lQBazzWlxzohsVImU5V6UfioMhF8ijT7dJfpr hQQv9N5viseZ62tTUG8F7mxXgFyjGO4xnx12zfBXG29hqmjO1MJgkDf0vCbXSnj0le0bvbyvYAZbNmW9bAncY6fJCs8AkyU3V5yc3Ty dZiOPITaGHf4KjGQpDR7rCwwkyrgb8TtdiNHeqmcUJ4RYwOQb3WkQ5e9cvGyXmTHW08R3NK1XErcGiLf9pZzhkigsUeacj8eHSTgG 6HPiuBCdBDWdXtvOqymGDxgkstUsJlDaGEaYKqD44UEXeSpvr4E0MRHbJpZZn7ufWy5KnMHklkUfcw2HyJhlnP0DCB4WkYupopxk0 qDBhDKgmbJr9Dxe1rRljV1lCmehEsPCdr68pqGDVDVfeca1eJJoqTVhK2iZHdCgFV3bOGWnmL8Z9y54KblRpoU8rvCfZOIBZdsQBd mBUubVWfrFgOfS52' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=oafu34kaqx3cbsgq31mp3s0l' \ --data-raw '{ "vendorid": 17, "startdate": "01-01-2022", "enddate": "27-07-2022", "dealercode": "" }'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Lineorder Report between dates - 01-07-2022 and 27-07-2022", "Value": { "Vendor_Name": "AUTO LIFE", "Vendor_GSTIN": "24AFSPJ9422L1ZX", "State_Name": "GUJARAT", "City_Name": "Ahmedabad", "Bill_No": "103/2022-23", "Bill_Date": "19-07-2022", "Job_No": "1030", "Job_Date": "29-10-2022", "Reg_No": "GJ01RY2718", "ItemMake": "", "ItemModl": "", "Color": "", "Payment_Status": "1", "Taxbl_Amount": "6282.06", "Total_Amount": "7469.08", "Date_Added": "Oct 29 2022 6:20PM", "UserName": "Devendra Kumar Jangid", "Date_Modified": "", "Modified User Name": "" } }</pre>
Response Error	<pre>{ "Valid": false, "Description": "No Result Found.", "Value": [] }</pre>
	<pre>{ "Valid": false, "Description": "VendorIdno cannot be 0", "Value": [] }</pre>
	<pre>{ "Valid": false, "Description": "Start Date cannot be blank", "Value": [] }</pre>
	<pre>{ "Valid": false, "Description": "End Date cannot be blank", "Value": [] }</pre>

22. Pull API – Spares Sales Order

Purpose	Returns Sales Order
URL	http://erpapi.autogeniuserp.com/V1/so/sp?Ver=1.1&vendorid=17&dealercode=DEMO101&fromdate=01-04-2021&todate=02-07-2022&ordrno=1
Method	GET
Param. Type	GET
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Vehicle Dispatch" - "Ver" – version of API i.e. 1.0 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "fromdate" – From Date (string dd-MM-yyyy format) <i>mandatory</i> - "todate" – To Date (string dd-MM-yyyy format) <i>mandatory</i> - "orderno" – PurchaseOrder no (integer) - "dealercode" – Dealer code if required report for specific Dealer (string length upto 10)
Example	<pre>curl --location --request GET 'http://erpapi.autogeniuserp.com/V1/so/sp?Ver=1.1&vendorid=17&dealercode=DEMO101&fromdate=22-06-2022&todate=02-07-2022&ordrno=1' \ --header 'Authorization: Token bKT0yrcZKqNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FxFJmF81T9ohpjKFMVtF6Xn5HIIQAaTOu p1xo8gG8zJxchpB9KglTciqG2i0mA9QjBdSnQkhroc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE 3u4f0ZcU8gVnKqO4jflVps439eOrP5Ri3iEJh6KmyZ0pwPEfMT3JaViB9xQCVhewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl 3Nc2zQ2VFOYSbWtJ7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunInpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9BS0oZ dokDOOZTHhUHpepdUgQck9mmweyllq5nfGYylXSkf9cwJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHK03CW7q 2Yt' \ --header 'Cookie: ASP.NET_SessionId=hfrslgwgu3ex41p0pkzm41uf'</pre>
Response Success	<pre>{ "scount": "2", "data": [{ "SalesHeader": { "refno": 125, "Prefix": "W1/MSO", "pordrdate": "10-11-2022", "pordr_type": "MSO", "ordrtype": "P", "consignee": "W1", "customercode": "DEMO101", "amount": 5900, "lineitems": 1, "submittedtoerp": "10-11-2022" }, "soDetails": [{ "Itemname": "20k311s", "modlname": "20k311s", "descriptions": "20k311s", "Unit": "NOS", "qty": 10, "Rate": 500, "dmspordridno": 10179 }] }, { "SalesHeader": { "refno": 127, "Prefix": "W1/MSO", "pordrdate": "24-01-2023", "pordr_type": "MSO", "ordrtype": "P", "consignee": "W1", "customercode": "DEMO101", "amount": 9125, "lineitems": 2 }, "soDetails": [{ "Itemname": "1324150", "modlname": "1324150", "descriptions": "KIT GASKETS AX100 (MINOR)", "Unit": "NOS", "qty": 10, "Rate": 42,</pre>

	<pre> "dmspordridno": 10182 }, { "Itemname": "3031033", "modlname": "3031033", "descriptions": "GEAR KICK STARTER DRIVE - AX 100", "Unit": "NOS", "qty": 25, "Rate": 270, "dmspordridno": 10182 }] }] } </pre>
Response Error	<pre> { "Valid": false, "Description": "version not match error", "Value": [{ "Msg": "version not match error", "StatusCode": 200, "ResponseStatus": false }] } </pre>
	<pre> { "Valid": false, "Description": "Unauthorized", "Value": [{ "Msg": "Unauthorized", "StatusCode": 203, "ResponseStatus": false }] } </pre>
	<pre> { "Valid": false, "Description": "Vendor Id cannot be Zero", "Value": [{ "Msg": "Vendor Id cannot be Zero", "StatusCode": 200, "ResponseStatus": false }] } </pre>
	<pre> { "Valid": false, "Description": "from date cannot be blank", "Value": [{ "Msg": "From date cannot be blank", "StatusCode": 200, "ResponseStatus": false }] } </pre>
	<pre> { "Valid": false, "Description": "To date cannot be blank", "Value": [{ "Msg": "To date cannot be blank", "StatusCode": 200, "ResponseStatus": false }] } </pre>

23. Pull API – Lead Information

Purpose	Returns Lead information
URL	http://erpapi.autogeniuserp.com/V1/leadmaster/getlead?Ver=1.1&fromdate=01-02-2023&todate=08-02-2023&vendorid=17
Method	POST
Param. Type	POST
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Vehicle Dispatch" - "Ver" – version of API i.e. 1.0 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "fromdate" – From Date (string dd-MM-yyyy format) <i>mandatory</i> - "todate" – To Date (string dd-MM-yyyy format) <i>mandatory</i> - "subvendorcode" –SubvendorCode (base64) <i>mandatory</i> if API privacy is true(string length 10)
Example	<pre>curl --location --request GET 'http://erpapi.autogeniuserp.com/V1/leadmaster/getlead?Ver=1.1&fromdate=01-11-2023&todate=08-11-2023&vendorid=17' \ --header 'Content-Type: application/json' \ --header 'Authorization: Token 3GVB7W3KcnNGUjtbFmpzk9F62AVmBJKVxKrPibS6yT9f3To9rsQG8YMUfqbUeElQg5P8I724qomOd2BPzqEZm4rtGcqsQNRkdfVPM4dl hdf8hVlFG3yBFWOHrYolXA8DDEGn4jSQddEIzkgmpMi50z2BC5SftH7ckgq4033Ak9cU2aBKJTCW2xyv0RnmnJ4ZPFarobKaOGzR5PjcGgrn KYOOwYfLv3AXWcu7CYK3xm7v4A41I5ZOeT5VUZ4jjDBfbchUBSBigjOADydvk3ZSQcRbZymjTqZmtPm7iu0Zfl6q3UcExE6xDM9CAsVEE8 HFm6MuJSWceuvD5xdHePYwb7dgf55ZyWqm6p2IQPxdkTEWRLT0Hxid0Jlhnesto4TB1FDcR2dcQVJ0TX4q6JcVBsb0akU2SFd5fkW68JlyY8 e8kqpUAIQw0SGFIA1JuORd9f9qAaPV0wCED4IDZQ0d3B2YQ1ps6BQstVYRCKlwNgdO5KQ' \ --header 'Cookie: ASP.NET_SessionId=dbydaxqohtk0a4anuy4dvcmu' \ --data '{ "fromdate": "01-11-2023", "todate": "30-11-2023", "vendorid": 17, "subvendorcode": "QUJDLTE=" }'</pre>
Response Success	<pre>{ "data": [{ "LeadNo": "314274", "ExecutiveName": "Dheeraj Singh", "LeadType": "Lead Lock", "LeadId": "553442", "Lead_Date": "08-02-2023", "LeadTime": "17:23 PM", "ProductName": "AA Electric EV 02 3W", "LeadSource": "DILIP", "SubSource": "", "LeadNature": "Normal", "ProspectName": "Test Customer 2", "MobileNo": "6562565656", "LeadNature1": "Normal", "TestRideRequired": "Yes", "TestRideDate": "", "RideTime": "", "NextFollowupDate": "08-02-2023", "NextFollowupTime": "17:23PM", "Varient_Name": "", "DealerName": "Demo Dealer Pvt Ltd", "FollowupStatus": "Not Interested", "LeadStatus": "Close", "SaleBillNo": "0", "SaleDate": "", "ReceiptNo": "", "ReceiptDate": "" }] }</pre>
Response Error	<pre>{ "Valid": false, "Description": "version not match error", "Value": [{ "Msg": "version not match error", "StatusCode": 200, "ResponseStatus": false }] }</pre>

	<pre> { "Valid": false, "Description": "Unauthorized", "Value": [{ "Msg": "Unauthorized", "StatusCode": 203, "ResponseStatus": false }] } </pre>
	<pre> { "Valid": false, "Description": "Vendor Id cannot be Zero", "Value": [{ "Msg": "Vendor Id cannot be Zero", "StatusCode": 200, "ResponseStatus": false }] } </pre>
	<pre> { "Valid": false, "Description": "from date cannot be blank", "Value": [{ "Msg": "From date cannot be blank", "StatusCode": 200, "ResponseStatus": false }] } </pre>
	<pre> { "Valid": false, "Description": "To date cannot be blank", "Value": [{ "Msg": "To date cannot be blank", "StatusCode": 200, "ResponseStatus": false }] } </pre>

24. TCD Master

Purpose	Returns TCD Master																
URL	http://erpapi.autogeniuserp.com/V1/tcdmaster/tcd?Ver=1.1																
Method	POST																
Param. Type	raw																
Authorization	API key in Header. Possible value "Token <Token generated while login>"																
Data	"TCD Master" - "Ver" – version of API i.e. 1.1 <i>mandatory</i> - "tcd_no" – TCD number of the (string length upto 100) - "tcd_date" – Date of the dispatch (string dd/MM/yyyy) <i>mandatory</i> - "item_code" – Itemcode set in created ERP (string fixed values) - "item_uniqueid" – Unique Code of vehicle(string length upto 250) <i>mandatory</i> - "tcd_amount" – tcd amount (float) <i>mandatory</i> - "amounttype_id" – amount type id (list provided below) (integer)<i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "typecode_1" – TCD TypeCode 1 (string length upto 100) - "typecode_2" – TCD TypeCode 2 (string length upto 100) - "tcdcalctype_idno" – calculation typeid (list provided below) (integer) <i>mandatory</i> - "statecode" – State Code defined by Gol (string) possible values 08,06...																
Note	List of Amount Type Id <table border="1"> <thead> <tr> <th>Id</th><th>Type</th></tr> </thead> <tbody> <tr> <td>1</td><td>GST</td></tr> <tr> <td>2</td><td>FREIGHT</td></tr> <tr> <td>4</td><td>TR.INSURANCE</td></tr> <tr> <td>8</td><td>FAMEII</td></tr> </tbody> </table> List of Calculation Type <table border="1"> <thead> <tr> <th>Id</th><th>Type</th></tr> </thead> <tbody> <tr> <td>1</td><td>Per Unit</td></tr> <tr> <td>2</td><td>%Age</td></tr> </tbody> </table>	Id	Type	1	GST	2	FREIGHT	4	TR.INSURANCE	8	FAMEII	Id	Type	1	Per Unit	2	%Age
Id	Type																
1	GST																
2	FREIGHT																
4	TR.INSURANCE																
8	FAMEII																
Id	Type																
1	Per Unit																
2	%Age																
Example	<pre>curl --location http://erpapi.autogeniuserp.com/V1/tcdmaster/tcd?Ver=1.1' \ --header 'Authorization: Token bkToyrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FXjMf81T9ohpjKFMVtF6Xn5HIIQAaTOup1xo8gG8zJxchpB9KgItCiqG2i0mA9QJbD5 nQkhroc8x9JevcozpecqW9hM2mag7FkhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE3u4fOZcU8gVnKqO4jflVps439eOrP5Ri3iEjh6KmyZ0pwPEfmT3JaViB9xQCvhwem4A Tg9rNy9lxGyeXaNBjA95Jxwna09g5D8wjl3Nc2zQ2VFOYSbWtJ7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunlnpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9B50oZd okDOOZTHhUHpepdUgQck9mmweyllq5nfGYlXSkf9cwJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q2Yt' \ --header 'Content-Type: application/json' \ --data '{ "data": [{ "tcd_no": "345wesf", "tcd_date": "22-02-2023", "item_code": "Corbett", "item_uniqueid": "Corbett", "tcd_amount": 5600, "amounttype_id": 1, "typecode_1": "code1", "typecode_2": "code2", "tcdcalctype_idno": 1, "vendorid": 17 }, { "tcd_no": "3456fdsf", "tcd_date": "22-02-2023", "item_code": "warrior 5g li pro", "item_uniqueid": "warrior 5g li pro", "tcd_amount": 5000, "amounttype_id": 1, "typecode_1": "code1", "typecode_2": "code2", "tcdcalctype_idno": 1, "vendorid": 17 }] }'</pre>																
Response Success	<pre>{ "Valid": true, "Description": "TCD saved successfully." }</pre>																

	<pre>"Value": [{ "Msg": "TCD saved successfully.", "StatusCode": "200", "ResponseStatus": "true" }]</pre>
--	---

25. ERP Booking

Purpose	Returns ERP Booking								
URL	http://erpapi.autogeniuserp.com/V1/booking/hwbook?Ver=1.1								
Method	POST								
Param. Type	raw								
Authorization	API key in Header. Possible value "Token <Token generated while login>"								
Data	"ERP Booking" - "Ver" – version of API i.e. 1.1 <i>mandatory</i> - "oem_unique_id" – Your booking table identity of booking (integer) - "booking_id" – BookingId (string length upto 15) <i>mandatory</i> - "booking_txn_id" – Transaction Id of booking (string length upto 15) - "booking_amnt" – Booking Amount (integer) - "rcvd_amnt" – Amount received (float) - "chassis_no" – Chassis number (string length upto 15) - "bookedby_name" – Name of person who did Booking (string length upto 100) - "bookedby_email" – EmailId of person who did Booking (string length upto 100) - "bookedby_mobile" – Mobile no (integer length 10 fixed) - "booking_sourceid" – Booking Source Id (list provided below) (integer) <i>mandatory</i> - "assigned_dealer_code" – Dealer Code to be assigned (string length upto 50) <i>mandatory</i> - "vendorid" – Identity of the Vendor registered with Cogxim (integer) <i>mandatory</i> - "itemcode" – Item Code provided by ERP(string length upto 100) - "colorcode" – Color Code provided by ERP(string length upto 100) - "currentlyownauto" – Currently own auto (integer) possible values 0 for no or 1 for yes - "isowned3wpermit" – Is he/she owned 3wheeler permit (integer) possible values 0 or 1 - "isowned4wpermit" – Is he/she owned 4wheeler permit (integer) possible values 0 or 1 - "planningtobuywithin" – Planning to buy within how many days (string length upto 100) - "statecode" – GST State Code as per GOI (string length upto 2) possible values (08,16...) - "city" – City Name(string length upto 150) - "subsource" – Booking Sub Source (string length upto 100) Possible values FB , IG.. etc.								
Note	List of Booking Source Id <table> <tr> <th>Id</th><th>Source</th></tr> <tr> <td>1</td><td>Website Booking</td></tr> <tr> <td>2</td><td>Hardware Booking</td></tr> <tr> <td></td><td></td></tr> </table>	Id	Source	1	Website Booking	2	Hardware Booking		
Id	Source								
1	Website Booking								
2	Hardware Booking								
Example	<pre>curl --location 'http://erpapi.autogeniuserp.com/V1/booking/hwbook?Ver=1.1\' \ --header 'Authorization: Token XGp8JyBYIz9xJQ8dHEkIIEH6mxNVQoywNC8EdSarIXvtqQGmEGbAQN5amPQla9xe1mdqnotVycd1EXGPuDfXTsjRB7mH96Z9zb2 m6vhdbDPu7aDLQssAQQIDoWalyqmPaizCLWXbgIRMpe17hfDS1LM28pdwFitrbyJauX1UP980inafEqolFnaE03Dz1h1SBEVKtH8 zbzWzXzzACMPsUM8zFpTnlwUeR5bpl6mRL9NjAfmvdozvK1ULYdsd9pScUuxK8dPkRwNMCMNA2IhAYruAKLzKcpmVz2BysdOz2c ZJhDAkpsOWVWVJOrtM7isP7vY5sl9WaiTRsA3bSsHPbn54Mb9ktfWdNotY6k5Tqi6AMp11c9yxDYNoAWCtF5AgkFpdVbJsrlLkPh eB8lrsKpVBSwBG26HcApaGy2egHLw1KJh4dh5BiNRjnegz0yQVhzlBA5sb9pw71fBQF1hGBTNHZAkIDHs93691TaWY48e9vzVaGR v8V' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=kgoi2tj2havrlgfbnjqvfa' \ --data-raw {'data':{'oem_unique_id':524050,"booking_id":202311220002,"booking_txn_id":"bk202311220002","booking_amnt":300 0,"recvd_amnt":3000,"chassis_no":"JVS202311220002","bookedby_name":"Demo Name 202311220002","bookedby_email":"demo202311220002@gmail.com","bookedby_mobile":9202311222,"booking_sourceid" :1,"assigned_dealer_Code":"DEMO101","itemcode":"F77RC","colorcode":"RED","currentlyownauto":0,"isowned3wpermit":0 ,"isowned4wpermit":0,"planningtobuywithin":"Within 15 days","statecode":"09","city":"Agra","vendorid":17,"subsource":"facebook" }}</pre>								
Response Success	<pre>{ "Valid": true, "Description": "Booking saved successfully.", "Value": [{ "Msg": "Booking saved successfully.", "StatusCode": "200", "ResponseStatus": "true" }] }</pre>								
Response Error	<pre>{ "Valid": false, "Description": "version not match error", "Value": { "Msg": "version not match" }</pre>								

	error","StatusCode":200,"ResponseStatus":false}}}
Unauthorized	{"Valid":false,"Description":"Unauthorized","Value":[{"Msg":"Unauthorized","StatusCode":203,"ResponseStatus":false}]}
VendorId Error	{"Valid":false,"Description":"Vendor Id cannot be Zero","Value":[{"Msg":"Vendor Id cannot be Zero","StatusCode":200,"ResponseStatus":false}]}
Color Code Error	{"Valid":false,"Description":"Color Code missing, Please supply colorcode","Value":[{"Msg":"Color Code missing, Please supply colorcode","StatusCode":200,"ResponseStatus":false}]}
ItemCode Error	{"Valid":false,"Description":"Item Code missing, Please supply itemcode","Value":[{"Msg":"Item Code missing, Please supply itemcode","StatusCode":200,"ResponseStatus":false}]}
Duplicate Mobile	{"Valid":false,"Description":"JVS00112277876TEST120 on 9789045314 no is already available, Please use different mobile no.,"Value":[{"Msg":"JVS00112277876TEST120 on 9789045314 no is already available, Please use different mobile no.,"StatusCode":200,"ResponseStatus":false}]}

26. Dealer Information By Pin code

Purpose	Returns Dealer information by Pin code
Production URL	http://erpapi.autogeniuserp.com/V1/booking/pin?code=462023&Ver=1.0&vendorid=17
Method	GET
Param. Type	GET
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"PinCode" - "Ver" – version of API i.e. 1.0 (mandatory) - "vendorid" – identity of vendor (integer) (mandatory) - "code" -- string (string length 6) (mandatory)
Example	<pre>curl -location 'http://localhost:14863/V1/booking/pin?code=462023&Ver=1.0&vendorid=3' \ --header 'Authorization: Token m5NngsipRFR41ekkEEwKi761e40mab0jwZUBZd2gtTgpezYsYZV623cH38FeicWfV8IDtSukmYGkbnjvgp2WnJIIDuP2XGOMcsZjBqCU z9kqFOKZo3IRpOPVLhf98CpaU41Sm3JpYrv2P4MTHBN4eojtlaJYBsxk16Ssj7m5Yd6pLYaqxcRbLogZuwyQaf00YLOFN64ttlo04LCdSef 5eo7zd3oJxy3HKbTo2yFrEjTIQRZLg3dpPPeymMmMV6Se1Wc7EeRvzx9dDs1SJh8qPfzS0p2JLg3b4unbK5e2LEfTybt6vw1rZEnPo4ua RMLYisitFKIO4LAasqySqZUOqiNi2thVWoD4Z4aeAHFvAhPQv1BjgSQPbimlrZY2dsh5QaMacS9aFWC5I9PXZ9wtlrj6W1yzfWjtUHZg mneHhBNGFwmX18h9DvAV1eJUiYbQQRjLxyo25XGctfYBiejsWnT1bWgFFVEZPtczwxptca73cJvqvlr' \ --header 'Cookie: ASP.NET_SessionId=0yva4ojnx2ykcia552oxjr1x'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Dealer list for Pincode 462023", "Value": [{ "DealerCode": "DEMOPC", "DealerCompany": "DEMO PC", "ContactNo": "9966332254", "AlternateContactNo": "", "DealerStateName": "RAJASTHAN", "DealerCityName": "Jaipur", "PinCode": "462023", "ActiveStatus": "Active" }] }</pre>
Response Error	<pre>{ "Valid": false, "Description": "No Result Found.", "Value": [] }</pre>
	<pre>[{ { "Valid": false, "Description": "Invalid Pincode 3950010", "Value": [{ "Msg": "Invalid Pincode 3950010", "StatusCode": 200, "ResponseStatus": false }] }] }</pre>
	<pre>{ "Valid": false, "Description": "Unauthorized" }</pre>
	<pre>[{ { "Valid": false, "Description": "Pincode not found error", "Value": [{ "Msg": "Pincode not found error", "StatusCode": 200, "ResponseStatus": false }] }] }</pre>

	<pre>} }] { "Valid": false, "Description": "Vendor Id cannot be Zero", "Value": [{ "Msg": "Vendor Id cannot be Zero", "StatusCode": 200, "ResponseStatus": false }] }</pre>
--	--

27. TSM Master

Purpose	Returns Dealer information by Pin code
Production URL	http://erpapi.autogeniuserp.com/V1/erpmaster/Tsm?Ver=1.1
Method	POST
Param. Type	RAW
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	- "TSM Master" - "Ver" – version of API i.e. 1.1 (mandatory) - "vendorid" – identity of vendor (integer) (mandatory) - "tsmcode" – tsmcode of Tsm (string length upto 8) (mandatory) - "tsmname" – name of Tsm (string length upto 100) (mandatory) - "mobilenno" – mobile no (string length 8) (mandatory) - "statecode" – Statecode of State defined by Govt. of India (string length 2) (mandatory) ex. 08 for Rajasthan - "State" – State Name (string length upto 100) - "City" – City Name (string length upto 100) mandatory - "mstatus" – Marital Status (0 for No or 1 for Yes) mandatory - "doa" – Date of Anniversary (format dd-MM-yyyy) - "dob" – Date of Birth (format dd-MM-yyyy) - "email" – Email Id (string length upto 100) mandatory - "pwd" – password (string length upto 15) mandatory - "areaoffidno" – Area office defined in Area Office API (integer) mandatory - "effdate" – Effective date (format dd-MM-yyyy) mandatory - "reportingtsmcode" – TSM Code of Reporting to Person(string) - "profilecode" – profilecode for the Tsm created in ERP portal(string length upto 15) mandatory
Example	<pre>curl --location 'http://erpapi.autogeniuserp.com/V1/erpmaster/Tsm?Ver=1.1' \ --header 'Content-Type: application/json' \ --header 'Authorization: Token D7h3GBhNL6q4D8scuxTrXILRCOWjUpz8FzU3l03BaRdCkAVH9yqUYCsUirIJs2Vs7dFslyB6pyLhkBcNutyTP3bpzt7Fcck9gcjOehVskV6aZwMJGTD4bfAXTu 8RvcqiwgmjG5nul8csJvkXcBBvbG1YF3VB8YTCIFB999TjnGfH2AJcvujPjr95vhLwFqowVWolsiwgeMmRa02gFEKTeQBISxvb8Re38l2REEkePvUtsB6XB8 VbcVPKXWcnSJVSgx2DXqGzSvWZnpZFStNaf51U1JTLRyHALhU0xlp5kiqx8t32mCOZEpXxkgqffticB0YSTRJOnx765lO53TGcsOHWC4GLoRnTlrxNuqWgV QlnXvW1qfn6xrxj6Xl2qrYBO1y523ZXMrovAy6qU2gftIU5q3HNUaicgFTNOYreH7ljdL4Pyd314CffRyno2rQHfYtyruwTyvlfcbwYiEW2bH4E9syegjFVQ2 M0WegQosF1' \ --data-raw '{ "tsmcode": "TSM002", "tsmname": "TSM002", "mobilenno": "8888888889", "statecode": "08", "state": "Rajasthan", "city": "jaipur", "mstatus": "0", "doa": "01-01-2013", "dob": "15-05-1985", "email": "test@gmail.com", "pwd": "test@123", "areaoffidno": "35", "effdate": "19-05-2023", "headflag": "0", "reportingtsmcode": "SAA", "profilecode": "Cogxim123", "vendorid": 17}'</pre>
Response Success	<pre>{ "Valid": true, "Description": "TSM Saved Successfully.", "Value": [{ "Msg": "TSM Saved Successfully.", "StatusCode": "200", "ResponseStatus": "true" }] }</pre>
Response Error	
	<pre>{ "Valid": false, "Description": "Unauthorized" }</pre>
	<pre>{ "Valid": false, "Description": "TSM Already Exists.", "Value": [{ "Msg": "TSM Already Exists.", "StatusCode": "200", "ResponseStatus": "false" }] }</pre>
Response Error	<pre>{ "Valid": false, "Description": "SAA Reporting-To not mapped with Profile Code RSM. Following are the mapped data for this profile", "Value":</pre>

	<pre>[{"Msg":{"TSM_Code":"TSM002","TSM_Name":"TSM002","Mob_No":"8888888889","Email_Id":"test@gmail.com"},"TSM_Code":"TSM3152023","TSM_Name":"DemoTSM31052023","Mob_No":"9202305310","Email_Id":"demoerp20230531@gmail.com"}], "StatusCode":200,"ResponseStatus":false}]}</pre>
--	--

28. Service History

Purpose	Returns Service history of a chassis
Production URL	http://erpapi.autogeniuserp.com/V1/service/history?Ver=1.1
Method	POST
Param. Type	RAW
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Service History" - "Ver" – version of API i.e. 1.1 (mandatory) - "vendorid" – identity of vendor (integer) (mandatory) - "chassisno" – Chassis no (string length 18) (mandatory) - "status" – Status Type (integer possible values -1,0,1,2) (mandatory)* - "subvendorcode" – Sub vendor Code (base64) from where leads will be pushed (string length 10) If API Privacy is true at ERP then SubvendorCode is mandatory. Vendor should have created Code self in Subvendor Form in ERP Portal.
Note	*Status: -1=Lapsed, 0=Pending, 1=Availed, 2=All
Example	<pre>curl --location 'http://erpapi.autogeniuserp.com/V1/service/history?Ver=1.1' \ --header 'Content-Type: application/json' \ --header 'Authorization: Token D7h3GBhNL6q4D8scuXrXILRCOWjUpz8FzU3l03BaRdCkAVH9yqUYCsUirJIs2Vs7dFslyB6pyLhkBcNutjTP3bpzt7Fcck9gcjOehVskV6aZwMJGTD4bfAxTu8RvcqiwjG5nul8cs8Jv kxcBBvbG1YF3VB8YTCIFB999TjnGfH2AJcvujPjr95vhlWfQowVWolsiwgeMmRa02gFEKTeQBISxb8Re38l2REEkePvUtsB6XB8VBcVPkXWcnSIVSgx2DXqGzSvWZnzpZFStNaf51U 1JTLRyHALhU0xlp5kiqxBt32mCOZEpxXkgqffticB0YSTRJOnx765lO53TgcsOHwC4GLoRnTlrxNuqWgVQlnxXvw1qfn6xrxj6Xl2qrYBO1y523ZXMrovAy6qU2gftlU5q3HNUaicgFTNO YreH7lJdL4Pyd314CffRyno2rQHfYtyruwTyvIfcjfbwYiEWr2bH4E9syegjfvQ2M0WegQosF1' \ --header 'Cookie: ASP.NET_SessionId=zjyta3bozgs1pf1wofqhg1zn' \ --data '{ "chassisno": "MBLHAW087KHC050721", "status": -1, "vendorid": 17, "subvendorcode": "QUJDLTE=" // Base64 }'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Service history", "Value": [{ "Service Head": "Free Service", "Service Type": "", "Service Seq": "1", "Due Date": "23-03-2022", "Status": "Lapsed", "Dealer_Name": "Demo Dealer Pvt Ltd", "Service_Date": "" }, { "Service Head": "Regular Service", "Service Type": "", "Service Seq": "3", "Due Date": "01-07-2022", "Status": "Lapsed", "Dealer_Name": "Demo Dealer Pvt Ltd", "Service_Date": "" }, { "Service Head": "Free Service", "Service Type": "", "Service Seq": "4", "Due Date": "10-08-2022", "Status": "Lapsed", "Dealer_Name": "Demo Dealer Pvt Ltd", "Service_Date": "" }] }</pre>
Response failure	<pre>{ "Valid": false, "Description": "No Result Found.", "Value": [] }</pre>
Response Error	
	<pre>{ "Valid": false, "Description": "Unauthorized" }</pre>

	}
	{ "Valid": false, "Description": "Subvendor Code is missing. Please provide subvendorcode.", "Value": [{ "Msg": "Subvendor Code is missing. Please provide subvendorcode.", "StatusCode": 200, "ResponseStatus": false }] }

29. Daily Job Information Tokenize

Purpose	Returns DailyJobInformation
URL	http://erpapi.autogeniuserp.com/V1/erpreport/djrn?Ver=1.0
Method	POST
Param. Type	Raw
Authorization	API key in Header. Possible value "Token <Token provided separately>"
Data	"Daily Job Data" - "Ver" – version of API i.e. 1.0 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "startdate" – From Date (string dd-MM-yyyy format) <i>mandatory</i> - "enddate" – To Date (string dd-MM-yyyy format) <i>mandatory</i> - "dealercode" – Dealer code if required report for specific Dealer (string length upto 10) - "chassisno" – Chassis no (string)
Note	To get all dealers job keep dealercode blank "" Replace Vendorid with actual Vendorid
Example	<pre>curl --location --request POST 'http://erpapi.autogeniuserp.com/V1/erpreport/djrn?Ver=1.0' \ --header 'Authorization: Token bKToYrCZKgNzqd3FfgNV7JDGWUmrUXmtp67Npprw4huP7JeL5eIFIP14PO8R0ZQU8W5FxlMf81T9ohpjKFMVtF6Xn5HIIQAaTOu p1xo8gG8zJxchpB9KgtCiqG2i0mA9QjBdSnQkhroc8x9JevcozpecqW9hM2mag7fXhEPdWipugTuZELTwWL8U50vcCFHdTn5bxE 3u4fOZcU8gVnKqO4jflVps439eOrP5Ri3iEJh6KmyZ0pwPEfmT3JaViB9xQCvHewm4ATg9rNy9lxGyeXaNBjA95Jxwna09gSD8wjl 3Nc2zQ2VFOYSbWtj7pUe4IMUKIGRVSTLCDPuLMthTXOXQ44dRs3ZU0KunInpK9c9XSnoGJWwqb9cFR7oMK8KzorHAOf9BS0oZ dokDOOZTHhUHpepdUgQck9mmweyllq5nfGYlXSkf9cwJqkNabjVlrXZGZ1YYbtSJs4wJ2K6u95oMnZ0FaLW43YzHofHKO3CW7q 2Yt' \ --header 'Content-Type: application/json' \ --header 'Cookie: ASP.NET_SessionId=dwfmhkvi45htefv3hco5fjz0' \ --data-raw '{ "vendorid": 17, "startdate": "27-07-2022", "enddate": "27-07-2022", "dealercode": "DEMO101" "chassisno": "CHA20230419001" }'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Service data between dates - 01-07-2022 and 27-07-2022", "Value": [{ "Comp Name": "Demo Dealer Pvt. Ltd", "Dealer Code": "DEMO", "Job Date": "03-04-2023", "Job No": "1", "In Time": "10:47AM", "Job Category": "Appointment", "FFR Per%": "0", "Doc No": "2", "Doc Type": "Invoice", "Doc Date": "04-04-2023", "Close Time": "10:17AM", "Location": "Mansarovar", "Model": "Vento001", "Brand Name": "Vehicle", "Party Name": "Demo Party", "Supervisor": "Ramesh", "Technician": "Suresh", "KMS": "23957", "Service Head": "Free Service", "Job Type": "4th Free Service", "Reg No": "RJ14AB1111", "Vehicle Type": "External", "Engine No": "ENG20230419001", "Chassis No": "CHA20230419001", "Battery SerialNo1": "" }] }</pre>

	<pre> "Battery SerialNo2": "", "Battery SerialNo3": "", "Battery SerialNo4": "", "Battery SerialNo5": "", "Battery SerialNo6": "", "IndividualAH Battery1": "", "IndividualAH Battery2": "", "IndividualAH Battery3": "", "IndividualAH Battery4": "", "IndividualAH Battery5": "", "IndividualAH Battery6": "", "Sale Date": "16-11-2021", "Coupon No": "", "Expected delivery date": "03-04-2023", "Proforma Date": "", "Invoice Date": "04-04-2023", "Estimated Job expenses": "0", "Labour hours": "1", "Parts": "351.57", "Accessory": "0", "Oil": "0", "Labour": "50", "Outside Work": "0.00", "Total W/O Tax": "401.57", "GST_Amnt": "107.44", "IGST_Amnt": "0", "Net Total": "509.01" }] } </pre>
Response Error	<pre> { "Valid": false, "Description": "No Result Found.", "Value": [] } </pre>

30. Warranty Dispatch

Purpose	Returns Warranty Dispatch
URL	http://erpapi.autogeniuserp.com/V1/dispatch/wd?Ver=1.1
Method	POST
Param. Type	raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Serial Dispatch" - "Ver" – version of API i.e. 1.1 <i>mandatory</i> - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "dealercode" – Dealer code (string length upto 10) <i>mandatory</i> - "dealerclaimrefno" – Dealer claim Ref. no sent from DMS (integer) <i>mandatory</i> - "remarks" – Remarks if any (string length upto 250) - "poamount" – Total PO amount (float) - "supplierpono" – PO no generated from supplier (string) <i>mandatory</i> - "supplierpodate" – PO Date from supplier (string) <i>mandatory</i> - "uniquecode" – Unique Code of item(string length upto 20) <i>mandatory</i> - "vendoritemidno" – Identity of item from Vendor item table(integer) - "qty" – numbers of items (integer) <i>mandatory</i> - "rate" – Rate of item (float) <i>mandatory</i> - "assvalue" – total value qty*rate (float) <i>mandatory</i> - "gstpercent" – GST percentage (float) <i>mandatory</i>
Example	<pre>curl --location 'http://erpapi.autogeniuserp.com/V1/dispatch/wd?Ver=1.1' \ --header 'Content-Type: application/json' \ --header 'Authorization: Token gXkE55yEHkxddcwqZFIIJzXbJ3Ny3mZYgzlkaZGhwqu9ZeYhPDqmoWwlgAO0jKrf2qUY79FZ546bQh0j6rtk3xEyZURMeVvZdInWk KdDuZVMTrdpTOVsRPQOScfWmSWqKqWFGXDS0z5nUHntNqWzupPM9SzRszVj5JZh7pPaTMTZsthl8kuzw68gGNK2gOTcFsMn TLLOazAmWtgqkuDmdU5sqYhfxDlnozXL4VYddWfvyEaHa8REwU8EljvGEmka4ObG8hH49sh1oVjd9xIHZzkIKtVEc9ZsPRPcbDp3z h7XqMaMSgDfAJCgRYi3wm08kAIWn9WqtQ23gCrJ5r39O6QCRd0DSv1FayNYT0Jds6jYMhk5L0BmmD92v72my3uZ2cvW8LH5 bzirJfxi6lwukN0p8t11fyhY5HKztIzr2GG0A01pGK1B4ewCL39Q7sletlIFvifKvpxQmxBwrAHh2VOvg4XjOjuThGLIIG3GFS9qKIU8G '\ --header 'Cookie: ASP.NET_SessionId=lpqz1tb5gmcuwpaa0eq5i3g' \ --data '{ "poHeader":{"dealercode":"DEMO101","dealerclaimrefno":"12","remarks":"warranty order for item..","poamount":500.0,"supplierpodate":"05-09- 2023","supplierpono":"120","vendorid":17},"poLine":[{"uniqueid":"22DX380010AS","vendoritemidno":"125","qty":2,"rate":1 00.0,"assvalue":200.0,"gstpercent":12},{uniqueid":"22GE320010AF","vendoritemidno":"1253","qty":3,"rate":100.0,"assvalu e":300.0,"gstpercent":12}]}'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Warranty dispatch saved successfully.", "Value": [{ "Msg": "Warranty dispatch saved successfully.", "StatusCode": "200", "ResponseStatus": "true" }] }</pre>
Error	<pre>{ "Valid": true, "Description": "Warranty dispatch information already exists.", "Value": [{ "Msg": "Warranty dispatch information already exists.", "StatusCode": "200", "ResponseStatus": "true" }] }</pre>

31. Warranty Claim Job Order Report

Purpose	Fetch Warranty Claim Job Order Report Data
URL	http://erpapi.autogeniuserp.com/V1/erpreport/wcjo?Ver=1.1
Method	GET
Param. Type	raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Warranty Claim Job order Report " - "Ver" – version of API i.e. 1.1 (mandatory) - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "startdate" – From Date (string dd-MM-yyyy format) <i>mandatory</i> - "enddate" – To Date (string dd-MM-yyyy format) <i>mandatory</i> - "dealercode" – Dealer code for specific Dealer (string length upto 10 <i>optional</i>) - "chassisno" – Chassis no for specific chassis record (string length upto 15 <i>optional</i>) - "subvendorcode" –SubvendorCode (base64) mandatory if API privacy is true(string length 10)
Example	<pre>curl --location --request GET 'http://erpapi.autogenciuserp.com/V1/erpreport/wcjo?Ver=1.0' \ --header 'Content-Type: application/json' \ --header 'Authorization: Token ubvswH9SkqJYpXbWcwXiSbzIXB91Iq9cbHZ18K4rLLhzpa9T6lhB9EX9vfVsXNmX2s3gJS3MhIIQd7fcUnWo66bTbiOa6EOaW4tC8 0xvX0KfRXv9bVO1r9iyCVbh36Q5N0Cbr6pkecCutrtv3kjmmYyBXGQepAiqSyDGN2hOTKyaKvEr9jGK3JTVQCPLxt6L4nf9ZrVtPws 2nKPfIlntCGUAec79Tf64GppQOF5MBYX0BFN2veiUU3aDqJOoIAbleG29SCbQBeNJFBaunKTavFX3XkK1fRHEWk6YVVRJ7B0hg9c 7cy0QyHglSIwzw5vk4WrNuLhLk20AwrhupMJY9KQQDojaQZGwaXydCYzuM43elghc9jWHrowJavoem46yT4fqAGCSIWuTrZ1ggt PQEwMvKh11TgBFJlDucaOyQ33zZwjCnHnovd0fSekNh3myVHJmFXvEmYYcnOCh25zhaUa2coW5SLRhzi60yeawsd4HATgCg7' \ --data '{ "vendorid": 17, "startdate": "01-04-2023", "enddate": "31-12-2023", "dealercode": "", "chassisno": "PRNMBLHAW099KHJ459640420", "subvendorcode": "SIZUSU1FUEFTUw==" // Base64 }'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Successfully fetched warranty claim job order report data.", "Value": [{ "Sl.No": "1", "Dealer Name": "Demo Dealer Pvt Ltd", "Dealer Code": "DEMO101", "Location": "Workshop", "Loc. City": "Jaipur", "Job No": "10", "Job Date": "15-07-2023", "Claim No": "DEMO101-1", "Claim Date": "15-07-2023", "KMS": "54654", "Vehicle Sale Date": "Jun 4 2023 12:00AM", "Part Failure Date": "15-07-2023", "Service Type": "1st Free Service", "Chassis No": "NEWMBLHAW0HJ450352", "Model Name": "Electric Activa", "Variants": "", "Part Code": "01411-0616A", "Part Name": "STUD BOLT", "Qty": "1", "Rate": "550", "CGST%": "14", "CGST Amnt": "77", "SGST%": "14", "SGST Amnt": "77", "IGST%": "0", "IGST Amnt": "0", "Amount": "704", "Dealer Observation": "test", "RCA": "test", "Invoice_RefNo": "", "Invoice No": "DEMO101-1", "Invoice Date": "15-07-2023", "Doc. No": "123-1", "Doc Date": "15-07-2023", }] }</pre>

	<pre>"Vendor PO No.": "", "Vendor PO Date": "", "Total": "9" }, {}...]</pre>
Error	<pre>{ "Valid": false, "Description": "No Result Found.", "Value": [] }</pre>
	<pre>{ "Valid": false, "Description": "Subvendor Code is missing. Please provide subvendorcode.", "Value": [{ "Msg": "Subvendor Code is missing. Please provide subvendorcode.", "StatusCode": 200, "ResponseStatus": false }] }</pre>

32. Chassis IMEI

Purpose	Add IMEI no. and VCU Id of Chassis no
URL	http://erpapi.autogeniuserp.com/V1/erpmaster/addvcuid?Ver=1.0
Method	POST
Param. Type	raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Insert IMEI and VCU Id of Chassis no " - "Ver" – version of API i.e. 1.1 (mandatory) - "vendorid" – Identity if the Vendor registered with Cogxim <i>mandatory</i> - "imeino" – IMEI No. (string length upto 50) <i>mandatory</i> - "vcuid" – VCU Id (string length upto 50) <i>mandatory</i> - "chassisno" – Chassis no for specific chassis record (string length upto 15) <i>mandatory</i> - "subvendorcode" –SubvendorCode (base64) mandatory if API privacy is true(string length 10)
Example	<pre>curl --location 'http://localhost:14863/V1/erpmaster?Ver=1.0' \ --header 'Content-Type: application/json' \ --header 'Authorization: ●●●●●' \ --data '{ "chassisno": "BHTFY788300YUIYU90", "vcuid": "ER4542954479", "imeino": "555450657054", "vendorid": "17", "subvendorcode": "REVNTzEwMQ==" }'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Record save successfully.", "Value": [{ "msg": "Record save successfully.", "ResponseStatus": "true", "StatusCode": "200" }] }</pre>
Error	<pre>{ "Valid": false, "Description": "No Result Found.", "Value": [] }</pre>
	<pre>{ "Valid": false, "Description": "Subvendor Code is missing. Please provide subvendorcode.", "Value": [{ "Msg": "Subvendor Code is missing. Please provide subvendorcode.", "StatusCode": 200, "ResponseStatus": false }] }</pre>

33. Vehicle Register

Purpose	ERP Report VSR API
URL	http://erpapi.autogeniuserp.com/V1/erpreport/vsr?ver=1.0
Method	POST
Header	Content-Type: application/json
Param. Type	raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Vehicle Sale Register " - Ver – version of API i.e. 1.0 (mandatory) - startdate (string, required): Start date for the report (dd-MM-yyyy). - enddate (string, required): End date for the report (dd-MM-yyyy). - dealercode (string, required): Code of the dealer. - vendorid (string, required): ID of the vendor. - subvendorcode (string, required): Code of the subvendor. - DealerStatus (string, required): Status of the dealer. - AadharPanReq (string, required): Aadhar/PAN requirement status. 0=false, 1=true - FameReq (string, required): Fame requirement status.
Note	Dealer Status 1=Include In Active Dealers 0=Only Active Dealers 2=Only In Active Dealers FamellReq: 2=All 1=true 0=false
Example	<pre>curl --location 'http://erpapi.autogeniuserp.com/V1/erpreport/vsr?ver=1.0' \ --header 'Content-Type: application/json' \ --header 'Authorization: Token odga3Q0cbfrd8SghTnPEEbWz00zZfeXIM4Pc4lgt0OgCuWZNCIOEZxqOf16u3yfQwdCBHy76xT7tdsq2jP1oMqxANjQdF0P6kgqUfMchhBesdVsfKE SUwvHCXggozR2mU0vRczBMgXnjUFPppqSzaErA81JhyjZ8Cp3gFALPS3LBrFMJeto1pZQDvywqAjtGYilgK0RlvtrZLJlz0x6ATDGDVpJ8zMyWcvPKaDV QbHcmR1fWxBN3N8Z9I3PRldhsMtc13sT9CnhfxZvKHKESSWFM061JZZKX20fLleqr9LxDpfjkdIfSRvwcoLOHCNa0qJpnaqvPIYScdGtLahJ0HQ3ark YtabtwvcoK4LM1mk8T4ST5PxpLfjzFRQ0qKskGlsJcNdcRT9RXIDbzfp2ymge36DjQlvewsZH2hkB5vDdbCL2M9u1vd2L1HS8OF0H9f4QQGxiEb4c9jfo Rb7YQsl4qo2xNy4pL1jVIsRf22edYex' \ --header 'Cookie: ASP.NET_SessionId=mefrwwkvvtsg4u1xvnbupwh3' \ --data '{ "startdate": "01-08-2024", "enddate": "21-08-2024", "dealercode": "", "vendorid": "17", "subvendorcode": "DEMOERP", "DealerStatus": "1", "AadharPanReq": "0", "FameReq": "2" }</pre>
Response Success	<pre>{ "Valid": true, "Description": "GST Register Report between dates - 01-08-2024 and 21-08-2024", "Value": [{ "Name of the Dealer": "Demo Dealer Pvt Ltd", "Dealer Code": "DEMO101", "Invoice No": "VSB/DEMO101/4-5/0056", "Invoice Date": "08-08-2024", "Location": "Ashok Nagar", "Loc_Code": "0006", "Location City": "Jaipur", "Cust_DOB": "", "Gender": "Other", "Sold To": "Auto Rider", "Account Type": "Dealer", "Party Email": "autorider@gmail.com", "Cus_Mob": "7414858123", "Address1": "Jaipur", "Address2": "", "City": "Jaipur", "State": "RAJASTHAN", "Executive_Name": "", "Pin": "", "Chasis No": "CAF77TESTSTAGE231109", "Motor No": "CAF77TESTSTAGEMO2309", "Remarks": "", "Item Model": "F77 Limited Edition", "OEM Model": "F77", "Color Code": "BLK", "Type": "Vehicle", "Group": "Electric Vehicle", "HSNSAC Code": "", "Sale Type": "Credit Sale", "Financed By": "", "Fin_Amnt": "0", "Item Rate": "300000", "Insu. Amnt": "0", "Regn. Amnt": "0", "Acscry. Amnt": "0", "Pre GST Disc Amnt": "0", "Post GST Disc": "0", "Fame II": "10000", "State Fame II": "0", "SGST%": "2.5", "SGST Amnt": "7500", "CGST%": "2.5", "CGST Amnt": "7500", "IGST%": "0", "IGST Amnt": "0", "Net Amnt": "305000", "Reference No": "", "Booking Date": "", "Total": "14", "Battery": "CAF77TESTSTAGEBS2309", "Battery_Chemical": "", "Battery_Capacity": "", "Battery_Make": "", "Charger_No": "", "Charger_no2": "", "Converter": "", "VCU": "", "Controller_No": "", "Famell Required": "YES", "Segment Name": "", "Institutional Name": "" }] }</pre>

Error	{ "Valid": false, "Description": "No Result Found.", "Value": [] }
-------	--

34. Counter Sale Report

Purpose	ERP Report Counter Sale API
URL	http://erpapi.autogeniuserp.com/V1/erpreport/cbr?ver=1.0
Method	POST
Header	Content-Type: application/json
Param. Type	raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Counter sale Report " - Ver – version of API i.e. 1.0 (mandatory) - startdate (string, required): Start date for the report. (mandatory) - enddate (string, required): End date for the report. (mandatory) - dealercode (string, required): Code of the dealer. - vendorid (string, required): ID of the vendor. (mandatory) - subvendorcode (string, required): Code of the subvendor. - Loc_Name (string, required): Name of the location.
Example	<pre>curl --location 'http://erpapi.autogeniuserp.com/V1/erpreport/cbr?ver=1.0' \ --header 'Content-Type: application/json' \ --header 'Authorization: Token odga3Q0cbfrd8SghTnPEEbwz00zZfeXIM4Pc4lgt0OgCuwZNCIOEZxqkOf16u3yfQwdCBHy76xT7tdsq2JP1oMqxAANjQdF0P6kgqUfMchhBesdVsfkESUwvHCXgggozR2mU0vR czBMgXnjUFPppqSzaErA81JhyjZ8Cp3gFALPS3LBrFMJeto1pZQDvywqAjtGYilgKORlvtrZLJiz0x6ATDGDVpJ8zMyWcvPKaDVQbHcmR1fWxBN3N8Z9I3PRldhsMtC13sT9Cnh fxZvlKHIKESSWFM061JZZkX20fLieqr9LxDpfjKdlfSRvwcoLOHcNa0qJpnaqvPIYScdGtLAHJ0HQ3arkYtabtwvcoK4LM1mk8T4ST5PxpLfjzFRQ0qKskGlsJcNDcRT9RXIDbzFP2ym ge36DjQIvewsZH2hkB5vDdbCL2M9u1vd2L1HS8OFOH9f4QQGxiEb4c9JfoRb7YQsi4qo2xNy4pL1jVisRf22edYex' \ --header 'Cookie: ASP.NET_SessionId=mefrwwkvvtsg4u1xvnbupwh3' \ --data '{ "startdate": "01-08-2024", "enddate": "21-08-2024", "dealercode": "", "vendorid": "17", "subvendorcode": "", "Loc_Name": ""}'</pre>
Response Success	<pre>{ "Valid": true, "Description": " Counter Bill Report between dates - 01-04-2024 and 21-08-2024", "Value": [{"Dealer Code":"DEMO101","Dealer Name":"Demo Dealer Pvt Ltd","Location":"Yard","Loc Code":"Yard","Date":"02-05-2024","Prefix No":"Counter/DEMO101/Yard/2024-2025/CounterEND","Bill_No":"1","Type":"Cash","Party Name":"Cash Sale","Item":" 2.50 - 16 TEG TUBE - LTP TVS Tube","Item Desc":" 2.50 - 16 TEG TUBE - LTP TVS Tube","Item Type":"","Qty":"1","Rate":"189.06","TxblTotal":"189.06","CGST%":"14","CGST Amt":"26.47","SGST%":"14","SGST Amt":"26.47","IGST%":"0","IGST Amt":"0.00","Discount":"0.00","Total":"242.00"}] }</pre>
Error	<pre>{ "Valid": false, "Description": "No Result Found.", "Value": [] }</pre>

35. Booking Upgrades

Purpose	ERP Upgrades for Booking Push API
URL	https://erpapi.autogeniuserp.com/V1/booking/addon?ver=1.0
Method	POST
Header	Content-Type: application/json
Param. Type	raw
Authorization	API key in Header. Possible value "Token <Token generated while login>"
Data	"Booking Upgrades " - Ver – version of API i.e. 1.0 (mandatory) - booking_id (string, required): booking id comes from ERP. (mandatory) - upgrade_code (string, required): Upgrade code comes from upgrade master. (mandatory) - vendorid (string, required): ID of the vendor. (mandatory)
Example	<pre>curl --location 'http://localhost:14863/V1/booking/addon?ver=1.1' \ --header 'Content-Type: application/json' \ --header 'Authorization: Token odga3Q0cbfrd8SghTnPeebwz00zZfeXIM4Pc4lgt00gCuwZNCIOEZxqkOf16u3yfQwdCBHy76xT7tdsq2jP1oMqxAANjQdF0P6kgqUfMchhBesdVsfKE SUwvHCXggozR2mU0vRczBMgXnjUFPppqSzaErA81JhyjZ8Cp3gFALPS3LBrFMJeto1pZQDvywqAjtGYilgKORlvtrZLIz0x6ATDGDVpJ8zMyWcvPKaDV QbHcmR1fWxBN3N8Z9II3PRdldhsMtC13sT9CnhfxZvIKHIESSWFM061JZZkX20fLieqr9LxDPfjKdlfSRvwcoLOHcNa0qJpnaqvPIYScdGtLAhJ0HQ3ark YtabtwvcoK4LM1mk8T4ST5PxpLfjzFRQ0qKskGlsJcNDcRT9RXIDbzfP2ymge36DjQlviewsZH2hkB5vDdbCL2M9u1vd2L1HS8OF0H9f4QQGxiEb4c9jfo Rb7YQsl4qo2xNy4pL1jVIsRf22edYex' \ --header 'Cookie: ASP.NET_SessionId=or1c5efzjop4lrupb2jxmsrv' \ --data '{ "data": [{ "booking_id": "DemoBookingId", "upgrade_code": "Test AA", "vendorid": "17" }] }'</pre>
Response Success	<pre>{ "Valid": true, "Description": "Upgrade Code : Test AA has been added to the booking id : EPV2320R61399", "Value": [{ "Msg": "Upgrade Code : Test AA has been added to the booking id : EPV2320R61399", "StatusCode": "200", "ResponseStatus": "true" }] }</pre>
Error	<pre>{ "Valid": true, "Description": "Upgrade Code: Test AA already exists against booking id : EPV2320R61399", "Value": [{ "Msg": " Upgrade Code: Test AA already exists against booking id : EPV2320R61399", "StatusCode": "200", "ResponseStatus": "false" }] }</pre>