

Regd. Office/National Reference Lab: Dr Lal PathLabs Ltd, Block-E, Sector-18, Rohini, New Delhi-110085 Web: www.lalpathlabs.com, CIN No.: L74899DL1995PLC065388

**S04 - IIT HOME VISIT** Shop No-03, GF, Essex Farm, IIT Gate, New Delhi **DELHI** 

Name : Mr. SHREE BANSAL

160365967

Collected Received Gender:

A/c Status : P Ref By: SELF Report Status : Final

Reported

: 13/2/2022 04:19:00PM

: 14/2/2022 08:23:43AM

: 14/2/2022 02:19:42PM

SRF ID: 0707701703291

**Test Name** Results

SARS-CoV-2 (COVID-19) QUALITATIVE REAL TIME RT-PCR\*\*

(Real Time PCR)

Lab No.

Type of Specimen Nasopharyngeal /

Age: 18 Years

Oropharyngeal Swabs

Negative Result

## Note

- 1. ICMR Registration number for Covid -19 is DRLAL001. Please scan the QR code given at end of this report to check the authenticity of the report.
- 2. Negative result does not rule out the possibility of Covid-19 infection. Presence of inhibitors, mutations & insufficient RNA specific to SARS-CoV-2 can influence the test result. Kindly correlate the results with clinical findings. A negative result in a single upper respiratory tract sample does not rule out SARS-CoV-2 infection. Hence in such cases a repeat sample should be sent. Lower respiratory tract samples like Sputum, BAL, ET aspirate are appropriate samples especially in severe and progressive lung disease.
- 3. Covid-19 Test conducted as per kits approved by ICMR / CE-IVD / USFDA.
- 4. Kindly consult referring Physician / Authorized hospitals for appropriate follow up.
- 5. This is a qualitative test. The Ct values do not provide a measure of viral load due to inherent variability in sampling and kits. According to ICMR guidelines Ct values should not be used to gauge the severity of the disease. <a href="https://www.icmr.gov.in/pdf/covid/techdoc/Advisory">https://www.icmr.gov.in/pdf/covid/techdoc/Advisory</a> on correlation of COVID severity with Ct val
  - ues.pdf>)
- 6. It is recommended that RTPCR test not be repeated in any individual who has tested positive once either by RAT or RTPCR (ICMR guidelines).
- 7. No testing is required for COVID-19 recovered individuals at the time of hospital discharge in accordance with the discharge policy of MoH&FW (https://www.mohfw.gov.in/ <a href="http://www.mohfw.gov.in/">http://www.mohfw.gov.in/> pdf/ ReviseddischargePolicyforCOV/019.pdf">Pdf/ ReviseddischargePolicyforCOV/019.pdf</a>).

## Comments

Coronaviruses (CoV) are a large family of viruses that cause illness ranging from the common cold to more severe diseases such as Middle East Respiratory Syndrome (MERS-CoV) and Severe Acute Respiratory Syndrome (SARS-CoV). Coronavirus disease (COVID-19) is a new strain that was discovered in 2019 and has not been previously identified in humans. Common signs of infection include respiratory symptoms, fever, cough, shortness of breath and breathing difficulties. In more severe cases, infection can cause pneumonia, severe acute respiratory syndrome and kidney failure.

Please note, this test is not a part of CAP scope



Page 1 of 2



Regd. Office/National Reference Lab: Dr Lal PathLabs Ltd, Block-E, Sector-18, Rohini, New Delhi-110085 Web: www.lalpathlabs.com, CIN No.: L74899DL1995PLC065388

S04 - IIT HOME VISIT Shop No-03, GF, Essex Farm,IIT Gate, New Delhi DELHI

Name : Mr. SHREE BANSAL

Collected

: 13/2/2022 04:19:00PM

Lab No.

160365967

Gender:

Male

Received Reported

: 14/2/2022 08:23:43AM : 14/2/2022 02:19:42PM

A/c Status : P Ref By : SELF Report

Age: 18 Years

Report Status : Final

SRF ID: 0707701703291

Alich The leic

Dr Atul Thatai PhD, Biotechnology National Head - Molecular Diagnostics

/R & D

NRL - Dr Lal PathLabs Ltd

Shalabh Malik

Dr Shalabh Malik MD, Microbiology National Head - Microbiology & Serology NRL - Dr Lal PathLabs Ltd

d of report
d of report

\*\* Test conducted under NABL scope MC-2113,LPL-NATIONAL REFERENCE LAB at NEW DELHI

## **IMPORTANT INSTRUCTIONS**

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory. 
•Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring 
Physician. •Sample repeats are accepted on request of Referring Physician within 7 days post reporting. •Report delivery may be delayed due to 
unforeseen circumstances. Inconvenience is regretted. •Certain tests may require further testing at additional cost for derivation of exact value. 
Kindly submit request within 72 hours post reporting. •Test results may show interlaboratory variations. •The Courts/Forum at Delhi shall have 
exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). •Test results are not valid for medico legal purposes. 
•Contact customer care Tel No. +91-11-39885050 for all queries related to test results.

(#) Sample drawn from outside source.



Page 2 of 2