


- whoami :

```
vboxuser@Mayanksharma:~$ nano exp4a.sh
vboxuser@Mayanksharma:~$ chmod +x exp4a.sh
vboxuser@Mayanksharma:~$ ./exp4a.sh vboxuser
vboxuser@Mayanksharma:~$ ./exp4a.sh vboxuser
./exp4a.sh: line 8: head-n: command not found
User vboxuser is not currently logged in
vboxuser@Mayanksharma:~$
```





vboxuser@Mayanksharma:~$ touch exp4b.sh
vboxuser@Mayanksharma:~$ nano exp4b.sh
vboxuser@Mayanksharma:~$ nano test.txt
vboxuser@Mayanksharma:~$ chmod +x exp4b.sh
vboxuser@Mayanksharma:~$ ./exp4b.sh tst.txt
file tst.txt not found!
vboxuser@Mayanksharma:~$ ./exp4b.sh test.txt
Line 2 : to
Line 3 : Operating
Line 4 : Systems
Line 5 : Lab
vboxuser@Mayanksharma:~$


if [$# -ne 3]; then
echo "Usage: $0 filename startline endline"
exit 1
file=$1
start_line=$2
end_line=$3
if [-f "$file"]; then
sed -n "${start_line},${end_line}p" "$file"
else
echo "File $file not found!"
exit 1

given pattern (here, the

```
vboxuser@Mayanksharma:~$ touch exp4c.sh
vboxuser@Mayanksharma:~$ nano exp4c.sh
vboxuser@Mayanksharma:~$ chmod +x exp4c.sh
vboxuser@Mayanksharma:~$ touch file.txt
vboxuser@Mayanksharma:~$ nano file.txt
vboxuser@Mayanksharma:~$ ./exp4c.sh World file.txt
./exp4c.sh: line 8: word: command not found
./exp4c.sh: line 16: syntax error near unexpected token 'else'
./exp4c.sh: line 16: 'else'
vboxuser@Mayanksharma:~$ cat file.txt
line 1 : hello
line 2 : world
line 3 : welcome
vboxuser@Mayanksharma:~$
```



```
GNU nano 8.7.1
#!/bin/bash

if [ $# -lt 2 ]; then
    echo "Usage: $0 word file1 [file2 ...]"
exit 1
fi

word = $1
shift

for file in "$@"
do
  if [ -f "$file" ]; thenn
  sed -i "/$word/d" "$file"
echo "Deleted all lines containing '$word' from $file"
else
    echo "File $file not found!"
fi
done
```