



Auth Screens v1 — Karzalay Workspace

The authentication flow for the **Karzalay** product, built using the predefined Design System components (Academic Amethyst theme). These screens are designed to be clean, trustworthy, and fully mobile-responsive.


This document serves as the handoff spec for the Frontend Engineering team.



Screen Previews

1. Login Screen

The Login screen provides a minimal interface for returning users. It handles standard authentication fields, inline errors, and recovery links.



The login screen mockup is centered on a light purple background. It features a white card with a purple header 'Welcome Back' and a subtitle 'Log in to your Karzalay account'. Below this are two input fields: 'Email Address' with the placeholder 'you@example.com' and 'Password' with the placeholder 'Enter your password'. A link 'Forgot password?' is positioned below the password field. A prominent purple 'Log in' button is at the bottom of the card, followed by the text 'Don't have an account? [Register](#)'.

2. Register Screen

The Register screen onboards new users with full validation. It includes role selection (Member/Lead) and handles inline validation for all fields.

Create Account

Join Karzalay today

Full Name

John Doe

Email Address

you@example.com

Password

Create a password

Confirm Password

Repeat your password

Role

Member

Create account

Already have an account? [Log in](#)

N

Implementation Specs

Components Used

- Card** : Configured with `padded=true` and `shadow=true` . On mobile, the card scales to full width with `16px` horizontal padding.
- Input** : Used for all form fields (`email` , `password` , `text`). Handles its own inline validation error states (`var(--color-error)` borders and text).
- Button** : Used for submission triggers (`variant="primary"` , `size="lg"`).
- Native Select** : Used for Role selection, styled with `var(--radius-btn)` and matching form borders.

Spacing & Layout Tokens

Element	Token Applied	Raw Value
Page Background	<code>var(--color-background)</code>	<code>#FAF8FC</code>
Card Surface	<code>var(--color-surface)</code>	<code>#FFFFFF</code>
Auth Container Padding	<code>var(--spacing-16)</code>	<code>16px</code> (Crucial for mobile)
Form Gap	<code>var(--spacing-24)</code>	<code>24px</code>
Field Group Gap	<code>var(--spacing-16)</code>	<code>16px</code>
Label / Input Gap	<code>var(--spacing-8)</code>	<code>8px</code>

Typography Tokens

Element	Token / Styles Applied
Page Title	<code>var(--font-family-heading)</code> , <code>var(--font-size-h2)</code> , <code>var(--color-primary)</code>
Page Subtitle	<code>var(--font-family-body)</code> , <code>var(--font-size-body)</code> , <code>var(--color-text-secondary)</code>
Links	<code>var(--color-primary)</code> , <code>var(--font-size-caption)</code> (Forgot password), <code>var(--font-size-body)</code> (Footer link)
Error Messages	<code>var(--color-error)</code> , <code>var(--font-size-caption)</code>

Edge Cases & States

- Empty State:** Submit buttons trigger validation. Empty fields instantly show inline errors below the respective input.
- Error State (Login):** Invalid credentials display a centralized inline error (`var(--color-error)`) below the primary button.
- Error State (Register):** Password mismatches and length violations show inline errors explicitly beneath the offending input field, not as a global banner.

4. **Mobile Responsiveness:** At `<= 375px`, the container remains padded by `16px`, forcing the auth card to span `100%` of the remaining width. Minimum font sizes scale gracefully but never drop below `14px` (`0.875rem`).

Next Steps

Once the Backend confirms the Auth API is ready, Frontend can begin immediate implementation of these views referencing the layouts and tokens above.
