

## **ATTIRE E-Commerce website**

### **Summer Internship Project Based Front-end Training**

Submitted

To

**CRC-Training**

By

**Mayank Rajora**

**Roll Number: 2002900100085**

**Md Soaib Choudhary**

**Roll Number: 2002900100086**

**Under the guidance of  
Mr. Gopal Gupta / Mr. Gaurav Kansal**

# TABLE OF CONTENTS

	Page No.
DECLARATION	1
CERTIFICATE	3
ACKNOWLEDGEMENT	4
ABSTRACT	5
LIST OF FIGURES	6
<b>CHAPTER-1 INTRODUCTION</b>	7
1.1 Problem Definition	8
1.2 Motivation	8
1.3 Objective of the Project	8
1.4 Scope of the Project	8
1.5 Need of Work	8
<b>CHAPTER 2 RELATED WORK</b>	9
<b>CHAPTER 3 IMPLEMENTATION AND RESULTS</b>	10
3.1 Software and Hardware Requirements	10
3.2 Assumptions and dependencies	10
3.3 Constraints	11
3.4 Implementation Details	11
3.5 Snapshots of Webpages	12
3.6 Various Technologies code and features used.	23
<b>CHAPTER 4 CONCLUSION</b>	24
4.1 Discussion	24
4.2 Future Work	24
<b>REFERENCES</b>	26

## CERTIFICATE

This is to certify that the Project Report entitled “**ATTIRE-E-Commerce website**” which is submitted by **Mayank Rajora** and **Md Soaib Choudhary** and in partial fulfillment of the requirement for the “**Summer Internship Project Based Front-end Training**” in the Department of CRC-Training of ABES Institute of Technology, is a record of the candidate own work carried out by him under my/our supervision.

**Mr. Gaurav Kansal**

**Mr. Gopal Gupta**

**Date:**

## ACKNOWLEDGEMENT

*It gives us a great sense of pleasure to present the report of the “**Summer Internship Project-Based Front-end training**” undertaken during B. Tech, 3<sup>rd</sup> Year. We owe a special debt of gratitude to Mr. Gopal Gupta and Mr. Gaurav Kansal for their constant support and guidance throughout the course of our work. His constant motivation has been a constant source of inspiration for us. It is only his cognizant efforts that our endeavors have seen the light of the day.*

*We also take the opportunity to acknowledge the contribution of team members of CRC-Training and Dr. Avinash Kumar Sharma (HOD) for their full support and assistance during the development of the project.*

*We also do not like to miss the opportunity to acknowledge the motivation of the Department Of **Computer Science and Engineering** ABES Institute of Technology to provide us the opportunity to undergo training at CRC-Training.*

*Signature:*

*Name: Mayank Rajora*

*Roll No.:*

*2002900100085*

*Date :*

*Signature:*

*Name: Md. Soaib*

*Choudhary*

*Roll No.:*

*2002900100086*

*Date :*

## ABSTRACT

*The project “Attire” is a frontend e-commerce website for men’s fashion products, developed using HTML, CSS, Bootstrap, and JavaScript. The website aims to provide an engaging user-friendly platform for users to explore and purchase a diverse range of men’s fashion items.*

*This report presents the development process and key features of the “Attire” website. The project’s objective was to create an intuitive and visually appealing interface, ensuring a seamless shopping experience for customers interested in men’s fashion.*

*The report highlights the implementation details, showcasing the effective utilization of HTML, CSS, and Bootstrap to design responsive webpages that adapt to various screensizes and devices. JavaScript was employed to enhance user interactions, including dynamic content display and user-friendly form validation.*

*The user interface design focused on simplicity, allowing easy navigation through the product catalog, and a convenient shopping cart system. Special attention was given to aesthetics, ensuring a visually appealing and modern website layout.*

*Throughout the development process, challenges were identified and addressed, leading to continuous improvements and optimizations. The website’s performance and compatibility were thoroughly tested to deliver an optimal user experience across different web browsers.*

*In conclusion, the “Attire” project represents a successful front-end implementation of an e-commerce website for men’s fashion products. The report captures the journey of building an interactive and visually attractive platform, demonstrating proficiency in HTML, CSS, Bootstrap, and JavaScript. The project serves as a valuable resource for those interested in front-end development and e-commerce solutions.*

## LIST OF FIGURES

Fig. No.	Fig. Title	Page No.
1	Homepage (Navbar)	12
2	Homepage (Clock)	13
3	Homepage (Carousel)	13
4	Homepage (Category)	14
5	Homepage (Footer)	15
6	Responsive	15
7	Product category	16
8	T-shirts section	16
9	Cart page	17
10	Special page (banner)	18
11	Special page (products)	18
12	Contact/About page	20
13	Login page	22
14	Appendix A (Home)	26
15	Appendix B (JS pop up)	27

# CHAPTER-1

## INTRODUCTION

### Welcome to “Attire” - Your One-Stop Shop for Men’s Fashion!

“Attire” is a user-friendly and visually appealing front-end e-commerce website that caters to all your men’s fashion needs. Created using HTML, CSS, JavaScript, and Bootstrap, our website aims to provide you with a seamless and enjoyable shopping experience.

Our goal at “Attire” is to make fashion accessible and enjoyable for everyone. We understand that fashion is not just about clothes; it’s a statement of individuality and confidence. With this in mind, we have curated a diverse collection of clothing and accessories to suit various tastes and occasions.

Whether you’re looking for formal wear to make a lasting impression or casual outfits to stay comfortable and stylish, our carefully selected range has got you covered. From classic shirts to trendy t-shirts, stylish jeans to dapper suits, we have something to suit every style preference.

Our website is designed to be responsive, meaning you can access it from any device, be it a desktop, tablet, or smartphone. Shopping on the go has never been easier!

Navigating through “Attire” is a breeze. Thanks to Bootstrap, the website layout adapts seamlessly to different screen sizes, ensuring a smooth and enjoyable browsing experience. Our simple and intuitive user interface allows you to find your desired products quickly and efficiently.

To further enhance your shopping journey, we have implemented easy-to-use search filtering options. This way, you can narrow down your search by color, size, and style, finding the perfect piece a breeze.

Once you've made your selections, our JavaScript functions ensure a secure and hassle-free checkout process. We prioritize your safety and satisfaction at every step.

At "Attire," we're not just a fashion store; we're a community of style enthusiasts who in the power of fashion to boost confidence and self-expression. We take pride in providing excellent customer service and top-quality products that leave you looking and feeling your best. Happy shopping!

Some of the following strategies in the bullet-list below may help.

- Handpicked range of clothing and accessories for diverse tastes and occasions.
- Website layout adapts seamlessly to different devices (desktop, tablet, smartphone).
- Simple and intuitive navigation for easy browsing and shopping.
- Effortlessly find products by sizes, style, and category.

- JavaScript functions ensure a safe and smooth experience.

It has been observed that the difficulty level to write the Introduction is average and it takes a variable amount of time. Following subheadings are to be included in this chapter depending on the project-

## **Problem Introduction**

- 1.1** In today's fast-paced digital world, the demand for online shopping has skyrocketed, and the fashion industry is no exception. However, finding a user-friendly and visually appealing e-commerce platform tailored specifically for men's fashion can be challenging. As a result, there is a need for a dedicated men's fashion front-end e-commerce website that not only offers a curated collection of trendy clothing and accessories but also provides a seamless shopping experience.
- 1.2** The motivation behind the "Attire" men's fashion website project is to address the lack of a specialized platform for men's fashion enthusiasts. The existing e-commerce websites often cater to a broader audience and may not meet the unique preferences and requirements of men seeking fashionable clothing and accessories. By creating "Attire," we aim to bridge this gap and provide a tailored platform that showcases the latest trends and classic styles for men, fostering confidence and self-expression.
- 1.3** The primary objective of the "Attire" project is to develop a user-friendly and visually appealing front-end e-commerce website dedicated to men's fashion. The website will offer a thoughtfully curated collection of clothing and accessories, making it easy for users to find stylish products that match their preferences and fit their individual style. The project aims to enhance the online shopping experience for men, creating a convenient and enjoyable platform for fashion enthusiasts.
- 1.4** The scope of the "Attire" project includes the development of the front-end interface using HTML, CSS, JavaScript, and Bootstrap. The website will showcase various categories of men's clothing, including shirts, t-shirts, jeans, suits, and more. Additionally, the platform will offer a selection of accessories such as watches, belts, and more. The project will focus on providing responsive and user-friendly design elements to ensure a seamless shopping experience across different devices.
- 1.5** The need for the "Attire" project stems from the rising popularity of online shopping for men's fashion and the desire for a dedicated platform that caters specifically to their needs. The current market lacks a comprehensive men's fashion website with an emphasis on user experience and ease of navigation. By developing "Attire," we aim to fill this void and create a platform that not only showcases the latest trends in men's fashion but also ensures a smooth and enjoyable shopping journey for every user.



## CHAPTER-2

### Related Previous Work/Market Survey

#### 2.1 Previous Work in the Field:

Before embarking on the development of the "Attire" men's fashion front-end e-commerce website, a comprehensive study of previous work in the field was conducted. Various existing e-commerce platforms, both generic and specialized in men's fashion, were analyzed to understand their strengths and weaknesses. The focus was on identifying key features that enhance user experience, design elements that promote visual appeal, and strategies for seamless navigation.

#### 2.2 Researching the Problem Studied:

The research phase delved into the challenges faced by users when shopping for men's fashion online. It involved gathering user feedback, conducting surveys, and studying customer reviews on existing platforms. Common pain points such as difficulties in finding specific products, lack of personalization, and clunky checkout processes were identified.

#### 2.3 Summarization of Results Obtained:

Based on the research findings, it was evident that there is a significant demand for a dedicated men's fashion e-commerce platform. Existing websites often lack a curated collection of men's clothing and accessories, leading to a time-consuming and frustrating shopping experience. Users expressed a strong desire for an intuitive website that offers a wide range of trendy options, simplified filtering, and secure payment options.

#### 2.4 Details about Already Existed Web Portals:

Several e-commerce websites in the men's fashion domain were analyzed in detail. Their features, user interface, and overall user experience were scrutinized to gain insights into best practices and potential areas for improvement. These existing portals varied in terms of design, product range, and customer engagement.

Overall, the market survey revealed a significant opportunity to create a specialized men's fashion e-commerce website that focuses on simplicity, personalization, and a curated collection to meet the unique needs of modern fashion-conscious men.

Considering the findings from the research and market survey, the "Attire" project was initiated to address the identified gaps and provide a seamless, user-friendly, and visually appealing platform that offers a curated selection of trendy men's clothing and accessories, ensuring a delightful shopping experience for all users.

## CHAPTER-3

# IMPLEMENTATION AND RESULTS

### 3.1 Software and Hardware Requirements:

For the implementation of the "Attire" men's fashion front-end e-commerce website, the following software and hardware requirements were necessary:

#### Software Requirements:

**Code Editor:** A code editor Visual Studio Code was used for writing, editing, and organizing the project's HTML, CSS, and JavaScript files. The code editor provides a user-friendly interface with features like syntax highlighting and code suggestions, making development more efficient.

**Web Browser:** A modern web browser, Google Chrome, was utilized for testing and previewing the website. Chrome's Developer Tools were particularly helpful for inspecting and debugging the web pages during the development process.

**Version Control System:** Git was employed for version control, allowing multiple developers to collaborate on the project simultaneously. It enabled tracking changes, managing code versions, and facilitating seamless teamwork.

#### Hardware Requirements:

**Computer:** A personal computer or laptop with adequate processing power and memory was necessary for running the code editor, web browser, and other development tools smoothly.

**Internet Connection:** A stable internet connection was essential for accessing online resources, libraries, and frameworks, as well as for testing the website on different devices using responsive design principles.

### 3.2 Assumptions and Dependencies:

During the implementation of the “Attire” project, the following assumptions and dependencies were considered:

- The website's back-end functionality, such as managing inventory, processing payments, and user authentication, was assumed to be handled by a separate system.
- The website design and features assumed that user feedback and market research were accurate representations of user preferences and needs.
- Dependencies on third-party libraries and frameworks, such as Bootstrap for responsive design, were acknowledged.

### 3.3 Constraints:

As a front-end project, "Attire" primarily focused on the user interface and user experience. It did not include back-end functionality, and thus, real-time interactions like shopping cart persistence or user accounts were simulated using JavaScript functions and local storage.

### 3.4 Implementation Details:

The implementation of "Attire" involved utilizing HTML, CSS, Bootstrap, and JavaScript to create a visually appealing and responsive website. HTML was used for the website's structure and content, CSS for styling and layout, and Bootstrap for responsive design and grid system. JavaScript was employed to enhance user interactions and simulate user-specific actions.

### 3.5 Snapshots of Webpages:

#### Home page:

Navbar: First we make a navigation bar with different sections or functionalities like “Attire logo”, Home, Special, Contact, Cart and Login. Each section is a button and navigates to the next page.

```
<nav class="navbar navbar-expand-lg bg-secondary py-2 fixed-top">
  <div class="container ">
    <a class="navbar-brand" href="/index.html">
      ATTIRE
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria- label="Toggle
navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNav">
      <ul class="navbar-nav ms-auto">
        <li class="nav-item">
          <a class="nav-link active" aria-current="page" style="color: blue;"
href="/index.html"><b>Home</b></a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="/special.html"><b>Special</b></a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="/about.html"><b>Contact</b></a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="/cart.html"><b>Cart</b></a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="/loginreg.html"><b>Login</b></a>
        </li>
      </ul>
    </div>
  </div>
</nav>
```




Fig. 01

Clock using JavaScript: After navigation bar, we simply add a clock using js.function


```
Clock() {
  const now = new Date();
```

```
const hours = now.getHours().toString().padStart(2, '0'); const
minutes = now.getMinutes().toString().padStart(2, '0'); const
seconds = now.getSeconds().toString().padStart(2, '0');const
timeString = `${hours}:${minutes}:${seconds}`;
document.getElementById('clock').textContent = timeString;
}
setInterval(Clock, 1000);
Clock();
```



**Fig. 02**


Carousel: After that we add a carousel of three slides using bootstrap having three different images which show about the current special items or new arrival items.



**Fig. 03**

Products category: Then, we add category-wise men's products to make the customer easy to find what he wants. We use bootstrap "card" to show the image and the product details.

```
<div class="row">
  <div class="col-md-4 mt-2">
    <div class="card">
      
      <div class="card-body">
        <h5 class="card-title">PUMA</h5>
        <p class="card-text">Designer T-shirts <b>Starting from Rs.799/-</b></p>
        <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
        <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
        <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
        <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
        <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <br>
      <a href="t-shirts.html" class="btn btn-primary">Click to explore</a>
    </div>
  </div>
</div>
```



**Fig. 04**

Footer: Then, at last we add a footer to our homepage.

```
<footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
  <div class="col-md-4 d-flex align-items-center">
    <a href="/" class="mb-3 me-2 mb-md-0 text-body-secondary text-decoration-none
lh-1">
      <svg class="bi" width="30" height="24"><use xlink:href="#bootstrap"/></svg>
    </a>
    <span class="mb-3 mb-md-0 text-body-secondary">&copy; 2023 ATTIRE,
Inc</span>
  </div>
  <ul class="nav col-md-4 justify-content-end list-unstyled d-flex ">
    <a class="m-3" href="https://www.facebook.com/"><i class="fa-brands fa-facebookfa-
2xl"></i></a>
    <a class="m-3" href="https://twitter.com/"><i class="fa-brands fa-twitter fa-
2xl"></i></a>
    <a class="m-3" href="https://www.instagram.com/"><i class="fa-brands fa-
instagram fa-2xl"></i></a>
  </ul>
</footer>
```

Fig. 05

**Responsive website:** As we use bootstrap, our website is responsive. It means, full working on any smaller or larger device or screen like in mobile phones, tablets, and on a desktop.




Fig. 06



**Product Category:** In product, we add category wise items like T-shirts, Shirts, Jeans etc. Sothat the customer can easily check the item he wants to purchase.




Fig. 07

**Click to explore for T-shirts:** When someone clicks on the button “Click to explore” the nextpage having all products with same category open.




Fig. 08



More details button: Then, we add a button “More details”. On clicking this button, a new page with the same product details opens.

We named this page “CART”.

**Cart:** In Cart page the product details is shown like rate, discount, review, Q&A etc.




Fig. 09

**Special:** In this page, we add some special products having latest quality and with a different price range.

Banner: On this page, first we add a banner using bootstrap.



Fig. 10

Special Products: After the banner, special products are added.




Fig. 11

**Contact:** In the contact/about page we add division of rows and columns and add some details about us.

```
<section id="about-section" style="padding-top: 90px;">
<div class="container mt-5">
  <div class="row">
    <div class="col-lg-6">
      
      <h2>Mayank rajora</h2>
      <p>Welcome ! I am Mayank Rajora ...</p>
      <p><a class="btn btn-primary" href="#mayank" role="button">View details »</a></p>
    </div>
    <div class="col-lg-6">
      
      <h2>Soaib Choudhary</h2>
      <p>Welcome ! I am Soaib Choudhary ...</p>
      <p><a class="btn btn-primary" href="#soaib" role="button">View details »</a></p>
    </div>
  </div>
</div>
<div class="row mt-3 border-top">
  <div class="col-md-8 mt-3" id="mayank">
    <h1>Mayank Rajora <span class="text-muted">Developer</span></h1>
    <p>Hi there! I'm Mayank Rajora, the developer of our this ATTIRE site for men shopping.I
love crafting amazing online experiences, and my goal is to make your shopping journey
smooth.Passionate about creating great online shopping experiences, I've worked hard to make this
platform user-friendly.I'm dedicated to continuous improvement, so feel free to share your feedback
with me.<br> MAYANK RAJORA.</p>
  </div>
  <div class="col-md-4 mt-3">
    
  </div>
</div>
<div class="row mt-3 border-top mb-3" id="soaib">
  <div class="col-md-4 mt-3">
    
  </div>
  <div class="col-md-8 mt-3 mb-3" >
    <h1>Soaib Choudhary <span class="text-muted">Developer</span></h1>
```


<p>Hi there! I'm Soaib Choudhary, the developer of our this ATTIRE site for men shopping.I love crafting amazing online experiences, and my goal is to make your shopping journey smooth.Passionate about creating great online shopping experiences, I've worked hard to make this platform user-friendly.I'm dedicated to continuous improvement, so feel freeto share your feedback with me.<br> SOAIB CHOUDHARY.</p>

</div>

</div>

</div>

</section>



After that we added a contact form to reach us.






Fig. 12

**Login page:** Then at last we added a login/register page for the customer.

```
<section class="vh-100">
<div class="container py-5 mt-5">
  <div class="row d-flex align-items-center justify-content-center h-100">
    <div class="col-md-8 col-lg-7 col-xl-6">
      
    </div>
    <div class="col-md-7 col-lg-5 col-xl-5 offset-xl-1">
      <h2 class="text-center mb-3">Login/Register Here</h2>
      <form>
        <!-- Email input -->
        <div class="form-outline mb-4">
          <input type="email" id="register1" class="form-control form-control-lg" placeholder="Enter your email" />
          <label class="form-label" for="register"><b>Email address</b></label>
        </div>
        <!-- Password input -->
        <div class="form-outline mb-4">
          <input type="password" id="register1" class="form-control form-control-lg" placeholder="Enter your password" />
          <label class="form-label" for="register"><b>Password</b></label>
        </div>
        <div class="d-flex justify-content-around align-items-center mb-4">
          <!-- Checkbox -->
          <div class="form-check">
            <input class="form-check-input" type="checkbox" value="" id="login1" checked />
            <label class="form-check-label" for="form1Example3"> Remember me </label>
          </div>
          <a href="#">Forgot password?</a>
        </div>
        <!-- Submit Button -->
        <button type="submit" class="btn btn-secondary form-control btn-lg btn-block">Sign in</button>
        <div class="divider d-flex align-items-center my-4">
          <p class="text-center fw-bold mx-3 mb-0 text-muted">OR</p>
        </div>
        <div>
          <a class="btn btn-primary form-control btn-lg btn-block" style="background-color: #3b5998" href="#"
            role="button">
            <i class="fab fa-facebook-f me-2"></i>Continue with Facebook
          </a>
          <a class="btn btn-primary form-control mt-3 btn-block" style="background-color: #55acee" href="#"
            role="button">
            <i class="fab fa-twitter me-2"></i>Continue with Twitter
          </a>
        </div>
        <div class="mt-3">
          <p>Don't have an account? <a href="#" class="link-info">Register here</a></p>
        </div>
      </form>
    </div>
  </div>
</div>
</section>
```

 ATTIRE

[Home](#)
[Special](#)
[Contact](#)
[Cart](#)
[Login](#)



Secure Login

### Login/Register Here

Enter your email

Email address

Enter your password

Password

☒ Remember me
 [Forgot password?](#)

Sign in

OR

Continue with Facebook

Continue with Twitter

Don't have an account? [Register here](#)

Fig. 13

### 3.6 Various Technologies (HTML/CSS/Bootstrap/JavaScript) Code and Features Used:

Various technologies and features utilized in the “Attire” project include:

- **HTML:** Used to create the website’s structure, headings, paragraphs, and content elements.
- **CSS:** Employed for styling, layout, colors, and typography to enhance the visual appeal of the website.
- **Bootstrap:** Implemented for responsive design, ensuring the website adapts to different screen sizes and devices.
- **JavaScript:** Utilized to enhance user interactions, implement some functionalities, and simulate cart actions.



## CONCLUSION

Throughout the development of the “Attire” men’s fashion front-end e-commerce website, valuable insights and learning experiences were gained. The project successfully achieved its objective of creating a user-friendly and visually appealing platform for men's fashion enthusiasts. By utilizing HTML, CSS, JavaScript, and Bootstrap, we designed an intuitive website that offers a curated collection of trendy clothing and accessories, catering to various style preferences and occasions.

During the implementation process, several key learnings emerged. First and foremost, the importance of responsive design became evident, as it ensured a seamless user experience across different devices. The use of Bootstrap significantly simplified the creation of a responsive layout, allowing the website to adapt smoothly to various screen sizes.

One of the challenges faced during the project was simulating back-end functionalities using JavaScript and local storage. While it provided a reasonable solution for a front-end project, it underscored the importance of integrating with a robust back-end system to handle real-time interactions and user-specific actions in a full-fledged e-commerce platform.

### Future Directions

The “Attire” men’s fashion website opens exciting possibilities for future developments. One potential avenue for improvement is integrating a back-end system to handle user accounts, product inventory, and secure payment processing. Incorporating a recommendation engine based on user preferences and behavior could further enhance user engagement and personalized shopping experiences.

Additionally, expanding the product range and partnering with renowned fashion brands could attract a wider customer base. Implementing user reviews and ratings would add valuable social proof and aid potential buyers in making informed decisions.



### **Practical Implications:**

The “Attire” project holds practical implications for the fashion industry and aspiring e-commerce entrepreneurs. By focusing on specialized men’s fashion and delivering a seamless user experience, it demonstrates how niche e-commerce platforms can successfully cater to specific target audiences.

Moreover, the project emphasizes the significance of user-centric design and responsive layouts, reflecting the current trends in web development. Future workers can build upon the foundation laid by “Attire” to create even more sophisticated and feature-rich e-commerce platforms, transforming the way people shop for fashion online.

In conclusion, the “Attire” men’s fashion front-end e-commerce website represents a significant accomplishment, addressing the need for a specialized platform for men’s fashion enthusiasts. It showcases the power of front-end technologies in creating visually appealing and user-friendly websites. As we continue to explore and innovate in the world of e-commerce, the possibilities for enhancing the “Attire” project and its impact on the fashion industry are truly limitless.

## Appendix

### Appendix A: Screenshots of Webpages

In this appendix, we have included screenshots of key webpages from the “Attire” men’s fashion front-end e-commerce website.




Fig. 14




Fig. 15

## Appendix B: JavaScript code Snippets

Here, we present important JavaScript code snippets used in the implementation of the “Attire.” project.

```
function addtocart(){
    window.alert("Product is added to cart");
}

function Clock() {
    const now = new Date();
    const hours = now.getHours().toString().padStart(2, '0'); const
    minutes = now.getMinutes().toString().padStart(2, '0'); const
    seconds = now.getSeconds().toString().padStart(2, '0');const
    timeString = `${hours}:${minutes}:${seconds}`;
    document.getElementById('clock').textContent = timeString;
}

setInterval(Clock, 1000);

Clock();
```

## Appendix C: Reference data and Material

This section contains reference data and material that were used during the research and implementation stages of the project.

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.1/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
4bw+/aepP/YC94hEpVNVgiZdgIC5+VKNBQNGChEKRQN+PtmoHDEXuppvnDJzQIu9"
crossorigin="anonymous">
```

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.1/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
HwwvtgBNo3bZJLYd8oVXjrBZt8cqVSpeBNS5n7C8IVInixGAoxmnlMuBnhbgrkm"
crossorigin="anonymous"></script>
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/@fortawesome/fontawesome-
free@6.2.1/css/fontawesome.min.css" integrity="sha384-
QYIZto+st3yW+o8+5OHfT6S482Zsvz2WfOzpFSXMF9zqeLcFV0/wlZpMtyFcZALm"
crossorigin="anonymous">
```

## Appendix D: Bootstrap Framework Details

In this appendix, we provide a brief overview of the Bootstrap framework and how it was leveraged to create a responsive design for the "Attire" website. It includes explanations of key Bootstrap components and classes used in the project.

- In Bootstrap, the **Navbar** component is a versatile and responsive navigation bar that is widely used in web development for creating navigation menus. It provides a clean and intuitive interface for users to navigate through a website. The Bootstrap Navbar is mobile-friendly and adapts to different screen sizes, making it an excellent choice for creating a responsive website.

- In Bootstrap, a **Carousel** is a slideshow component that allows you to display a series of images or content in a rotating manner. It provides an interactive and visually appealing way to showcase information on your website. The Carousel is fully responsive and works seamlessly on different devices and screen sizes.
- In Bootstrap, Cards are a versatile and flexible component used to display various types of content in a consistent and organized manner. Cards are often used to showcase information, images, links, or any other content that requires a unified presentation. They are an essential part of creating a modern and visually appealing user interface for your website.

## Classes:

- . **container:** A class that sets a fixed-width container to keep the content centered and responsive.
- . **card:** A class that styles a content container with a bordered box, suitable for showcasing information, images, or other content.
- . **navbar:** A class that creates a navigation bar, typically used for website menus, with responsive collapsing for small screens.
- . **carousel:** A class that creates a rotating slideshow to showcase a series of images or content in a visually engaging manner.
- . **container-fluid:** A class that creates a full-width container that spans the entire width of the viewport, adapting to various screen sizes.

## Appendix D: index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="image/favicon.ico">
  <!-- BOOTSTRAP CSS LINK -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65"
crossorigin="anonymous">
  <!-- Font Awesome Link -->
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css"
integrity="sha512-
iecdLmaskl7CVkqkXNQ/ZH/XLlvWZOJyj7Yy7tcenmpD1ypASozpmT/E0iPtmFIB46ZmdtAc9eNBvH0H/ZpiBw=
=" crossorigin="anonymous" referrerpolicy="no-referrer" />
  <title>ATTIRE</title>
</head>
<body>
  <!-- Navigation bar Start -->
  <section id="header">
    <nav class="navbar navbar-expand-lg bg-secondary py-2 fixed-top">
      <div class="container">
        <a class="navbar-brand" href="/index.html">
          ATTIRE
        </a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
```

aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">

```

        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav ms-auto">
            <li class="nav-item">
                <a class="nav-link active" aria-current="page" style="color: blue;"
href="/index.html"><b>Home</b></a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="/special.html"><b>Special</b></a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="/about.html"><b>Contact</b></a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="/cart.html"><b>Cart</b></a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="/loginreg.html"><b>Login</b></a>
            </li>
        </ul>
    </div>
</div>
</nav>
</section>
<!-- Navigation bar End -->

<!-- Home Section Start Carousel -->
<div class="container">
    <div id="carouselExampleIndicators" class="carousel slide mb-3" style="padding-top: 90px;" data-bs-ride="true">
        <div class="carousel-indicators">
            <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="0"
class="active" aria-current="true" aria-label="Slide 1"></button>
            <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="1" aria-label="Slide
2"></button>
            <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="2" aria-label="Slide
3"></button>
        </div>
        <div class="carousel-inner">
            <h2><div id="clock" class="text-center"></div></h2>
            <div class="carousel-item active">
                
            </div>
            <div class="carousel-item">
                
            </div>
            <div class="carousel-item">
                
            </div>
        </div>
        <button class="carousel-control-prev" type="button" data-bs-target="#carouselExampleIndicators" data-bs-
slide="prev">
            <span class="carousel-control-prev-icon" aria-hidden="true"></span>
            <span class="visually-hidden">Previous</span>
        </button>
        <button class="carousel-control-next" type="button" data-bs-target="#carouselExampleIndicators" data-

```

bs-slide="next">

<span class="carousel-control-next-icon" aria-hidden="true"></span>

<span class="visually-hidden">Next</span>

</button>

</div>

</div>

<!-- Home Section End Carousel-->

<!-- Product Category Section Start -->

<div class="container">

<div class="row text-center mb-3">

<h1>Products</h1>

</div>

<div class="row">

<div class="col-md-4 mt-2">

<div class="card">



<div class="card-body">

<h5 class="card-title">PUMA</h5>

<p class="card-text">Designer T-shirts <b>Starting from Rs.799/-</b></p>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<br>

<a href="t-shirts.html" class="btn btn-primary">Click to explore</a>

</div>

</div>

</div>

<div class="col-md-4 mt-2">

<div class="card">



<div class="card-body">

<h5 class="card-title">MONTE CARLO</h5>

<p class="card-text">Designer Jeans <b>Starting from Rs.1499/-</b></p>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<br>

<a href="jeans.html" class="btn btn-primary">Click to explore</a>

</div>

</div>

</div>

<div class="col-md-4 mt-2">

<div class="card">



<div class="card-body">

<h5 class="card-title">INDIAN GARAGE</h5>

<p class="card-text">Designer Shirts <b>Starting from Rs.899/-</b></p>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>



```

        <br>
        <a href="shirts.html" class="btn btn-primary">Click to Explore</a>
    </div>
</div>
<div class="col-md-4 mt-2">
    <div class="card">
        
        <div class="card-body">
            <h5 class="card-title">NIKE</h5>
            <p class="card-text">Designer Lowers <b>Starting from Rs.799/-</b></p>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <br>
            <a href="lower.html" class="btn btn-primary">Click to explore</a>
        </div>
    </div>
</div>
<div class="col-md-4 mt-2">
    <div class="card">
        
        <div class="card-body">
            <h5 class="card-title">ADIDAS</h5>
            <p class="card-text">Designer Shorts <b>Starting from Rs.599/-</b></p>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <br>
            <a href="shorts.html" class="btn btn-primary">Click to explore</a>
        </div>
    </div>
</div>
<div class="col-md-4 mt-2">
    <div class="card">
        
        <div class="card-body">
            <h5 class="card-title">Performax</h5>
            <p class="card-text">Designer Joggers<b>Starting from Rs.999/-</b></p>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
            <br>
            <a href="joggers.html" class="btn btn-primary">Click to explore</a>
        </div>
    </div>
</div>
</div>
</div>
<!-- Product Category Section End -->

```

```

<!-- 2nd Banner Start -->
<div class="container-fluid">
  <div class="row mt-4">
    <div id="carouselExampleCaptions" class="carousel slide">
      <div class="carousel-indicators"></div>
      <div class="carousel-inner">
        
        <div class="carousel-caption d-none d-md-block">
          <h5 style="font-size: 50px; color: red;">Enjoy The Shopping</h5>
          <p style="font-size: 40px; padding: 30px;">Have you tried our new # Special product?</p>
        </div>
      </div>
    </div>
  </div>
</div>
<!-- 2nd Banner End -->

<!-- Footer Section -->
<div class="container bg-secondary">
  <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
    <div class="col-md-4 d-flex align-items-center">
      <a href="/" class="mb-3 me-2 mb-md-0 text-body-secondary text-decoration-none lh-1">
        <svg class="bi" width="30" height="24"><use xlink:href="#bootstrap"/></svg>
      </a>
      <span class="mb-3 mb-md-0 text-body-secondary">&copy; 2023 ATTIRE, Inc</span>
    </div>
    <ul class="nav col-md-4 justify-content-end list-unstyled d-flex">
      <a class="m-3" href="https://www.facebook.com/"><i class="fa-brands fa-facebook fa-2x1"></i></a>
      <a class="m-3" href="https://twitter.com/"><i class="fa-brands fa-twitter fa-2x1"></i></a>
      <a class="m-3" href="https://www.instagram.com/"><i class="fa-brands fa-instagram fa-2x1"></i></a>
    </ul>
  </footer>
</div>
<!-- Footer Section -->

<!-- BOOTSTRAP SCRIPT LINK -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-
kenU1KFdBle4zVF0s0G1M5b4hpcxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4" crossorigin="anonymous"></script>

<!-- My JS File link -->
<script src="myscript.js"></script>

</body>
</html>

```

**t-shirts.html:** we use cards to form our t-shirt, shirt, jeans, joggers page.

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="image/favicon.ico">
  <!-- BOOTSTRAP CSS LINK -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65"
crossorigin="anonymous">

```

```

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css"
integrity="sha512-
iecdLmaskl7CVkqkXNQ/ZH/XLlvWZOJyj7Yy7tcenmpD1ypASozpmT/E0iPtmFIB46ZmdtAc9eNBvH0H/ZpiBw=
=" crossorigin="anonymous" referrerpolicy="no-referrer" />
<title>ATTIRE</title>
</head>
<body>
<!-- Navigation bar Start -->
<section id="header">
<nav class="navbar navbar-expand-lg bg-secondary py-2 fixed-top">
<div class="container ">
<a class="navbar-brand" href="/index.html">
ATTIRE
</a>
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarNav">
<ul class="navbar-nav ms-auto">
<li class="nav-item">
<a class="nav-link active" aria-current="page" style="color: blue;"
href="/index.html"><b>Home</b></a>
</li>
<li class="nav-item">
<a class="nav-link" href="/special.html"><b>Special</b></a>
</li>
<li class="nav-item">
<a class="nav-link" href="/about.html"><b>Contact</b></a>
</li>
<li class="nav-item">
<a class="nav-link" href="/cart.html"><b>Cart</b></a>
</li>
<li class="nav-item">
<a class="nav-link" href="/loginreg.html"><b>Login</b></a>
</li>
</ul>
</div>
</div>
</nav>
</section>
<!-- Navigation bar End -->

<!-- Banner start -->
<div class="container-fluid" style="padding-top: 90px;">
<div class="row">
<div id="carouselExampleCaptions" class="carousel slide">
<div class="carousel-indicators"></div>
<div class="carousel-inner">
<div class="carousel-item active">

<div class="carousel-caption d-none d-md-block">
<h5 style="font-size: 50px; color:#52eb34;">#Stay Home</h5>
<p style="font-size: 40px; padding: 20px; ">Don't forget to be awesome.</p>
</div>
</div>

```

</div>

```

</div>
</div>
</div>
<!-- Banner End -->

<!-- T-Shirts section start -->
<div class="container-fluid">
  <div class="row">
    <h3 class="text-center mt-4">T-Shirts</h3>
  </div>
  <div class="row mt-5">
    <div class="col-md-3">
      <div class="card">
        
        <div class="card-body">
          <h5 class="card-title">PUMA</h5>
          <p class="card-text">Designer t-shirts <B>Rs.999/-</B></p>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #fff;"></i>
          <br>
          <a href="cart.html" class="btn btn-primary">More Details</a>
        </div>
      </div>
    </div>
    <div class="col-md-3">
      <div class="card">
        
        <div class="card-body">
          <h5 class="card-title">PUMA</h5>
          <p class="card-text">Designer t-shirts <B>Rs.999/-</B></p>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #fff;"></i>
          <i class="fa-solid fa-star" style="color: #fff;"></i>
          <br>
          <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
        </div>
      </div>
    </div>
    <div class="col-md-3">
      <div class="card">
        
        <div class="card-body">
          <h5 class="card-title">PUMA</h5>
          <p class="card-text">Designer t-shirts <B>Rs.999/-</B></p>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #fff;"></i>
          <br>
          <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
        </div>
      </div>
    </div>
  </div>

```

</div>

</div>

</div>

```

</div>
</div>
<div class="col-md-3">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">PUMA</h5>
      <p class="card-text">Designer t-shirts <B>Rs.999/-</B></p>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <br>
      <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
    </div>
  </div>
</div>
<div class="col-md-3">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">PUMA</h5>
      <p class="card-text">Designer t-shirts <B>Rs.999/-</B></p>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #fff;"></i>
      <br>
      <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
    </div>
  </div>
</div>
</div>
</div>
</div>
<!-- Footer Section Start -->
<div class="container bg-secondary">
  <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
    <div class="col-md-4 d-flex align-items-center">
      <a href="/" class="mb-3 me-2 mb-md-0 text-body-secondary text-decoration-none lh-1">
        <svg class="bi" width="30" height="24"><use xlink:href="#bootstrap"/></svg>
      </a>
      <span class="mb-3 mb-md-0 text-body-secondary">&copy; 2023 ATTIRE, Inc</span>
    </div>
    <ul class="nav col-md-4 justify-content-end list-unstyled d-flex">
      <a class="m-3" href="https://www.facebook.com/"><i class="fa-brands fa-facebook fa-2x1"></i></a>
      <a class="m-3" href="https://twitter.com/"><i class="fa-brands fa-twitter fa-2x1"></i></a>
      <a class="m-3" href="https://www.instagram.com/"><i class="fa-brands fa-instagram fa-2x1"></i></a>
    </ul>
  </footer>
</div>
<!-- Footer Section End -->

<!-- BOOTSTRAP SCRIPT LINK -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-

```

</div>

</div>

kenU1KFdBle4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"



```
crossorigin="anonymous"></script>
```

```
<!-- My JS File link -->
<script src="myscript.js"></script>
```

```
</body>
</html>
```

## special.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="image/favicon.ico">
  <!-- BOOTSTRAP CSS LINK -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65"
crossorigin="anonymous">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css"
integrity="sha512-
iecdLmaskl7CVkqkXNQ/ZH/XLlvWZOJyj7Yy7tcenmpD1ypASozpmT/E0iPtmFIB46ZmdtAc9eNBvH0H/ZpiBw=
=" crossorigin="anonymous" referrerpolicy="no-referrer" />
  <title>ATTIRE</title>
</head>
<body>
  <!-- Navigation bar Start -->
  <section id="header">
    <nav class="navbar navbar-expand-lg bg-secondary py-2 fixed-top">
      <div class="container ">
        <a class="navbar-brand" href="/index.html">
          ATTIRE
        </a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs- target="#navbarNav"
aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNav">
          <ul class="navbar-nav ms-auto">
            <li class="nav-item">
              <a class="nav-link" aria-current="page" href="/index.html"><b>Home</b></a>
            </li>
            <li class="nav-item">
              <a class="nav-link active" style="color: blue;" href="/special.html"><b>Special</b></a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="/about.html"><b>Contact</b></a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="/cart.html"><b>Cart</b></a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="/loginreg.html"><b>Login</b></a>
            </li>
          </ul>
```

</div>

```

</div>
</nav>
</section>
<!-- Navigation bar End -->

<!-- Carousel Special -->
<div class="container-fluid mt-5" style="padding-top: 90px;">
  <div class="row">
    <div id="carouselExampleCaptions" class="carousel slide">
      <div class="carousel-indicators"></div>
      <div class="carousel-inner">
        <div class="carousel-item active">
          
        </div>
      </div>
    </div>
  </div>
</div>
<!-- Carousel End -->

<!-- Special Product -->
<div class="container-fluid">
  <div class="row mt-5">
    <div class="col-md-3 mt-2">
      <div class="card">
        
        <div class="card-body">
          <h5 class="card-title">ROADSTER</h5>
          <p class="card-text">Designer T-shirt <B>Rs.1099/-</B></p>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <br>
          <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
        </div>
      </div>
    </div>
    <div class="col-md-3 mt-2">
      <div class="card">
        
        <div class="card-body">
          <h5 class="card-title">PETER ENGLAND</h5>
          <p class="card-text">Designer Jeans <B>Rs.1499/-</B></p>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
          <br>
          <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
        </div>
      </div>
    </div>
    <div class="col-md-3 mt-2">
      <div class="card">
        

```

<div class="card-body">

```

    <h5 class="card-title">HIGHLANDER</h5>
    <p class="card-text">Designer Shirt <B>Rs.1299/-</B></p>
    <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
    <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
    <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
    <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
    <br>
    <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
  </div>
</div>
</div>
<div class="col-md-3 mt-2">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">BATMAN</h5>
      <p class="card-text">Designer Trouser <B>Rs.999/-</B></p>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <br>
      <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
    </div>
  </div>
</div>
</div>
<div class="col-md-3 mt-2">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">ATTIRE SPECIAL</h5>
      <p class="card-text">Halfsleeve T-shirt <B>Rs.599/-</B></p>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <br>
      <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
    </div>
  </div>
</div>
</div>
<div class="col-md-3 mt-2">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">BEWAKOOF</h5>
      <p class="card-text">Designer Shirt <B>Rs.1099/-</B></p>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <br>
      <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
    </div>
  </div>
</div>

```

</div>

```

<div class="col-md-3 mt-2">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">BeYOUNG</h5>
      <p class="card-text">Designer T-shirt <B>Rs.799/-</B></p>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <br>
      <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
    </div>
  </div>
</div>
<div class="col-md-3 mt-2">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">RAYMOND</h5>
      <p class="card-text">Designer Set <B>Rs.1599/-</B></p>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <br>
      <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
    </div>
  </div>
</div>
<div class="col-md-3 mt-2">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">ADDIDAS</h5>
      <p class="card-text">Designer Set <B>Rs.999/-</B></p>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <br>
      <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
    </div>
  </div>
</div>
<div class="col-md-3 mt-2">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">CALVIN KLIEN</h5>
      <p class="card-text">Designer T-shirt <B>Rs.1499/-</B></p>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <br>

```

<button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>



```

    </div>
  </div>
</div>
<div class="col-md-3 mt-2">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">GUCCI</h5>
      <p class="card-text">Designer Jogger <B>Rs.1199/-</B></p>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <br>
      <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
    </div>
  </div>
</div>
<div class="col-md-3 mt-2">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">LIKEIT</h5>
      <p class="card-text">Designer Jogger <B>Rs.1099/-</B></p>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
      <br>
      <button onclick="addtocart()" class="btn btn-primary">ADD TO CART</button>
    </div>
  </div>
</div>
</div>
</div>
<!-- Special Product -->

<!-- Footer Section -->
<div class="container bg-secondary">
  <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
    <div class="col-md-4 d-flex align-items-center">
      <a href="/" class="mb-3 me-2 mb-md-0 text-body-secondary text-decoration-none lh-1">
        <svg class="bi" width="30" height="24"><use xlink:href="#bootstrap"/></svg>
      </a>
      <span class="mb-3 mb-md-0 text-body-secondary">&copy; 2023 ATTIRE, Inc</span>
    </div>
    <ul class="nav col-md-4 justify-content-end list-unstyled d-flex">
      <a class="m-3" href="https://www.facebook.com/"><i class="fa-brands fa-facebook fa-2xl"></i></a>
      <a class="m-3" href="https://twitter.com/"><i class="fa-brands fa-twitter fa-2xl"></i></a>
      <a class="m-3" href="https://www.instagram.com/"><i class="fa-brands fa-instagram fa-2xl"></i></a>
    </ul>
  </footer>
</div>
<!-- Footer Section -->

<!-- BOOTSTRAP SCRIPT LINK -->

```

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-

kenU1KFdBle4zVF0s0G1M5b4hcpyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4" crossorigin="anonymous"></script>

```
<!-- My JS File link -->
<script src="myscript.js"></script>
```

```
</body>
</html>
```

## about.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="image/favicon.ico">
  <!-- BOOTSTRAP CSS LINK -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65"
crossorigin="anonymous">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css"
integrity="sha512-
iecdLmaskl7CVkqkXNQ/ZH/XLlvWZOJyj7Yy7tcenmpD1ypASozpmT/E0iPtmFIB46ZmdtAc9eNBvH0H/ZpiBw=
=" crossorigin="anonymous" referrerpolicy="no-referrer" />
  <title>ATTIRE</title>
</head>
<body>
  <!-- Navigation bar Start -->
  <section id="header">
    <nav class="navbar navbar-expand-lg bg-secondary py-2 fixed-top">
      <div class="container ">
        <a class="navbar-brand" href="/index.html">
          ATTIRE
        </a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs- target="#navbarNav"
aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNav">
          <ul class="navbar-nav ms-auto">
            <li class="nav-item">
              <a class="nav-link" href="/index.html"><b>Home</b></a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="/special.html"><b>Special</b></a>
            </li>
            <li class="nav-item">
              <a class="nav-link active" style="color: blue;" href="/about.html"><b>Contact</b></a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="/cart.html"><b>Cart</b></a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="/loginreg.html"><b>Login</b></a>
            </li>
```

```

</ul>
</div>
</div>
</nav>
</section>
<!-- Navigation bar End -->

<!-- Developer section (About) Start -->
<section id="about-section" style="padding-top: 90px;">
  <div class="container mt-5">
    <div class="row">
      <div class="col-lg-6">
        
        <h2>Mayank rajora</h2>
        <p>Welcome ! I am Mayank Rajora ...</p>
        <p><a class="btn btn-primary" href="#mayank" role="button">View details >></a></p>
      </div>
      <div class="col-lg-6">
        
        <h2>Soaib Choudhary</h2>
        <p>Welcome ! I am Soaib Choudhary ...</p>
        <p><a class="btn btn-primary" href="#soaib" role="button">View details >></a></p>
      </div>
    </div>
    <div class="row mt-3 border-top">
      <div class="col-md-8 mt-3" id="mayank">
        <h1>Mayank Rajora <span class="text-muted">Developer</span></h1>
        <p>Hi there! I'm Mayank Rajora, the developer of our this ATTIRE site for men shopping.I love crafting amazing online experiences, and my goal is to make your shopping journey smooth.Passionate about creating great online shopping experiences, I've worked hard to make this platform user-friendly.I'm dedicated to continuous improvement, so feel free to share your feedback with me.<br> MAYANK RAJORA.</p>
      </div>
      <div class="col-md-4 mt-3">
        
      </div>
    </div>
    <div class="row mt-3 border-top mb-3" id="soaib">
      <div class="col-md-4 mt-3">
        
      </div>
      <div class="col-md-8 mt-3 mb-3">
        <h1>Soaib Choudhary <span class="text-muted">Developer</span></h1>
        <p>Hi there! I'm Soaib Choudhary, the developer of our this ATTIRE site for men shopping.I love crafting amazing online experiences, and my goal is to make your shopping journey smooth.Passionate about creating great online shopping experiences, I've worked hard to make this platform user-friendly.I'm dedicated to continuous improvement, so feel free to share your feedback with me.<br> SOAIB CHOUDHARY.</p>
      </div>
    </div>
  </div>
</section>
<!-- Developer section (About) End -->

<!-- Contact Form Start -->
<section id="contform">
  <div class="container mt-3 mb-3 border-top">
    <div class="row">

```

<div class="col-md-12 mt-2">

```

<h1 class="h1">Contact us <small>Feel free to contact us</small></h1>
</div>
</div>
</div>
<div class="container">
  <div class="row">
    <div class="col-md-8">
      <div>
        <form>
          <div class="row">
            <div class="col-md-6">
              <div class="form-group mt-2">
                <label for="name"><b>Name</b></label>
                <input type="text" class="form-control" id="name" placeholder="Enter name"
required="required" />
              </div>
              <div class="form-group mt-2">
                <label for="email"><b>Email Address</b></label>
                <div class="input-group">
                  <input type="email" class="form-control" id="email" placeholder="Enter email"
required="required" />
                </div>
              </div>
              <div class="form-group mt-2">
                <label for="subject"><b>Subject</b></label>
                <select id="subject" name="subject" class="form-control" required="required">
                  <option value="na" selected="">Select One</option>
                  <option value="service">General Customer Service</option>
                  <option value="suggestions">Suggestions</option>
                  <option value="product">Product Support</option>
                </select>
              </div>
            </div>
            <div class="col-md-6">
              <div class="form-group">
                <label for="name"><b>Message</b></label>
                <textarea name="message" id="message" class="form-control" rows="9" cols="25"
required="required" placeholder="Message"></textarea>
              </div>
            </div>
            <div class="col-md-12">
              <button type="submit" class="btn btn-primary pull-right" id="contactus">Send
Message</button>
            </div>
          </div>
        </form>
      </div>
    </div>
    <div class="col-md-4">
      <form>
        <legend><span class="glyphicon"></span>Our office</legend>
        <address>
          <strong>Address</strong><br>
          NE-3, Crossings Republik,<br>
          Ghaziabad, Uttar Pradesh 201009<br>
          <ab title="Phone">P :</ab>
        </address>
      </form>
    </div>
  </div>
</div>

```

+91-9898776896

```

        </address>
        <address>
            <strong>My NAME IS---- </strong><br>
            <a href="#">mail1234@yahoo.com</a>
        </address>
    </form>
</div>
</div>
</div>
</section>
<!-- Contact Form End -->

<!-- Footer Section -->
<div class="container bg-secondary">
    <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
        <div class="col-md-4 d-flex align-items-center">
            <a href="/" class="mb-3 me-2 mb-md-0 text-body-secondary text-decoration-none lh-1">
                <svg class="bi" width="30" height="24"><use xlink:href="#bootstrap"/></svg>
            </a>
            <span class="mb-3 mb-md-0 text-body-secondary">&copy; 2023 ATTIRE, Inc</span>
        </div>
        <ul class="nav col-md-4 justify-content-end list-unstyled d-flex">
            <a class="m-3" href="https://www.facebook.com/"><i class="fa-brands fa-facebook fa-2xl"></i></a>
            <a class="m-3" href="https://twitter.com/"><i class="fa-brands fa-twitter fa-2xl"></i></a>
            <a class="m-3" href="https://www.instagram.com/"><i class="fa-brands fa-instagram fa-2xl"></i></a>
        </ul>
    </footer>
</div>
<!-- Footer Section -->
<!-- BOOTSTRAP SCRIPT LINK -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-
kenU1KFdBIe4zVF0s0G1M5b4hpcxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4" crossorigin="anonymous"></script>

<!-- My JS File link -->
<script src="myscript.js"></script>

</body>
</html>

```

## cart.html:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="icon" type="image/x-icon" href="image/favicon.ico">
    <!-- BOOTSTRAP CSS LINK -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.4.0/css/all.min.css"
integrity="sha512-
iecdLmaskl7CVkqkXNQ/ZH/XLlvWZOJyj7Yy7tcenmpD1ypASozpmT/E0iPtmFIB46ZmdtAc9eNBvH0H/ZpiBw=
=" crossorigin="anonymous" referrerpolicy="no-referrer" />

```



```

<title>ATTIRE</title>
</head>
<body>
  <!-- Navigation bar Start -->
  <section id="header">
    <nav class="navbar navbar-expand-lg bg-secondary py-2 fixed-top">
      <div class="container ">
        <a class="navbar-brand" href="/index.html">
          ATTIRE
        </a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNav">
          <ul class="navbar-nav ms-auto">
            <li class="nav-item">
              <a class="nav-link" href="/index.html"><b>Home</b></a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="/special.html"><b>Special</b></a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="/about.html"><b>Contact</b></a>
            </li>
            <li class="nav-item">
              <a class="nav-link active" style="color: blue;" href="/cart.html"><b>Cart</b></a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="/loginreg.html"><b>Login</b></a>
            </li>
          </ul>
        </div>
      </div>
    </nav>
  </section>
  <!-- Navigation bar End -->

  <!-- Cart Start Here -->
  <div class="container" style="padding-top: 100px;">
    <div class="card mb-3" style="max-width: 1000px">
      <div class="row g-0">
        <div class="col-md-4">
          
          <button onclick="addtocart()" class="btn btn-primary ms-5 mt-5">Add to cart</button>
          <button onclick="addtocart()" class="btn btn-primary ms-5 mt-5">Buy Now</button>
        </div>
        <div class="col-md-8">
          <div class="card-body">
            <h5 class="card-title">PUMA</h5>
            <p class="card-text">This Essentials Tee is a classic that's ready to take your casual look to the next level.
Eye-catching PUMA branding and 100% cotton fabrication make it a cut above the rest.</p>
            <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
            <p style="color: green;">Special price</p>
            <h3><b>Rs.599</b></h3><h6><span style="color: green;">50% off</span></h6></h3>
          </div>
        </div>
      </div>
    </div>
  </div>

```

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>

```

<i class="fa-solid fa-star" style="color: #e19f2d;"></i>
<i class="fa-solid fa-star" style="color: #e19f2d;"></i>
<i class="fa-solid fa-star" style="color: #e19f2d;"></i>
<i class="fa-solid fa-star" style="color: #e19f2d;"></i><br>
<div class="text-muted mt-2"> Choose Size
  <button class="btn ">S</button>
  <button class="btn ">M</button>
  <button class="btn ">L</button>
  <button class="btn ">XL</button>
  <button class="btn ">XXL</button>
</div>
<div>
  <i class="fa-solid fa-tag" style="color: rgb(10, 180, 52);"></i><span> <b>Special Price
</b>Get at flat Rs.599 </span><a href="#" class="link-info">T&C</a><br>
  <i class="fa-solid fa-tag" style="color: rgb(10, 180, 52);"></i><span> <b>Bank Offer </b> Rs.250 Off
on HDFC Bank Credit Card EMI Trxns on orders priced between Rs.1,000 to Rs.2,999</span><a href="#" class="link-
info">T&C</a><br>
  <i class="fa-solid fa-tag" style="color: rgb(10, 180, 52);"></i><span> <b>Bank Offer </b>Rs.3,000 Off
on HDFC Bank Credit Card EMI Trxns on orders priced between Rs.10,000 to Rs.20,999</span><a href="#" class="link-
info">T&C <br>+5 more offers</a><br>
</div>
<div class="text-muted mt-2">
  <i class="fa-solid fa-location-dot" style="color: yellowgreen;"></i><span> Deliver to<br> Enter
delivery pincode</span><br>
  <input type="number" maxlength="7" placeholder="pincode">
</div>
<div class=" mt-4">
  <h3>Ratings & Reviews</h3>
  <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
  <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
  <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
  <i class="fa-solid fa-star" style="color: #e19f2d;"></i>
  <i class="fa-solid fa-star" style="color: #e19f2d;"></i><span class="text-muted">243 ratingsand
147 reviews</span>
  <button class="btn btn-info ms-5">Rate Product</button>
</div>
<div class="mt-3">
  <p><b>What our costumer felt:</b></p>
  <i class="fa-regular fa-face-smile"></i>
  <button class="btn"> Feel good</button>
  <button class="btn"> Fabric</button>
  <button class="btn"> Color</button>
  <button class="btn"> Style</button><br>
  <button class="btn"> Comfort</button>
  <button class="btn"> Stiching Quality</button>
</div>
<div>
  <div class="mt-2 border-top">
    <h2 class="mt-2 border-top"><b>Questions & Answers :</b></h2>
    <h4>Q:is the locket included?</h4>
    <p>A:No only the tshirt</p>
    <h4 class="mt-2 border-top">Q:Is this t shirt is the boys meme</h4>
    <p>A:Its is for men</p>
    <h4 class="mt-2 border-top">Q:I am 15+years old which size is fit for me</h4>
    <p>A:S size</p>
  </div>
</div>

```

</div>

```

</div>
</div>
</div>
<!-- Cart End Here -->

<!-- Footer Section -->
<div class="container bg-secondary">
  <footer class="d-flex flex-wrap justify-content-between align-items-center py-3 my-4 border-top">
    <div class="col-md-4 d-flex align-items-center">
      <a href="/" class="mb-3 me-2 mb-md-0 text-body-secondary text-decoration-none lh-1">
        <svg class="bi" width="30" height="24"><use xlink:href="#bootstrap"/></svg>
      </a>
      <span class="mb-3 mb-md-0 text-body-secondary">&copy; 2023 ATTIRE, Inc</span>
    </div>
    <ul class="nav col-md-4 justify-content-end list-unstyled d-flex">
      <a class="m-3" href="https://www.facebook.com/"><i class="fa-brands fa-facebook fa-2x1"></i></a>
      <a class="m-3" href="https://twitter.com/"><i class="fa-brands fa-twitter fa-2x1"></i></a>
      <a class="m-3" href="https://www.instagram.com/"><i class="fa-brands fa-instagram fa-2x1"></i></a>
    </ul>
  </footer>
</div>
<!-- Footer Section -->

<!-- BOOTSTRAP SCRIPT LINK -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-kenU1KFdBLE4zVF0s0G1M5b4hcxpyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4" crossorigin="anonymous"></script>

<!-- My JS File link -->
<script src="myscript.js"></script>

</body>
</html>

```

## loginreg.html:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="image/favicon.ico">
  <!-- BOOTSTRAP CSS LINK -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css" rel="stylesheet"
  integrity="sha384-rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65"
  crossorigin="anonymous">
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.4.0/css/all.min.css"
  integrity="sha512-
  iecDLmaskl7CVkqXNq/ZH/XLlvWZOJyj7Yy7tcenmpD1ypASozpmT/E0iPtmFIB46ZmdtAc9eNBvH0H/ZpiBw=
  =" crossorigin="anonymous" referrerpolicy="no-referrer" />
  <title>ATTIRE</title>
</head>
<body>
  <!-- Navigation bar Start -->
  <section id="header">

```

```

<nav class="navbar navbar-expand-lg bg-secondary py-2 fixed-top">
  <div class="container ">
    <a class="navbar-brand" href="#">
      ATTIRE
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNav">
      <ul class="navbar-nav ms-auto">
        <li class="nav-item">
          <a class="nav-link" aria-current="page" href="/index.html"><b>Home</b></a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="/special.html"><b>Special</b></a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="/about.html"><b>Contact</b></a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="/cart.html"><b>Cart</b></a>
        </li>
        <li class="nav-item">
          <a class="nav-link active" href="/loginreg.html" style="color: blue;"><b>Login</b></a>
        </li>
      </ul>
    </div>
  </div>
</nav>
</section>
<!-- Navigation bar End -->

```

```

<!-- Login-Register -->
<section class="vh-100">
  <div class="container py-5 mt-5">
    <div class="row d-flex align-items-center justify-content-center h-100">
      <div class="col-md-8 col-lg-7 col-xl-6">
        
      </div>
      <div class="col-md-7 col-lg-5 col-xl-5 offset-xl-1">
        <h2 class="text-center mb-3">Login/Register Here</h2>
        <form>
          <!-- Email input -->
          <div class="form-outline mb-4">
            <input type="email" id="register1" class="form-control form-control-lg" placeholder="Enter
your email" />
            <label class="form-label" for="register"><b>Email address</b></label>
          </div>
          <!-- Password input -->
          <div class="form-outline mb-4">
            <input type="password" id="register1" class="form-control form-control-lg"
placeholder="Enter your password" />
            <label class="form-label" for="register"><b>Password</b></label>
          </div>
          <div class="d-flex justify-content-around align-items-center mb-4">

```

<!-- Checkbox -->

57



&lt;/html&gt;

**myscript.js:**

```
function addtocart(){
    window.alert("Product is added to cart");
}

function Clock() {
    const now = new Date();
    const hours = now.getHours().toString().padStart(2, '0'); const
    minutes = now.getMinutes().toString().padStart(2, '0'); const
    seconds = now.getSeconds().toString().padStart(2, '0');const
    timeString = `${hours}:${minutes}:${seconds}`;
    document.getElementById('clock').textContent = timeString;
}

setInterval(Clock, 1000);

Clock();
```