PARTICIPANT WORKSHEET

Review an AI flag list

Catching most errors does not tell you how useful the flagged list will be. Work through this fictional example before looking at the separate key.

The made-up file

There are **1,000 rows**. A separate reference review identifies **10 errors**. The checker flags **9 of those errors** and also flags **20 rows that were already correct**. These counts are authored assumptions, not results from a model or an agency.

1. Complete the grid

Reference review	Flagged	Not flagged	Total
Actual error			
Already correct			
Total			

2. Calculate two different percentages

Errors found / all actual errors: _____

Actual errors among flags / all flags: _____

3. Describe the work left for a reviewer

Unnecessary flags to check: _____ Errors missed: _____

How would you look for misses outside the flagged list?

_____

Use the reference review, not the checker's own confidence score, to decide which rows are actually wrong. The worked key is on page 2.

SEPARATE WORKED KEY

90% found. 31% useful flags.

Both percentages can describe the same fictional checker. They answer different questions.

Reference review	Flagged	Not flagged	Total
Actual error	9	1	10
Already correct	20	970	990
Total	29	971	1,000

What the two percentages mean

Error detection: 9 / 10 = 90%. One of the 10 known errors was missed.

Useful flags (precision): 9 / 29 = about 31%. A reviewer must inspect 29 flags to find the 9 actual problems in this invented example.

What to check in a real trial

Keep the reference decisions separate from the checker's proposed flags. Review unflagged rows against that reference too; checking only flagged rows cannot reveal the misses. If you inspect only a sample, do not describe it as a complete count.

Count review time separately. These figures do not establish savings, the severity of an error or whether a tool is suitable for an agency.

Reuse the blank grid

For another batch, record its own counts and reference-review method. If there are no actual errors, error detection has no denominator. If there are no flags, precision has no denominator. Report those percentages as undefined rather than zero or perfect.

Publisher and related resource

Prepared with AI assistance for Tyler Mayberry / Cirlet. Cirlet offers separately scoped paid AI and automation help for independent insurance agencies. cirlet.com/contact

Related whole-task cost worksheet: insuranceagencyvirtualassistant.com/cost#task-cost-worksheet. This flag-list exercise is an original companion, not a customer case study.