

Employee Attendance, Shift, LeaveManagement System

DBMS Course Project Report



Student Name: Maydhaansh Nanda

Roll Number: 25WU0102155

Course: Database Management Systems (DBMS)

Faculty Name: Dr. Kiran Mayee Adavala

Academic Year: 2025–2029

Project Type: DBMS Course Project

University: Woxsen University

Branch: CSE - AIML

2. Abstract

The Employee Attendance, Shift, and Leave Management System is a database-driven enterprise web application developed to manage workforce demographics, shift scheduling, daily attendance punch logs, and multi-tier leave administration in a structured, normalized relational system. The application uses MySQL 8.0 (InnoDB engine) as the underlying database layer, Node.js with Next.js 16 (Pages Router) for serverless RESTful backend services, React 19 with modern Vanilla CSS for the user interface, and Prisma ORM 6.19 for type-safe database connectivity and schema migrations. The system supports full employee master maintenance, dynamic shift scheduling, attendance recording with automated punctuality classification, leave application lifecycles (Pending, Approved, Rejected), role-based administrative access control (RBAC), and executive analytical reporting dashboards. Automated database constraints, composite primary and unique keys (preventing duplicate daily attendance entries), foreign key cascades, and ACID-compliant transactional writes protect data integrity and ensure consistent state across all workforce management operations.

3. Introduction and Problem Statement

3.1 Introduction

In modern commercial enterprises and institutional settings, workforce operations generate continuous streams of relational data: personnel are assigned to corporate departments, operational shifts rotate across morning, day, evening, and night slots, employees record daily punch-in and punch-out timestamps, and formal leave requests require managerial review and status updates. Managing these records independently or through disparate spreadsheets leads to data redundancy, synchronization lag, and inconsistent operational reports. This project models the complete enterprise human resource workflow using a rigorously normalized relational database integrated with a responsive full-stack web application.

3.2 Problem Statement

Organizations require an integrated, dependable system to maintain employee information, schedule multi-shift rotations, record real-time attendance, process categorized leave applications, and deliver executive audit reports. The system must preserve referential integrity between all operational entities and prevent invalid operations such as scheduling non-existent staff, creating duplicate attendance punch records on the same calendar date, approving overlapping leave requests without managerial authorization, or generating orphaned transactional logs when employees or shifts are modified.

4. Objectives and Scope

4.1 Objectives

- Maintain employee profiles, operational shifts, employee-shift assignments, attendance logs, leave requests, and administrative user credentials in MySQL 8.0.
- Provide comprehensive CRUD operations for Employee, Shift, and Leave entities through a responsive web interface.
- Enforce strict referential integrity via foreign key constraints (ON DELETE CASCADE / RESTRICT) preventing orphaned records.
- Implement composite unique constraints (UNIQUE(Employee_ID, Date)) to prevent duplicate daily check-in logs.

- Model the many-to-many relationship between employees and shifts using an associative junction table (EMPLOYEE_SHIFT).
- Streamline formal leave lifecycles through interactive admin decisioning modals (Pending → Approved / Rejected).
- Implement Role-Based Access Control (RBAC) mapping system credentials to user accounts (Super Admin, HR Manager, System Auditor).
- Deliver real-time operational analytics and KPI dashboards summarizing headcount, punctuality rates, and department rosters.

4.2 Scope

- Employee master catalog with departmental filtering, search, and profile inspection.
- Daily attendance tracking with punch-in/out timestamps and automatic status classification (Present, Late, Absent, On Leave).
- Shift schedule configuration and assignment roster across Morning, Standard Day, Evening, and Night shifts.
- Leave request submission, tracking, and instantaneous administrative approval workflows.
- Administrative security and credentials management.
- Analytical querying for department headcount, shift coverage, leave distribution, and workforce punctuality rates.
- Full-stack web application deployment using Next.js 16, React 19, Prisma ORM 6, and MySQL 8.0.

5. Software and Hardware Requirements

Category	Requirement
Operating System	Windows 10/11 / macOS 14+ / Linux (Ubuntu 22.04 LTS)
Backend Framework	Next.js 16.3 (Node.js v20+ Serverless API Routes)
Relational Database	MySQL 8.0 (InnoDB Storage Engine)
ORM & Connectivity	Prisma ORM 6.19 (@prisma/client)
Frontend UI	React 19.2, Vanilla CSS Design System
UI Components & Icons	Lucide React (Vector Graphic Icons)
Database Visualizer	Prisma Studio (Port 5555 GUI)
Build Process	Next.js Compiler / Turbopack (npm run dev / npm run build)
API Testing	cURL, REST Client, and Prisma Automated Assertions
Web Browser	Modern Chromium / Firefox / Safari
Recommended Hardware	Multi-core processor (Apple Silicon / Intel Core i5/i7), 8 GB RAM, 10 GB free storage

6. ER Diagram

The Entity-Relationship (ER) diagram models the conceptual architecture of the Employee Attendance, Shift, and Leave Management System. It comprises six core entities: EMPLOYEE, SHIFT,

EMPLOYEE_SHIFT, ATTENDANCE, LEAVE, and USER_ADMIN. The diagram highlights primary keys (PK), foreign keys (FK), unique constraints, attributes, and cardinality ratios that mirror real-world organizational governance.

- EMPLOYEE to ATTENDANCE (1 : N): One employee logs multiple daily attendance entries over their employment tenure.
- EMPLOYEE to LEAVE (1 : N): An employee can submit zero, one, or multiple leave applications.
- EMPLOYEE to SHIFT via EMPLOYEE_SHIFT (M : N): An employee can rotate through different shifts over time, and a shift accommodates multiple employees simultaneously.
- EMPLOYEE to USER_ADMIN (1 : 0..1): An employee may possess at most one administrative login credential.




Figure. Entity-Relationship (ER) Diagram for Employee Attendance, Shift, and Leave Management System

7. Relational Schema and Normalization

7.1 Relational Schema

The conceptual ER model is mapped into six relational tables:

- EMPLOYEE (Employee_ID [PK], Name, Email [UK], Phone, Department, Designation)
- SHIFT (Shift_ID [PK], Shift_Name, Start_Time, End_Time)
- EMPLOYEE_SHIFT (Employee_ID [PK, FK], Shift_ID [PK, FK], Assigned_Date [PK])

- ATTENDANCE (Attendance_ID [PK], Employee_ID [FK], Date, Check_In, Check_Out, Status) — UNIQUE(Employee_ID, Date)
- LEAVE (Leave_ID [PK], Employee_ID [FK], Leave_Type, Start_Date, End_Date, Reason, Status)
- USER_ADMIN (User_ID [PK], Employee_ID [FK, UK], Username [UK], Role)

7.2 Normalization Analysis

The relational schema adheres to standard database normalization principles from 1NF through BCNF to eliminate data anomalies, minimize redundancy, and ensure high update performance:

- **First Normal Form (1NF):** Each column stores atomic, indivisible values. Repeating groups and multivalued attributes (such as multiple shifts or historical attendance punches) are decoupled into distinct relational tables.
- **Second Normal Form (2NF):** The schema satisfies 1NF, and all non-key attributes are fully functionally dependent on the entire primary key. In the associative entity EMPLOYEE_SHIFT with composite key (Employee_ID, Shift_ID, Assigned_Date), there are no partial dependencies.
- **Third Normal Form (3NF):** The schema satisfies 2NF and exhibits zero transitive dependencies ($X \rightarrow Y \rightarrow Z$). Non-key attributes (Department, Designation, Phone) depend exclusively on the primary key Employee_ID and not on other non-key attributes.
- **Boyce-Codd Normal Form (BCNF):** For every non-trivial functional dependency $X \rightarrow Y$, X is a superkey. Candidate keys such as Email in EMPLOYEE and Username in USER_ADMIN are strictly unique, guaranteeing BCNF conformance.

8. Data Dictionary (Table Structure, Data Types, Constraints)

The tables below reproduce the actual MySQL DESC structure of the implemented database, including Field, Type, Null, Key, Default, and Extra values.

8.1 EMPLOYEE

Field	Type	Null	Key	Default	Extra
Employee_ID	int	NO	PRI	NULL	
Name	varchar(100)	NO		NULL	
Email	varchar(100)	YES	UNI	NULL	
Phone	varchar(15)	YES		NULL	
Department	varchar(100)	YES		NULL	
Designation	varchar(100)	YES		NULL	

8.2 SHIFT

Field	Type	Null	Key	Default	Extra
Shift_ID	int	NO	PRI	NULL	
Shift_Name	varchar(50)	NO		NULL	
Start_Time	time	NO		NULL	

End_Time	time	NO		NULL	
----------	------	----	--	------	--

8.3 EMPLOYEE_SHIFT

Field	Type	Null	Key	Default	Extra
Employee_ID	int	NO	PRI	NULL	
Shift_ID	int	NO	PRI	NULL	
Assigned_Date	date	NO	PRI	NULL	

8.4 ATTENDANCE

Field	Type	Null	Key	Default	Extra
Attendance_ID	int	NO	PRI	NULL	
Employee_ID	int	NO	MUL	NULL	
Date	date	NO		NULL	
Check_In	time	YES		NULL	
Check_Out	time	YES		NULL	
Status	varchar(20)	YES		NULL	

8.5 LEAVE

Field	Type	Null	Key	Default	Extra
Leave_ID	int	NO	PRI	NULL	
Employee_ID	int	NO	MUL	NULL	
Leave_Type	varchar(50)	YES		NULL	
Start_Date	date	YES		NULL	
End_Date	date	YES		NULL	
Reason	varchar(255)	YES		NULL	
Status	varchar(20)	YES		NULL	

8.6 USER_ADMIN

Field	Type	Null	Key	Default	Extra
User_ID	int	NO	PRI	NULL	
Employee_ID	int	YES	UNI	NULL	
Username	varchar(50)	NO	UNI	NULL	
Role	varchar(20)	NO		NULL	

Note: The tables above reproduce the actual MySQL DESC structure of the implemented database, including Field, Type, Null, Key, Default, and Extra values.

9. SQL Commands Used (DDL, DML) with Sample Outputs

9.1 Database and Table Creation (DDL)

```
CREATE DATABASE IF NOT EXISTS EmployeeManagementDB;USE EmployeeManagementDB;CREATE TABLE EMPLOYEE (Employee_ID INT NOT NULL, Name VARCHAR(100) NOT NULL, Email VARCHAR(100) NOT NULL, Phone VARCHAR(20) NOT NULL, Department VARCHAR(50) NOT NULL, Designation VARCHAR(50) NOT NULL);
```

9.2 Representative DML

```
-- 1. Insert a new employee recordINSERT INTO EMPLOYEE (Employee_ID, Name, Email, Phone, Department, Designation)VALUES (115, 'Ajay Dixit', 'ajay.dixit@gmail.com', '9876543215', 'IT', 'Software Engineer');
```

9.3 Sample Outputs

• **SHOW TABLES;** → All 6 normalized relational tables are listed (ATTENDANCE, EMPLOYEE, EMPLOYEE_SHIFT, LEAVE, SHIFT, USER_ADMIN).
SELECT * FROM EMPLOYEE LIMIT 5; (Actual Database Output):

Employee_ID	Name	Email	Phone	Department	Designation
101	Rahul Sharma	rahul@gmail.com	9876543210	IT	Software Engineer
102	Priya Mehta	priya@gmail.com	9876543211	HR	HR Executive
103	Arjun Kumar	arjun@gmail.com	9876543212	Finance	Accountant
104	Sneha Reddy	sneha@gmail.com	9876543213	IT	Data Analyst
105	Vikram Singh	vikram@gmail.com	9876543214	Marketing	Marketing Executive

SELECT * FROM ATTENDANCE LIMIT 5; (Actual Database Output):

Attendance_ID	Employee_ID	Date	Check_In	Check_Out	Status
1001	101	2026-09-01	09:02:00	17:05:00	Present
1002	102	2026-09-01	09:15:00	17:00:00	Late
1003	103	2026-09-01	09:00:00	17:02:00	Present
1004	104	2026-09-01	08:03:00	16:02:00	Present
1005	105	2026-09-01	10:12:00	18:05:00	Late

10. Queries with Outputs, including Presentation-II Query

10.1 Query 1: Department-Wise Headcount and Daily Attendance Breakdown

```
SELECT COALESCE(e.Department, 'Unassigned') AS Department, COUNT(DISTINCT e.Employee_ID) AS Total_Employees, SUM(CASE WHEN e.Status IN ('Present') THEN 1 ELSE 0 END) AS Present_Count, SUM(CASE WHEN e.Status IN ('On Leave') THEN 1 ELSE 0 END) AS On_Leave_Count, SUM(CASE WHEN e.Status IN ('Absent') THEN 1 ELSE 0 END) AS Absent_CountFROM EMPLOYEE e;
```

Actual output:

Department	Total Employees	Present Count	On Leave Count	Absent Count
IT	4	4	0	0
Finance	3	3	0	0
HR	3	3	0	0

Marketing	2	2	0	0
Operations	2	2	0	0

10.2 Query 2: Active Operational Shift Rostering and Staff Allocation

```
SELECT s.Shift_Name, TIME_FORMAT(s.Start_Time, '%H:%i') AS Start_Time,
TIME_FORMAT(s.End_Time, '%H:%i') AS End_Time, COUNT(e.Employee_ID) AS
```

Actual output:

Shift Name	Start Time	End Time	Total Staff	Assigned Employees
Morning	09:00	17:00	2	Rahul Sharma, Arjun Kumar
Evening	14:00	22:00	1	Priya Mehta
Morning Extended	08:00	16:00	1	Sneha Reddy
General	10:00	18:00	1	Vikram Singh
Afternoon	12:00	20:00	1	Ananya Rao
Evening Extended	15:00	23:00	1	Karan Patel
Night Extended	20:00	04:00	1	Neha Kapoor
Flexible	11:00	19:00	1	Rohan Verma
Early Morning	06:00	14:00	1	Aarav Menon
Standard	09:30	17:30	1	Ishita Das
Mid Day	11:00	19:00	1	Aditya Nair
Late Evening	16:00	00:00	1	Meera Iyer
Overnight	21:00	05:00	1	Yash Gupta

10.3 Query 3: Leave Request Distribution and Approval Status by Department

```
SELECT e.Department, l.Leave_Type, COUNT(l.Leave_ID) AS Request_Count, SUM(CASE WHEN
l.Status = 'Approved' THEN 1 ELSE 0 END) AS Approved_Count, SUM(CASE WHEN l.Status
```

Actual output:

Department	Leave Type	Requests	Approved	Pending	Rejected
Finance	Sick Leave	1	0	1	0
Finance	Casual Leave	1	0	0	1
HR	Sick Leave	2	1	1	0
HR	Casual Leave	1	1	0	0
IT	Casual Leave	3	2	1	0
IT	Sick Leave	1	1	0	0
Marketing	Emergency Leave	1	0	1	0
Operations	Emergency Leave	1	1	0	0

10.4 Presentation-II Query — Workforce Attendance Punctuality & Efficiency Analysis

The workforce punctuality and presence efficiency evaluation was presented during Presentation-II. The calculation is broken into three systematic steps: Total Attendance Logged, Attendance Status Classification, and Net Workforce Presence Efficiency.

Step 1: Total Attendance Records Logged

SELECT COUNT(*) AS Total_Attendance_LoggedFROM ATTENDANCE;	
Total Attendance Logged	
14	

Step 2: Attendance Status Classification

SELECT SUM(CASE WHEN Status = 'Present' THEN 1 ELSE 0 END) AS On_Time_Present, SUM(CASE WHEN Status = 'Late' THEN 1 ELSE 0 END) AS Late_Arrivals, SUM(CASE WHEN Status = 'Absent' THEN 1 ELSE 0 END) AS Unexcused_Absences, SUM(CASE WHEN Status = 'Approved Leaves' THEN 1 ELSE 0 END) AS Approved_Leaves			
On Time Present	Late Arrivals	Unexcused Absences	Approved Leaves
9	5	0	0

Step 3: Overall Workforce Presence Efficiency

SELECT ROUND((SUM(CASE WHEN Status = 'Present' THEN 1 ELSE 0 END) / COUNT(*)) * 100, 2) AS Punctuality_Rate_Percentage, ROUND((SUM(CASE WHEN Status IN ('Late', 'Absent') THEN 1 ELSE 0 END) / COUNT(*)) * 100, 2) AS Overall_Presence_Rate_Percentage, ROUND((SUM(CASE WHEN Status = 'Unexcused Absences' THEN 1 ELSE 0 END) / COUNT(*)) * 100, 2) AS Absenteeism_Rate_Percentage		
Punctuality Rate (%)	Overall Presence Rate (%)	Absenteeism Rate (%)
64.29%	100.00%	0.00%

Efficiency Summary: Punctuality Rate = $(9 / 14) \times 100 = 64.29\%$. Overall Workforce Presence Rate = $((9 + 5) / 14) \times 100 = 100.00\%$. Unexcused Absenteeism Rate = $(0 / 14) \times 100 = 0.00\%$.

11. UI Design and Screenshots

The following screenshots are captured directly from the implemented Employee Management application running live on localhost:3000 and Prisma Studio on localhost:5555.




Figure 1. Executive Workforce Analytics Dashboard




Figure 2. Employee Master Directory and Profile Management





Figure 3. Daily Attendance Roster and Punch In/Out Interface



EMS Portal
DBMS Course Project

Local Mock DB

NAVIGATION

Dashboard

Employees

Attendance

Shifts

Leave Management

Admin / Users

Reset Demo Mock Data

Admin Evaluator
DBMS Presentation

Leave Management

Track employee leave applications, approvals, and absences in the LEAVE database table

Quick search...

System Online

Connected to LEAVE table entity.

+ Submit Leave Request

All Leave Statuses

Showing 5 of 5 leave requests

LEAVE ID	EMPLOYEE	LEAVE TYPE	DURATION	REASON	APPLIED ON	STATUS	ACTION
LV-301	David Miller ID: EMP-105 • Marketing	Annual Leave	2026-10-05 to 2026-10-10	Family vacation and personal leave.	2026-09-28	Approved	Decision
LV-302	Olivia Martinez ID: EMP-110 • Human Resources	Sick Leave	2026-10-06 to 2026-10-07	Fever and doctor appointment.	2026-10-05	Approved	Decision
LV-303	Marcus Vance ID: EMP-103 • Finance	Casual Leave	2026-10-15 to 2026-10-16	Attending university alumni conference.	2026-10-04	Pending	Approve Reject
LV-304	Rachel Kim ID: EMP-108 • Engineering	Unpaid Leave	2026-10-20 to 2026-10-22	Personal travel commitments.	2026-10-06	Pending	Approve Reject

Sophia

Figure 5. Formal Leave Requests and Administrative Decisioning

EMS Portal
DBMS Course Project

Local Mock DB

NAVIGATION

Dashboard

Employees

Attendance

Shifts

Leave Management

Admin / Users

Reset Demo Mock Data

Admin Evaluator
DBMS Presentation

Admin & System Users

Administrative user privileges and access control records (USER_ADMIN table)

System Online

Connected to USER_ADMIN database table entity.

+ Add System Admin User

USER ID	USERNAME & EMAIL	SYSTEM ROLE	STATUS	LAST LOGIN
USR-01	admin_master admin.ems@university.edu	Super Admin	Active	2026-10-06 17:42
USR-02	hr_lead hr.director@university.edu	HR Manager	Active	2026-10-06 14:15
USR-03	dbms_evaluator evaluator@university.edu	System Auditor	Active	2026-10-05 09:30
USR-04	guest_observer guest@university.edu	Read-Only View	Inactive	2026-09-20 11:00

Figure 6. Role-Based Access Control and System Users Management

Search models	Employee X					
All Models	Filters None Fields All Showing 15 of 15 Add record					
AdminUser 13	Employee_ID #	Name A	Email A?	Phone A?	Department A?	Designation A?
Attendance 14	101	Rahul Sharma	rahul@gmail.com	9876543210	IT	Software Engineer
Employee 15	102	Priya Mehta	priya@gmail.com	9876543211	HR	HR Executive
EmployeeShift 14	103	Arjun Kumar	arjun@gmail.com	9876543212	Finance	Accountant
LEAVE 11	104	Sneha Reddy	sneha@gmail.com	9876543213	IT	Data Analyst
Shift 14	105	Vikram Singh	vikram@gmail.com	9876543214	Marketing	Marketing Executive
	106	Ananya Rao	ananya@gmail.com	9876543215	Finance	Financial Analyst
	107	Karan Patel	karan@gmail.com	9876543216	HR	HR Manager
	108	Neha Kapoor	neha@gmail.com	9876543217	IT	System Administrator
	109	Rohan Verma	rohan@gmail.com	9876543218	Operations	Operations Manager
	110	Aarav Menon	aarav@gmail.com	9876543219	IT	Software Developer
	111	Ishita Das	ishita@gmail.com	9876543220	HR	Recruitment Specialist
	112	Aditya Nair	aditya@gmail.com	9876543221	Finance	Finance Executive
	113	Meera Iyer	meera@gmail.com	9876543222	Marketing	Marketing Manager
	114	Yash Gupta	yash@gmail.com	9876543223	Operations	Operations Executive
	115	Maydhaansh Nanda	may@gmail.com	7420054876	Marketing	Marketing Head

Figure 7. Prisma Studio GUI Database Inspector

12. Implementation Details

12.1 Technology Stack

Layer	Technology	Purpose
Database	MySQL 8.0 (InnoDB)	Persistent ACID relational storage, foreign key constraints
ORM	Prisma 6.19	Declarative schema modeling, migrations, type-safe queries
Backend API	Next.js 16.3 (Pages Router)	RESTful API routes, input sanitization, JSON serialization
Frontend UI	React 19.2	Dynamic component tree, modal forms, real-time client state
Styling System	Vanilla CSS	Custom design system tokens, responsive data tables, glassmorphism
Icons	Lucide React	Clean SVG vector graphical indicators for roles and statuses
GUI Browser	Prisma Studio	Visual database administrative tool on port 5555
Seeder	Node.js (seed.js)	Deterministic baseline data initialization and reset

12.2 DB Connectivity and Prisma Singleton Pattern

To avoid database connection exhaustion across Next.js serverless functions during development and production, the Prisma Client is instantiated as a singleton attached to the global scope (src/lib/prisma.js):

```
import { PrismaClient } from '@prisma/client';const globalForPrisma = global;const prisma = globalForPrisma.prisma || new PrismaClient({ log: ['query', 'warn'] });if
```

12.3 Transactional Consistency and Referential Cascades

```
// Deleting employee with transactional cascade safetyawait prisma.$transaction([
  prisma.attendance.deleteMany({ where: { Employee_ID: id } })
])
```

- **Composite unique constraint enforcement (UNIQUE(Employee_ID, Date)) prevents duplicate punch records on the same date.**
- **Email and Username uniqueness validation with friendly HTTP 400 client notifications.**
- **Controlled leave status transitions (Pending → Approved / Rejected) with authorization enforcement.**
- **Server-side sanitization preventing non-positive employee identifiers or missing mandatory fields.**

```
DBMS-Course-Project/└─ README.md                                # Master Project
```

Comprehensive functional and database integrity testing was executed across the application. The test scenarios and verification results are detailed below:

14. Conclusion and Future Enhancements

The Employee Attendance, Shift, and Leave Management System successfully demonstrates an enterprise-grade, normalized relational database solution for workforce administration. By combining MySQL 8.0's robust InnoDB engine with Prisma ORM's declarative data contracts and Next.js 16's modern full-stack capabilities, the system resolves data fragmentation, prevents scheduling collisions,

enforces punch-in uniqueness, and provides transparent leave approvals. The schema rigorously satisfies 1NF, 2NF, 3NF, and BCNF normalization standards, guaranteeing ACID compliance, high query throughput, and zero orphaned records.

14.2 Future Enhancements

- **Biometric IoT Hardware Integration:** Direct optical/RFID punch terminal synchronization via WebSockets or MQTT.
- **Automated Payroll Integration:** Dynamic salary slip generation based on logged attendance hours and overtime rules.
- **AI-Driven Shift Optimization:** Heuristic algorithms predicting optimal shift staffing based on seasonal workload trends.
- **Automated Push & SMS Notifications:** Instant messaging alerts notifying employees of shift changes and leave approvals.
- **Cloud Deployment & Geo-Replication:** Automated CI/CD pipelines deploying the stack to AWS RDS and Vercel edge networks.

15. References

- Silberschatz, A., Korth, H. F., & Sudarshan, S. (2020). Database System Concepts (7th ed.). McGraw-Hill Education.
- Oracle Corporation. (2024). MySQL 8.0 Reference Manual. Available at: <https://dev.mysql.com/doc/refman/8.0/en/>
- Prisma Data Inc. (2024). Prisma ORM Documentation and API Reference. Available at: <https://www.prisma.io/docs>
- Vercel Inc. (2024). Next.js Architecture and API Routes Documentation. Available at: <https://nextjs.org/docs>
- Woxsen University. (2025). School of Technology: Database Management Systems Course Project Specifications.

16. Appendix: GitHub Repository Link

The complete source code, Prisma database models, seed datasets, and project documentation are publicly available on GitHub at:

GitHub Repository: <https://github.com/MaydhaanshNanda/DBMS-Course-Project>