

# Email Service Protocol Descriptor

---

**Host:** 127.0.0.1/localhost

**Port:** 8081

**Transmission Encoding:** Text

**Protocol:** Tcp

## Message Format:

### *Request to Signup:*

Client request: signup%%\$username%%\$password

Server response for added: SIGNUP

Server response for failure: FAILED

### *Request to Signin:*

Client request: signin%%\$username%%password

Server response for success: SIGNEDIN

Server response where no file: FAILED

### *Request to view all emails:*

Client request: viewAll

Server response:

\$sender%%\$sentDate [##\$sender%%\$sentDate%%\$subject%%\$content  
]\*

### *Request to view single email:*

Client request: singleEmail

Server response:

\$sender%%\$sentDate%%\$subject%%\$content

*Request to view single email:*

Client request: markRead%%email

Server response for read: MARKED

Server response for email not found: FAILED

*Request to send Email:*

Client request: send%%subject%%content%%receiver

Server response for read: SENT

Server response for email not found: FAILED

*Request to send spam:*

Client request: markSpam

Server response for read: SPAMMED

Server response for email not found: FAILED

*Request to send delete:*

Client request: delete&&email%%id

Server response for read: DELETED

Server response for email not found: FAILED

*Request to close the client's session with the server:*

Client request: logout

Server response: GOODBYE

## Sequence Diagram:

