

AI in Autonomous Vehicles: Perception, Safety and Deployment Challenges

Mayowa Adebambo

Oxford Brookes University

Technical Literature Review

Abstract

This literature review critically analyzes the claim that Artificial Intelligence (AI) will revolutionize the transportation industry through Autonomous Vehicles (AVs). It argues that the fundamental fragility of AI perception systems represents the greatest bottleneck to the safety, reliability and widespread deployment of AVs. A thematic analysis of literature from academic databases including IEEE Xplore and ScienceDirect was conducted to evaluate this claim.

The review synthesizes three key themes: the deeply contested societal impacts of AVs ranging from technological optimism to critical skepticism; the consensus on unresolved technological, legal and social barriers stalling deployment; and the inherent fragility of AI perception when facing adverse weather, adversarial attacks and novel real-world scenarios. The debate between LiDAR-centric and vision-only methodologies is presented as direct evidence of this core technological weakness.

This analysis reveals a critical research gap: the lack of robust safety validation frameworks for AI systems tasked with navigating complex social environments. The review concludes that while AVs hold transformative potential, their revolutionary impact is fundamentally constrained by the current limitations of AI perception. It identifies an urgent need for research into Explainable AI (XAI) and standardized algorithmic driving tests to certify safety beyond controlled benchmarks.

Keywords

Artificial Intelligence; Autonomous Vehicles; AI perception; Deep Learning; Safety; AI ethics

Table of Contents

Abstract.....	i
Keywords.....	i
List of Abbreviations.....	iii
1. Introduction.....	1
2. Contested Impact on Transportation and Society.....	2
3. Unresolved Barriers to Deployment.....	3
3.1. Technological and Safety Barriers.....	3
3.2. Legal and Regulatory Barriers.....	4
3.3. Social and Ethical Barriers.....	4
4. Fragility of AI Perception.....	4
4.1. The LiDAR vs Vision-Only Debate.....	5
5. Conclusion.....	5
References.....	6

List of Abbreviations

AI- Artificial Intelligence

AV/AVs- Autonomous Vehicle/Autonomous Vehicles

CNN- Convolutional Neural Networks

DL- Deep Learning

ML- Machine Learning

ODDs- Operational Design Domains

SAE- Society of Automotive Engineers

XAI- Explainable Artificial Intelligence

1. Introduction

Artificial Intelligence (AI) in Autonomous Vehicles (AVs) represents one of the most transformative and contested technologies of the 21st century. This broad category of technology includes drones, autonomous ships and the well-known self-driving car. The prevailing narrative promoted by industry leaders is that AVs will revolutionize the transportation industry by improving safety, efficiency and accessibility[1]. This review critically analyses this claim by examining the relationship between the technology's potential and its fundamental limitations. While self-driving cars are technically a subset of AVs, the terms are used interchangeably in this review as they represent the most recognized form of autonomous transportation.

The scope of this review is to evaluate the feasibility of this anticipated revolution. While the role of AI in AVs spans a full stack of capabilities including prediction, path planning and vehicle control, this review focuses on the foundational role of perception whose limitations represent the greatest bottleneck to safety and reliability. Consequently, this analysis includes the technology's broad socio-economic potentials and its key barrier through this core challenge. A detailed history of AV development and manufacturing is excluded to maintain a focused argument.

AVs are vehicles capable of sensing their environment and navigating without human input through AI [2]. AI refers to computer systems performing tasks requiring human cognition such as perception, learning and decision-making. The Society of Automotive Engineers (SAE) defines six levels of automation from Level 0 (no automation) to Level 5 (full autonomy) as illustrated in Figure 1 below[3]. AI enables autonomous capabilities through Machine Learning (ML) and Deep Learning (DL) algorithms like Convolutional Neural Networks (CNN), which interpret sensory data, recognize patterns and make context-dependent decisions [4]. AVs rely on LiDAR, radar and camera-based vision systems integrated through sensor fusion to form an environmental model that supports localization, path planning and control[5, 6]. Figure 2 outlines the perception-decision-control process. Emerging research in Explainable AI (XAI) aims to improve transparency and accountability, addressing concerns about safety and public trust[7].




Figure 1: SAE driving automation levels [3]




Figure 2: Perception system process in self-driving cars[4]

The methodology involved three stages. First, a scoping stage defined the central research question regarding the feasibility of the AV revolution. Second, a search was conducted using academic databases including IEEE Xplore, ScienceDirect and arXiv with keywords such as “Autonomous Vehicles”, “Artificial Intelligence” and “AI perception”. Finally, a thematic analysis synthesized key arguments, identified areas of consensus and conflict, and developed the critical discussion.

The three themes analyzed are the societal impact of the technology, barriers to its deployment and the fragility of AI perception. There is consensus on its revolutionary potential but disagreement about its desirability and societal consequences. Scholars agreed that barriers exist but differ on which is most critical. Finally, there is consensus on the fragility of AI perception but disagreement regarding how to solve it.

This review identifies a research gap in developing new safety validation methodologies for autonomous systems. The literature reveals a disconnect between performance on known benchmarks and robustness against unknown real-world events. This is evident in the challenge of moving beyond object classification to perceiving intent and behavior, a task for which current validation methods are inadequate. Therefore, this review highlights an urgent need for frameworks that certify the safety of systems navigating a complex social world not just a physical one. Two key areas stand out: developing Explainable AI (XAI) to audit the decision-making and the creation of standardized driving tests for algorithms to verify their ability to handle nuanced social interactions and edge-case scenarios.

2. Contested Impact on Transportation and Society

AI is central to the development of AVs but its potential impact remains deeply contested. Scholars hold divergent views that can broadly be grouped in three perspectives: technological optimism, precautionary stance and the critical perspective. Each perspective suggests different assumptions about whether AVs will ultimately enhance or destabilize transportation and society.

The technological optimism view presents AI as a transformative force in transportation capable of eliminating human error and revolutionizing mobility. [8] envision AVs as a catalyst for sustainable and low-emission transport systems that can reshape urban design and accessibility. Similarly, [9] suggests that AVs and on-demand mobility services could substantially reduce greenhouse-gas emissions and energy use if supported by renewable power and fleet sharing.

However, the precautionary stance recognizes AI's potential but warns that ethical, legal and regulatory gaps could hinder its success. [2] suggest that although AVs can improve safety and mobility, issues such as legal liability, data privacy and infrastructure readiness must be resolved first. Likewise, [1] argues that AVs presents complex ethical and social trade-offs that require careful governance and public consultation.

Conversely, the critical perspective argues that the benefits of AVs are overstated and challenges the view that they will benefit society. [7] highlight the fragility of AI decision-making systems especially when faced with ethical dilemmas like "trolley problem" where AVs must make moral choices about harm distribution. Similarly, [10] reveals skepticism among professional drivers who fear job displacement and question the reliability of AVs. These studies suggest that AVs could have a negative impact

The opposing views arise primarily from differing assumptions about technology's role in society. Optimists such as [8] and [9] primarily focus on the potential benefits of introducing AVs into society. Precautionary scholars like [1] and [2] emphasize the need to address risks before widespread adoption. Meanwhile, critical literature like [7] and [10] focus on AI's limitations arguing that the introduction of AVs will cause loss of professional driving jobs and create new safety risks.

The implications of these disagreements are significant, excessive optimism could lead to premature deployment while excessive caution could stall innovation. A balanced approach suggested in [1] and [2] which involves combining technological ambition with a robust framework for solving barriers like legal liability and ethical issues appears most reasonable. Future evidence from real-world driving may either reinforce optimism or validate critical concerns.

In conclusion, literature reflects a continuum of belief rather than clear consensus. While AVs hold undeniable promise, their societal impact ultimately depends on responsible governance, equitable deployment and continued empirical evaluation.

3. Unresolved Barriers to Deployment

There is broad agreement in the literature that despite rapid technological advancement, the widespread deployment of fully autonomous vehicles is stalled by formidable unresolved technological barriers, legal barriers and ethical barriers. While industry timelines often project an imminent driverless future, a substantial body of academic research presents a more cautious consensus highlighting that the most difficult challenges are not easily solved by processing power or better sensors alone.

3.1. Technological and Safety Barriers

The most frequently cited obstacles are technological. Many scholars and industry reports point to the long-tail problem where AVs struggle to navigate rare and unpredictable edge cases that fall outside their training data [5, 11, 12]. Proving an AV is acceptably safe would require billions of miles of testing, a feat that is impractical in the real world as there are infinite scenarios. Similarly, the risk of cyber-attack is

a critical concern as a malicious actor can potentially control a vehicle or even an entire fleet creating a significant public-safety threat[1].

3.2. Legal and Regulatory Barriers

A glaring legal and regulatory vacuum creates profound uncertainty for the industry. The most critical unresolved question is liability, as [2] argues, there is no clear legal precedent for determining fault when an AV causes an accident. Is the owner, the manufacturer or software developer responsible? This ambiguity is compounded by a patchwork of inconsistent local and national regulations which hinders the ability of manufacturers to develop and deploy vehicles across different jurisdictions.

3.3. Social and Ethical Barriers

Conversely, while technological and legal issues are complex, some researchers argue the greatest barrier is social. Public trust remains fragile with studies consistently showing that high-profile accidents significantly erode consumer confidence [13]. This barrier is intertwined with ethical dilemmas which contribute to public unease. The so-called “trolley problem” remains a subject of intense public and academic debate highlighting the challenge of embedding societal values into machine logic.

There is consensus because the barriers are not theoretical, they are demonstrably slowing real-world progress. The disagreement that does exist concerns which barrier is the most critical. While industry reports [11] and technology-driven studies [12] often emphasize surmounting the next technological hurdle, a more holistic academic view suggests that the regulatory and social challenges are the most intractable [1, 2, 5]. Technology often progresses at an exponential rate whereas law, public policy and societal trust evolve incrementally.

The latter perspective is more convincing because a perfect technology is useless if it is illegal to operate or if the public is too afraid to use it. The immediate implication of this consensus is that the vision of ubiquitous Level 5 autonomy remain a distant goal. Instead, the likely path forward involves constrained deployment in limited Operational Design Domains (ODDs) such as robo-taxis in geo-fenced urban areas.

A different outcome could only occur if a major governmental body were to enact a comprehensive and clear legal framework for AVs thereby creating the stability needed to resolve liability issues and build public trust. From the available evidence, we can conclude that a purely technological solution is insufficient. The successful deployment of AVs will require a concerted, multi-stakeholder effort that integrates technological innovation with thoughtful regulation and public engagement.

4. Fragility of AI Perception

There is broad and compelling agreement in the literature that the perception systems of AVs, while powerful, are fundamentally fragile in ways that differ from human fallibility. Research consistently demonstrates that even the most advanced AI models lack the robust and common sense understanding of the world that humans use to navigate novel or ambiguous situations leading to unique and potentially dangerous failure modes.

The literature highlights this vulnerability on three main fronts. Firstly, AI perception is highly susceptible to failure in severe weather conditions. [7] note that heavy rain, snow and fog can effectively blind LiDAR and cameras while complex lighting can cause catastrophic misinterpretations. Secondly, these systems are vulnerable to adversarial attacks. Research by [14] showed that minute human imperceptible modifications to an object could cause a neural network to completely misclassify it, revealing that the AI learns brittle statistical patterns not robust real-world concepts. Finally, the most

encompassing issue is the problem of generalization. As [7] contends, deep learning models fail when faced with novel out-of-distribution scenarios, as they lack a generalized understanding of the world.

This inherent fragility has sparked a fundamental debate on the best strategy to build a safe and scalable perception system, splitting the industry into two main methodological camps.

4.1. The LiDAR vs Vision-Only Debate

On one side is the LiDAR-centric approach championed by companies like Waymo and Cruise. They argue that safety requires a multi-modal sensor suite where LiDAR's precise and direct measurement of depth provides a crucial layer of redundancy[6, 15]. This engineering-first methodology posits that fusing data from LiDAR, radar and cameras is the most reliable way to overcome the inherent weaknesses of any single sensor especially the fragility of vision systems in poor lighting or adverse weather.

However, the vision-only approach, most famously advocated by Tesla, follows an AI-first methodology that argues that, since humans drive with vision, a sufficiently advanced neural network can do the same[16]. They contend that LiDAR is an expensive crutch that prevents the solving of the core computer vision problem[12, 16]. By focusing all resources on cameras and powerful AI processing, they aim for a more scalable and ultimately more generalizable solution that can interpret the world visually as humans do.

The strong agreement on the topic of fragility stems from the fact that it is empirically demonstrable. The fierce debate between the LiDAR and vision-only camps is itself a testament to this fragility. If a single and truly robust perception solution existed, there would be no debate. The core issue is that AI's failures are not like human errors. A human driver might be distracted but they would not fail to recognize a stop sign because of a few stickers.

The literature that frames this as a fundamental limitation of the current deep learning paradigm is most convincing. The vision-only approach is an audacious bet on overcoming this limitation whereas the LiDAR-centric approach is a pragmatic admission of it. The most significant implication of this fragility is that achieving true Level 5 autonomy remains a profound challenge. It fundamentally constrains the most successful current deployments, which are LiDAR-heavy, to limited ODDs. A different answer could only emerge from a paradigm shift in AI research. From the current evidence, we can conclude that we cannot simply treat AI perception as a superhuman camera, we must design systems with explicit knowledge that its failure will be sudden, non-intuitive and unlike anything a human driver would experience.

5. Conclusion

In conclusion, this review has shown that the literature on AVs is defined by a deep conflict between techno-optimistic visions and the reality of formidable unresolved barriers. The societal impact remains highly contested while progress is stalled by a consensus that the fragility of AI perception is the greatest bottleneck to the system's safety and reliability.

A major contribution of this body of literature is the shift away from a purely engineering-centric view towards a more holistic and critical understanding of the multi-faceted challenges involved in deployment. This supports the broader academic discourse on AI safety and socio-technical system affirming that technological capability cannot be decoupled from its complex legal, ethical and social context.

The current literature's strength lies in its thorough identification of these barriers. Its primary weakness, however, is a critical gap in actionable solutions. There is a demonstrable lack of frameworks for validating AI in unpredictable open-world social environments. This review thus identifies an urgent need

for research into new safety validation methodologies, particularly in developing XAI and standardized tests for algorithmic social competence, not just physical navigation.

References

- [1] M. Ryan, "The Future of Transportation: Ethical, Legal, Social and Economic Impacts of Self-driving Vehicles in the Year 2025," *Sci Eng Ethics*, vol. 26, no. 3, pp. 1185-1208, Jun 2020, doi: 10.1007/s11948-019-00130-2.
- [2] D. J. Fagnant and K. Kockelman, "Preparing a nation for autonomous vehicles: opportunities, barriers and policy recommendations," *Transportation Research Part A: Policy and Practice*, vol. 77, pp. 167-181, 2015, doi: 10.1016/j.tra.2015.04.003.
- [3] SAE International. "SAE Levels of Driving Automation™ Updated for Clarity." <https://www.sae.org/blog/sae-j3016-update> (accessed Oct. 11, 2025).
- [4] B. Asmika, G. Mounika, and P. S. Rani, "Deep Learning for Vision and Decision Making in Self-Driving Cars—Challenges with Ethical Decision Making," presented at the 2021 International Conference on Intelligent Technologies (CONIT), 2021. [Online]. Available: <https://ieeexplore.ieee.org/document/9498342/>.
- [5] P. Koopman and M. Wagner, "Autonomous Vehicle Safety: An Interdisciplinary Challenge," *IEEE Intelligent Transportation Systems Magazine*, vol. 9, no. 1, pp. 90-96, 2017, doi: 10.1109/mits.2016.2583491.
- [6] N. Webb *et al.*, "Waymo's Safety Methodologies and Safety Readiness Determinations," Waymo LLC, 2020.
- [7] H. S. M. Lim and A. Taeihagh, "Algorithmic Decision-Making in AVs: Understanding Ethical and Technical Concerns for Smart Cities," *Sustainability*, vol. 11, no. 20, 2019, doi: 10.3390/su11205791.
- [8] L. D. Burns, "A vision of our transport future," *Nature*, vol. 497, no. (7448), pp. 181–182, 2013.
- [9] J. B. Greenblatt and S. Shaheen, "Automated Vehicles, On-Demand Mobility, and Environmental Impacts," *Current Sustainable/Renewable Energy Reports*, vol. 2, no. 3, pp. 74-81, 2015, doi: 10.1007/s40518-015-0038-5.
- [10] V. Dubljević, Douglas, S., Milojevich, J., Ajmeri, N., Bauer, W.A., List, G. and Singh, M.P., "Moral and social ramifications of autonomous vehicles: a qualitative study of the perceptions of professional drivers," *Behaviour & Information Technology*, vol. 42, no. (9), pp. 1271–1278, 2023.
- [11] Waymo, "Sharing our safety framework for fully autonomous operations," in *Waymo* vol. 2025, ed, 2020.
- [12] S. Grigorescu, B. Trasnea, T. Cocias, and G. Macesanu, "A Survey of Deep Learning Techniques for Autonomous Driving," *Journal of Field Robotics*, vol. 37, 3, pp. 362-368, 2020, doi: 10.1002/rob.21918.
- [13] C. Gkartzonikas and K. Gkritza, "What have we learned? A review of stated preference and choice studies on autonomous vehicles," *Transportation Research Part C: Emerging Technologies*, vol. 98, pp. 323-337, 2019, doi: 10.1016/j.trc.2018.12.003.
- [14] C. Szegedy, Zaremba, W., Sutskever, I., Bruna, J., Erhan, D., Goodfellow, I. and Fergus, R, "Intriguing properties of neural networks," *arXiv preprint arXiv:1312.6199*, 2014. [Online]. Available: <https://arxiv.org/pdf/1312.6199>.
- [15] J. Huang, P. K. Choudhury, S. Yin, and L. Zhu, "Real-Time Road Curb and Lane Detection for Autonomous Driving Using LiDAR Point Clouds," *IEEE Access*, vol. 9, pp. 144940-144951, 2021, doi: 10.1109/access.2021.3120741.
- [16] Tesla. "Tesla Autonomy Day." <https://www.youtube.com/watch?v=Ucp0TTmvqOE> (accessed October 18, 2025).