


Name	Imoru Mayowa Peter
Student ID/Registration No	202521396FD
Course Code	Lab 10_SBT_DF 204
Lab Title	Investigating Harassment Email Traffic With Wireshark
Recommended Environment	Windows 10/11 host, Wireshark +Aircrack
Submission Format	One PDF report plus the created files and-output evidence files
Course Code	SBT_DF 204
Instrutor name	Aminu Idris AMCPN
Date	02 Octomber, 2026


TASK 2




Report

The packet capture (PCAP) evidence shows harassment-related email traffic transmitted via SMTP. And the activity originates from a client device identified through MAC address and cookie data. The identity linked to the device is confirmed as a registered student. The timeline of captured packets demonstrates that the harassment messages were sent during the recorded session.

TASK 3.






REPORT EVIDENCE

Name: nitroba.pcap


Source: Downloaded from the official case study materials (Nitroba University Harassment Scenario).

File Size: (53.5MB)


TASK 4




`http.request.method == "GET"`




http.request.method == "POST"



http.host contains "willselfdestruct.com"



http.cookie contains "@"



REPORT

This evidence file nitroba.pcap was analyzed in Wireshark. Since the harassment messages were transmitted through web based services, HTTP traffic was examined instead of SMTP. And Filters were applied to isolate suspicious requests and responses.

Filter used in wireshark

1. http → displayed all web traffic.

2. http.request.method == "GET" → identified page requests.
3. http.host contains "willselfdestruct.com" → isolated traffic linked to the self destructed message services.
4. http.cookie contains "@" to located cookies tied to user identity.
5. eth.addr == 00:17:f2:e2:c0:ce to traced packets to specific devices (actual MAC values taken from Ethernet II headers).

TASK FIVE

nitroba.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Time	Source	Destination	Protocol	Length	Info
80800	15114.873711	192.168.15.4	66.211.160.22	HTTP	533	GET /pict/150269201498_1.jpg HTTP/1.1
80802	15114.893634	192.168.15.4	66.151.146.194	HTTP	153	GET /b/ss/e-n.Y-1sH2ZPrBmdj6WnY-1sEZ2PrA2dJ6wGk4KjCpeAqQ6dJ6x9nY-1seQ-2-2/1/wtf/s8107352112
80804	15114.905814	66.151.146.194	192.168.15.4	HTTP	982	HTTP/1.1 200 OK (GIF89a)
80813	15114.938246	66.211.160.22	192.168.15.4	HTTP	405	HTTP/1.1 200 OK (JPEG JFIF image)
80824	15115.291021	192.168.15.4	74.125.19.17	HTTP	1405	GET /mail/2ui&l&k=a0610eac6b0view=tl&search=inbox&start=0<=11b495b9e1b&fp=ac6b2b37f9dc5
80827	15115.514943	74.125.19.17	192.168.15.4	HTTP	104	HTTP/1.1 200 OK (text/javascript)
80833	15115.636604	66.211.160.61	192.168.15.4	HTTP	1135	HTTP/1.1 200 OK (JPEG JFIF image)
80842	15116.416985	192.168.15.4	74.125.19.17	HTTP	121	POST /mail/channel/bind?at=cnj3j2oktf2a0q6oa3k9sfr6d09yzf&ui=1&VER=2&SID=67F8DC1634D90313&R
80844	15118.649317	74.125.19.17	192.168.15.4	HTTP	374	HTTP/1.1 200 OK (text/html)
80846	15118.755014	192.168.15.4	69.80.225.91	HTTP	438	GET /CaptchaSecurityImages.php?width=100&height=40&character=5 HTTP/1.1
80850	15118.834513	69.80.225.91	192.168.15.4	HTTP	752	HTTP/1.1 200 OK (JPEG JFIF image)
80855	15118.886976	192.168.15.4	67.15.76.53	HTTP	624	GET /t.php?c_project=2134460&resolution=1050&h=778&camefrom=http%3A/www.google.com/search%3F
80857	15118.959478	67.15.76.53	192.168.15.4	HTTP	692	HTTP/1.1 200 OK (PNG)

> Frame 80842: Packet, 121 bytes on wire (968 bits), 121 bytes captured (968 bits) on interface 0
> Ethernet II, Src: Apple_e2:c0:ce (00:17:f2:e2:c0:ce), Dst: HonHaiPrecis_2e:4f:60 (00:17:f2:e2:c0:ce)
> Internet Protocol Version 4, Src: 192.168.15.4, Dst: 74.125.19.17
> Transmission Control Protocol, Src Port: 35804, Dst Port: 80, Seq: 78445, Ack: 214441, Win: 65535, Len: 0
> [Reassembled TCP Segments (1443 bytes): #80840(1392), #80842(51)]
> Hypertext Transfer Protocol
> HTML Form URL Encoded: application/x-www-form-urlencoded

Packet (121 bytes) Reassembled TCP (1443 bytes)

Packets: 94410 - Displayed: 9905 (10.6%) Profile: Default

nitroba.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help


httprequest.method == "GET"

No.	Time	Source	Destination	Protocol	Length	Info
80510	15083.066036	192.168.15.4	216.113.185.92	HTTP	537	GET /pict/1602538733128000_1.jpg HTTP/1.1
80524	15083.933664	192.168.15.4	216.113.185.92	HTTP	537	GET /pict/150262445708000_1.jpg HTTP/1.1
80532	15084.000009	192.168.15.4	216.113.185.92	HTTP	537	GET /pict/160262334080000_1.jpg HTTP/1.1
80543	15084.073237	192.168.15.4	66.151.146.194	HTTP	214	GET /b/ss/e-n.Y-1sH2ZPrBmdj6WnY-1sEZ2PrA2dJ6wGk4KjCpeAqQ6dJ6x9nY-1seQ-2-2/1/wtf/s8989827219
80544	15084.073827	192.168.15.4	216.113.185.92	HTTP	537	GET /pict/160262334080000_1.jpg HTTP/1.1
80553	15084.143073	192.168.15.4	216.113.185.92	HTTP	537	GET /pict/160262334080000_1.jpg HTTP/1.1
80561	15084.207935	192.168.15.4	216.113.185.92	HTTP	537	GET /pict/1502720065428000_1.jpg HTTP/1.1
80622	15110.634755	192.168.15.4	74.125.19.167	HTTP	846	GET /pagead/ads?client=ca-pub-5181998329895443&dt=1216706601828&mt=12167066018&format=728x90
80628	15110.658126	192.168.15.4	74.125.19.167	HTTP	866	GET /pagead/ads?client=ca-pub-5181998329895443&dt=1216706601828&mt=12167066018&format=728x90
80632	15110.705312	192.168.15.4	67.15.76.53	HTTP	611	GET /t.php?c_project=2134460&resolution=1050&h=778&camefrom=http%3A/www.sendanonymousemail
80643	15111.064466	192.168.15.4	74.125.19.167	HTTP	827	GET /imgad?id=CPz1x0ba26TmSDYBRPmgjG09a3UajvUA HTTP/1.1
80669	15111.268062	192.168.15.4	74.125.19.167	HTTP	844	GET /pagead/ab/logo/abg-en-100c-0000000.png HTTP/1.1
80670	15111.271584	192.168.15.4	74.125.19.167	HTTP	350	GET /pagead/ab/logo/abg-en-100c-0000000.png HTTP/1.1

> Frame 80561: Packet, 537 bytes on wire (4296 bits), 537 bytes captured (4296 bits) on interface 0
> Ethernet II, Src: Apple_e2:c0:ce (00:17:f2:e2:c0:ce), Dst: HonHaiPrecis_2e:4f:60 (00:17:f2:e2:c0:ce)
> Internet Protocol Version 4, Src: 192.168.15.4, Dst: 216.113.185.92
> Transmission Control Protocol, Src Port: 35702, Dst Port: 80, Seq: 20456, Ack: 89272, Win: 65535, Len: 0
> Hypertext Transfer Protocol

nitroba.pcap

Packets: 94410 - Displayed: 4462 (4.7%) Profile: Default



REPORT;

The analysis of the nitroba.pcap file in Wireshark produced clear evidence of harassment messages and their origin. And by applying HTTP filters and manually inspecting GET and POST packets, the following findings (E01–E06) were established.

TASK SIX

The investigation of the application nitroba.pcap file using Wireshark successfully identified harassment messages transmitted via HTTP traffic. By applying filters and manually inspecting GET and POST requests, the evidence clearly demonstrated the presence of harassing communications, their origin, and their intended recipient.

Key Points

Harassment messages were found in GET and POST requests.

Cookies and headers provided identifiers linking the traffic to the sender.

Ethernet II headers revealed MAC addresses, allowing attribution to a specific device.

Packet timestamps established a timeline of events.

Matching device evidence with the Chemistry 109 roster attributed the harassment to a particular student.

Task Used in task Four


http → showed all HTTP traffic (this one worked consistently).

http.request.method == "GET" → attempted to isolate GET requests (sometimes worked, depending on the capture).

http.request.method == "POST" → attempted to isolate POST requests (sometimes worked, depending on the capture).

http.cookie contains "@" → attempted to reveal cookies with email addresses or identifiers.

eth.addr == <MAC> → used to filter by MAC address once identified in Ethernet II headers.



http.request.method == "GET"

nitroba.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request.method == "GET"

No.	Time	Source	Destination	Protocol	Length	Info
3	0.019619	192.168.1.64	74.125.19.19	HTTP	1421	GET /mail/?logout&hl=en HTTP/1.1
172	12.244146	192.168.1.64	65.175.87.70	HTTP	346	GET /a/hbIH7VAbeh5-875EotBNJqOT.ACxgqbm/spacer.gif HTTP/1.1
180	12.252433	192.168.1.64	209.3.183.2	HTTP	334	GET /i/20/460988031/08wk30_toms_a4.gif HTTP/1.1
181	12.254876	192.168.1.64	209.3.183.2	HTTP	334	GET /i/20/460988031/08wk30_toms_a3.gif HTTP/1.1
182	12.256434	192.168.1.64	209.3.183.2	HTTP	326	GET /i/20/460988031/gnc_up.gif HTTP/1.1
183	12.257840	192.168.1.64	65.175.87.70	HTTP	346	GET /a/hbIH7VAbeh5-875EotBNJqOT.ACxgqbm/spacer.gif HTTP/1.1
184	12.259480	192.168.1.64	209.3.183.2	HTTP	334	GET /i/20/460988031/08wk30_toms_a1.gif HTTP/1.1
210	12.357146	192.168.1.64	209.3.183.2	HTTP	332	GET /i/20/460988031/beautycom_up.gif HTTP/1.1
220	12.436683	192.168.1.64	209.3.183.2	HTTP	334	GET /i/20/460988031/08wk30_toms_a3.gif HTTP/1.1
223	12.440999	192.168.1.64	209.3.183.2	HTTP	341	GET /i/20/460988031/drugstore-logo-192-45.gif HTTP/1.1
226	12.445116	192.168.1.64	209.3.183.2	HTTP	324	GET /i/20/460988031/leaf.GIF HTTP/1.1
240	12.534644	192.168.1.64	209.3.183.2	HTTP	324	GET /i/20/460988031/leaf.GIF HTTP/1.1
243	12.536976	192.168.1.64	209.3.183.2	HTTP	326	GET /i/20/460988031/gnc_up.gif HTTP/1.1

> Frame 3: Packet, 1421 bytes on wire (11368 bits), 1421 bytes captured (11368 bits) on interface 0
> Ethernet II, Src: HonHaiPrecis_2e:4f:61 (00:1d:d9:2e:4f:61), Dst: Commscope_99:98:68 (00:1d:d9:2e:4f:61)
> Internet Protocol Version 4, Src: 192.168.1.64, Dst: 74.125.19.19
> Transmission Control Protocol, Src Port: 35011, Dst Port: 80, Seq: 1, Ack: 1, Len: 135
> Hypertext Transfer Protocol

0000 00 1d 6b 99 98 68 00 1d d9 2e 4f 61 08 00 45 00 ...k...h... ..0a...E-
0010 05 7b 10 ce 40 00 3f 06 06 37 c0 a8 01 40 4a 7d ...{...@?...7...@0}
0020 13 13 88 c3 00 50 b0 ac 53 d4 db 92 7a 59 80 18 ...-...P...S...2Y...
0030 ff ff 36 b7 00 00 01 01 08 0a 2a 7b 63 c5 3a f1 ...6...-...*{c...
0040 7c 42 47 45 54 20 2f 6d 61 69 6c 2f 3f 6e 6f 67 lBGET /m ail/?log
0050 6f 75 74 28 68 6c 3d 65 6e 20 48 54 54 50 2f 31 out&hl=en HTTP/1
0060 2e 31 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 .1 User-Agent:
0070 4d 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 4d 61 63 Mozilla/ 5.0 (Mac
0080 69 6e 74 6f 73 68 3b 20 55 3b 20 50 50 43 20 4d intosh; U; PPC M
0090 61 63 20 46 53 20 58 20 31 30 5f 35 5f 34 3b 20 ac OS X 10.5.4;
00a0 65 6e 2d 75 73 29 20 41 70 70 6c 65 57 65 62 4b en-us) A ppleWebK
00b0 69 74 2f 35 32 35 2e 31 30 20 28 4b 48 54 4d 4c it/525.1 8 (KHTML
00c0 2c 20 6c 69 6b 65 20 47 65 63 6b 6f 29 20 56 65 , like Gecko) Ve
00d0 72 73 69 6f 6e 2f 33 2e 31 2e 32 20 53 61 66 61 rsion/3. 1.2 Safa
00e0 72 69 2f 35 32 35 2e 32 30 2e 31 0d 0a 52 65 66 ri/525.2 0.1 Ref
00f0 65 72 65 72 3a 20 68 74 74 70 3a 2f 2f 6d 61 69 ener: ht tp://mai
0100 6c 2e 67 6f 6f 6f 6c 65 2e 63 6f 6d 2f 6d 61 69 l.google .com/mai
0110 6c 2f 3f 75 69 3d 32 26 76 69 65 77 3d 62 73 70 l/?ui=2& view=bsp

nitroba.pcap

Packets: 94410 - Displayed: 4462 (4.7%) Profile: Default

10:18 AM 10/2/2026

http.request.method == "POST"

nitroba.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request.method == "POST"

No.	Time	Source	Destination	Protocol	Length	Info
10217	316.075169	192.168.1.64	64.12.187.25	HTTP/X..	751	POST /m57jean HTTP/1.1
10241	316.240594	192.168.1.64	64.12.187.25	HTTP/X..	180	POST /m57jean HTTP/1.1
10248	316.484819	192.168.1.64	64.12.187.25	HTTP/X..	901	POST /m57jean HTTP/1.1
10869	527.499974	192.168.1.64	64.4.21.61	HTTP/X..	175	POST /v6/UpdateRegulationService/UpdateRegulation.asmx HTTP/1.1
17299	6819.627554	192.168.1.64	74.125.19.19	HTTP	526	POST /mail/?ui=2&ik=4233eca8e4&view=au&rt=j HTTP/1.1
17305	6821.802790	192.168.1.64	74.125.19.19	HTTP	540	POST /mail/?ui=2&ik=4233eca8e4&view=cv&th=11b48086a8a331ad&prf=1&init=1&ns=c&1&rt=j&search=in
17316	6822.798701	192.168.1.64	74.125.19.19	HTTP	533	POST /mail/?ui=2&ik=4233eca8e4&view=cv&th=11b482d8bc502422&prf=1&ns=c&1&rt=j&search=inbox HT
17373	6828.588679	192.168.1.64	74.125.19.19	HTTP	588	POST /mail/channel/bind?at=xn3j3022s94piz2yq1qnx80qxagf7&VER=6&it=2359&RID=53996&CVER=6&zx=
17384	6830.671443	192.168.1.64	74.125.19.19	HTTP	677	POST /mail/channel/bind?at=xn3j3022s94piz2yq1qnx80qxagf7&VER=6&it=2000&SID=3FF4ADA83969630&RI
17422	6837.309473	192.168.1.64	74.125.19.19	HTTP	632	[TCP Retransmission] POST /mail/channel/bind?at=xn3j3022s94piz2yq1qnx80qxagf7&VER=6&it=1873
17449	6839.745734	192.168.1.64	74.125.19.19	HTTP	136	POST /mail/channel/bind?at=xn3j3022s94piz2yq1qnx80qxagf7&VER=6&it=9&SID=3FF4ADA83969630&RI
22531	9938.625106	192.168.15.4	209.53.113.23	HTTP	334	POST / HTTP/1.1
22534	9938.763665	192.168.15.4	209.53.113.23	HTTP	368	POST / HTTP/1.1

> Frame 10217: Packet, 751 bytes on wire (6008 bits), 751 bytes captured (6008 bits) on interface 0
> Ethernet II, Src: HonHaiPrecis_2e:4f:61 (00:1d:d9:2e:4f:61), Dst: Commscope_99:98:68 (00:1d:d9:2e:4f:61)
> Internet Protocol Version 4, Src: 192.168.1.64, Dst: 64.12.187.25
> Transmission Control Protocol, Src Port: 46912, Dst Port: 80, Seq: 955, Ack: 1, Len: 6
> [2 Reassembled TCP Segments (1647 bytes): #10214(954), #10217(693)]
> Hypertext Transfer Protocol
> eXtensible Markup Language

0000 00 1d 6b 99 98 68 00 1d d9 2e 4f 61 08 00 45 00 ...k...h... ..0a...E-
0010 02 dd e7 2f 40 00 3f 06 94 dd c0 a8 01 40 4a 7d .../...@?...7...@0...
0020 0b 19 b7 40 00 50 ae b7 70 68 49 45 f8 73 50 18 ...@...P...phIE...P...
0030 ff 00 4c f6 00 00 3c 3f 78 6d 6c 20 76 65 72 73 ...L...<? xml vers
0040 69 6f 6e 3d 22 31 2e 30 22 20 65 6e 63 6f 64 69 ions="1.0 " encodi
0050 6e 67 3d 22 55 54 46 2d 38 22 3f 3e 3c 21 2d 2d ng="UTF- 8"?><!--
0060 20 73 73 73 20 2d 2d 3e 3c 53 79 6e 63 4d 4c 20 sss--><SyncML
0070 78 6d 6c 6e 73 3d 22 53 59 4e 43 dd 4c 3a 53 59 xmlInsa="S YNCML:SY
0080 4e 43 4d 4c 31 2e 31 22 3e 3c 53 79 6e 63 48 64 NCML:1" ><SyncML
0090 72 3e 3c 56 65 72 44 54 44 3e 31 2e 31 2e 31 2e 3c r>VerDT D:1.1.</V
00a0 65 72 44 54 44 3e 3c 56 65 72 50 72 6f 74 6f 3e erDTD<v erProto
00b0 53 79 6e 63 4d 4c 2f 31 2e 31 3c 2f 56 65 72 50 SyncML/1 .1.</VerP
00c0 72 6f 74 6f 3e 3c 53 65 73 73 69 6f 6e 49 44 3e noto>Se ssionID>
00d0 44 42 43 44 42 42 46 42 38 38 36 35 34 45 44 33 DBC08FB 88654E03
00e0 38 32 34 36 41 42 44 32 37 38 34 33 45 31 33 41 8246ABD2 7843E13A
00f0 3c 2f 53 65 73 73 69 6f 6e 49 44 3e 3c 4d 73 67 </Sessio nID><Msg
0100 49 44 3e 31 3c 2f 4d 73 67 49 44 3e 3c 54 61 72 ID><1c/Ms gID><Tar

nitroba.pcap

Packets: 94410 - Displayed: 373 (0.4%) Profile: Default

10:19 AM 10/2/2026

http.host contains "willselfdestruct.com"

nitroba.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.host contains "willselfdestruct.com"

No.	Time	Source	Destination	Protocol	Length	Info
82936	15156.730593	192.168.15.4	69.25.94.22	HTTP	596	GET /secure/submit HTTP/1.1
82985	15157.030671	192.168.15.4	69.25.94.22	HTTP	355	GET /images/spacer.gif HTTP/1.1
83025	15157.230976	192.168.15.4	69.25.94.22	HTTP	356	GET /images/sm-logo.gif HTTP/1.1
83037	15157.279305	192.168.15.4	69.25.94.22	HTTP	361	GET /images/warning-home.gif HTTP/1.1
83072	15157.435074	192.168.15.4	69.25.94.22	HTTP	356	GET /images/body-bk.gif HTTP/1.1
83087	15157.530801	192.168.15.4	69.25.94.22	HTTP	358	GET /images/bttn-send.gif HTTP/1.1
83162	15157.756987	192.168.15.4	69.25.94.22	HTTP	361	GET /images/bridge_small.gif HTTP/1.1
83601	15197.216422	192.168.15.4	69.25.94.22	HTTP	719	POST /secure/submit HTTP/1.1 (application/x-www-form-urlencoded)
83614	15197.468887	192.168.15.4	69.25.94.22	HTTP	461	GET /secure/success HTTP/1.1
83654	15197.806879	192.168.15.4	69.25.94.22	HTTP	360	GET /images/bk-message.gif HTTP/1.1

> Frame 82936: Packet, 596 bytes on wire (4768 bits), 596 bytes captured (4768 bits) on interface 0
> Ethernet II, Src: Apple_e2:c0:ce (00:17:f2:e2:c0:ce), Dst: HonHaiPrecis_2e:4f:60 (00:17:f2:e2:4f:60)
> Internet Protocol Version 4, Src: 192.168.15.4, Dst: 69.25.94.22
> Transmission Control Protocol, Src Port: 35984, Dst Port: 80, Seq: 1, Ack: 1, Len: 526
> Hypertext Transfer Protocol

nitroba.pcap

Packets: 94410 - Displayed: 10 (0.0%)

Profile: Default

http.cookie contains "@"

nitroba.pcap

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.cookie contains "@"

No.	Time	Source	Destination	Protocol	Length	Info
79715	15009.758180	192.168.15.4	74.125.19.104	HTTP	1384	GET /calendar/render?utm_campaign=en&utm_source=en-ha-na-us-bk&utm_medium=ha&utm_term=google HTTP/1.1
79732	15010.130505	192.168.15.4	74.125.19.104	HTTP	131	POST /mail/channel/bind?at=xn3j32oktf2a0q6oa3k9sfr6d09yzf8ui=1&VER=2&SID=67F8DC1634D90313&RI=1216706316841012
79749	15010.330146	192.168.15.4	74.125.19.104	HTTP	151	POST /calendar/calddetails HTTP/1.1 (application/x-www-form-urlencoded)
79750	15010.330482	192.168.15.4	74.125.19.104	HTTP	336	POST /calendar/load HTTP/1.1 (application/x-www-form-urlencoded)
80025	15058.467281	192.168.15.4	74.125.19.104	HTTP	120	POST /mail/channel/bind?at=xn3j32oktf2a0q6oa3k9sfr6d09yzf8ui=1&VER=2&SID=67F8DC1634D90313&RI=1216706316841012
80024	15115.291021	192.168.15.4	74.125.19.104	HTTP	1405	GET /mail/?ui=1&k=a0610eacbd&view=t1&search=inbox&start=0<=11b495b9e1b&fp=ac6b2b37f9fde5
80042	15118.461985	192.168.15.4	74.125.19.104	HTTP	121	POST /mail/channel/bind?at=xn3j32oktf2a0q6oa3k9sfr6d09yzf8ui=1&VER=2&SID=67F8DC1634D90313&RI=1216706316841012
83217	15161.692277	192.168.15.4	76.13.208.11	HTTP	826	GET /st?ad_type=iframe&ad_size=160x600&site=140060§ion_code=12796317&cb=1216706316841012
83326	15178.450915	192.168.15.4	74.125.19.104	HTTP	121	POST /mail/channel/bind?at=xn3j32oktf2a0q6oa3k9sfr6d09yzf8ui=1&VER=2&SID=67F8DC1634D90313&RI=1216706316841012
84139	15221.819764	192.168.15.4	76.13.208.11	HTTP	846	GET /st?ad_type=iframe&ad_size=160x600&site=140060§ion_code=12796317&cb=1216706316841012
84201	15228.285444	192.168.15.4	74.125.19.104	HTTP	1366	GET /mail/channel/bind?at=xn3j32oktf2a0q6oa3k9sfr6d09yzf8ui=1&VER=2&SID=67F8DC1634D90313&RI=1216706316841012
84598	15241.429822	192.168.15.4	76.13.208.11	HTTP	861	GET /st?ad_type=iframe&ad_size=160x600&site=140060§ion_code=12796317&cb=1216706316841012
86214	15324.035427	192.168.15.4	76.13.212.11	HTTP	956	GET /st?ad_type=iframe&ad_size=160x600&site=140060§ion_code=12796317&cb=1216706316841012

> Frame 80042: Packet, 121 bytes on wire (968 bits), 121 bytes captured (968 bits) on interface 0
> Ethernet II, Src: Apple_e2:c0:ce (00:17:f2:e2:c0:ce), Dst: HonHaiPrecis_2e:4f:60 (00:17:f2:e2:4f:60)
> Internet Protocol Version 4, Src: 192.168.15.4, Dst: 74.125.19.104
> Transmission Control Protocol, Src Port: 35804, Dst Port: 80, Seq: 78445, Ack: 214441
> [2 Reassembled TCP Segments (1443 bytes): #80848(1392), #80842(51)]
> Hypertext Transfer Protocol
> HTML Form URL Encoded: application/x-www-form-urlencoded

nitroba.pcap

Packets: 94410 - Displayed: 165 (0.2%)

Profile: Default

REPORT;

So based on the evidence found in Task 5, the harassment traffic was traced to a specific device and attributed to a student.