

Cucumber Report

15 sep. de 2025 20:50:31

Start : sep. 15, 8:50:01.258 p. m.

End : sep. 15, 8:50:30.654 p. m.

Duration : 29.396 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 4
FAILED - 2
SKIPPED - 0

PASSED - 11
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Booking endpoint</u>	29.396 s	6	4	2	0	13	11	2	0

#	Feature Name	Scenario Name
1	<u>Booking endpoint</u>	<u>POST a new booking with negative totalprice</u>
2		<u>POST a new booking with invalid bookingdates</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Booking endpoint</u>	6	4	2	0	29.396 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Booking endpoint</u>	<u>GET all bookings</u>	2	2	0	0	8.419 s
2		<u>GET booking by inexistent id</u>	2	2	0	0	1.026 s
3		<u>GET booking by letters with id</u>	2	2	0	0	1.013 s
4		<u>POST a new booking</u>	3	3	0	0	6.830 s
5		<u>POST a new booking with negative totalprice</u>	2	1	1	0	6.037 s
6		<u>POST a new booking with invalid bookingdates</u>	2	1	1	0	6.034 s

Booking endpoint



FAILED	DURATION - 29.396 s	Scenarios		Steps	
/ 8:50:01.258 p. m. // 8:50:30.654 p. m. /		Total - 6		Total - 13	
		Pass - 4		Pass - 11	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

GET all bookings

PASSED	DURATION - 8.419 s		Steps	
/ 8:50:01.262 p. m. // 8:50:09.681 p. m. /			Total - 2	
Booking endpoint			Pass - 2	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint	PASSED	8.373 s
2	Then I verify that the status code is 200	PASSED	0.026 s



GET booking by inexistent id

<div>PASSED</div>	<div>DURATION - 1.026 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 8:50:09.687 p. m. // 8:50:10.713 p. m. /</div>			<div>Total - 2</div>	
<div>Booking endpoint</div>			<div>Pass - 2</div>	
			<div>Fail - 0</div>	
			<div>Skip - 0</div>	

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with id "2978668"	PASSED	1.025 s



#	Step / Hook Details	Status	Duration
2	Then I verify that the status code is 404	PASSED	0.001 s

GET booking by letters with id

PASSED	DURATION - 1.013 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 8:50:10.716 p. m. // 8:50:11.729 p. m. /				
Booking endpoint				



#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the booking endpoint with id "abcd"	PASSED	1.013 s
2	Then I verify that the status code is 404	PASSED	0.000 s

POST a new booking

PASSED	DURATION - 6.830 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:50:11.736 p. m. // 8:50:18.566 p. m. /				
Booking endpoint				

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the booking endpoint with the following data	PASSED	6.194 s
	Peter Smith 150 true 2022-09-20 2023-09-25 Breakfast		
2	Then I verify that the status code is 200	PASSED	0.001 s
3	And I verify that the field "booking.firstname" contains "Peter"	PASSED	0.635 s



POST a new booking with negative totalprice

<div>FAILED</div> <div>DURATION - 6.037 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:50:18.570 p. m. // 8:50:24.607 p. m. /				
Booking endpoint				

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the booking endpoint with the following data <div>Peter Smith -15 true 2022-09-20 2023-09-25 Breakfast</div>	PASSED	6.016 s
2	Then I verify that the status code is 400 <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)</pre>	FAILED	0.021 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:32) at ?.I verify that the status code is 400(file:///D:/Users/MAYRA/OneDrive/Documents/ing%20de%20sistemas%20UPB/certificacion%202/final/PFinal_RestfulBooking/src/test/Resources/Bookings.feature:29) * Not displayable characters are replaced by '?'.		

POST a new booking with invalid bookingdates

FAILED	DURATION - 6.034 s		<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:50:24.620 p. m. // 8:50:30.654 p. m. /				
Booking endpoint				

#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the booking endpoint with the following data Peter Smith 150 true 2024-09-20 2022-09-25 Breakfast	PASSED	6.033 s
2	Then I verify that the status code is 400 java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre>at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at StepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:32) at ?.I verify that the status code is 400(file:///D:/Users/MAYRA/OneDrive/Documentos/ing%20de%20sistemas%20UPB/ certificacion%202/final/PFinal_RestfulBooking/src/test/Resources/Bookings.feature:38) * Not displayable characters are replaced by '?'.</pre>		