Crystal
SINCE 1980

VIDEO MEASURING MACHINE (VMM)

MANUAL VIDEO MEASURING MACHINE (VMM)



MODEL SPECIFICATIONS

Item		AA-9011M	AA-9012M	AA-9013M
Dimension (mm) (L*W*H)		540*540*860	665*670*915	724*855*915
Measuring range (mm) (X*Y*Z)		200*100*150	300*200*200	400*300*200
Measuring accuracy (μm)		2.5 + L/100	2.5 + L/100	2.5 + L/100
Repeatability (μm)		2.5	2.5	2.5
Weight (kg)		150	200	255
Image and Measuring	CCD	Industrial-grade color CCD camera		
	Lens	Manual zoom objective 0.7 – 4.5X (electronic magnification feedback lens available as an option)		
	Magnification	18-195X (Magnification varies depending on the selected camera model; actual magnification is subject to measured data)		
	Field of view (mm)	8.1-1.3 mm		
	Working distance (mm)	80		
Linear scale resolution (μm)		0.5 micrometers (0.1 micrometers as an option)		
Driving system		X/Y/Z axis manual control		
Illumination		Programmable LED 8 section ring surface light, LED bottom parallel light		

Crystal
SINCE 1980

VIDEO MEASURING MACHINE (VMM)

SEMI AUTOMATIC VIDEO MEASURING MACHINE (VMM)




MODEL SPECIFICATIONS

Item		AA-9021SA	AA-9022SA	AA-9023SA
Dimension (mm) L/W/H		550×540×930	600×740×980	700×840×980
Measuring range (mm) (X/Y/Z)		200×100×150	300×200×200	400×300×200
Measuring accuracy (um)		2.5 + L/100	2.5 + L/100	2.6 + L/100
Repeatability (um)		±2.5um	±2.5um	±3um
Weight (kg)		130Kg	180Kg	230Kg
Image and measuring	CCD	Industrial-grade color CCD camera		
	Lens	Manual lens with 0.7 to 4.5X magnification (optional electronic magnification signal feedback lens)		
	Magnification	18~195x (The magnification varies depending on the different models of the selected camera ; the actual magnification should be based on the measured data.)		
	Field of view	8.1–1.5mm		
	Working distance (mm)	80mm		
Linear scale resolution (um)		0.5um(0.1um optional)		
Driving system		Manual control for X/Y axes, CNC full closed-loop motion control for Z axis (including automatic focusing function)		
Illumination		Programmable LED 8–zone ring surface light, LED bottom parallel light (optional: 8–zone ring light, coaxial light)		

Crystal
SINCE 1980

VIDEO MEASURING MACHINE (VMM)

FULLY AUTOMATIC VIDEO MEASURING MACHINE (VMM)



MODEL SPECIFICATIONS

Item		AA-9031A	AA-9032A	AA-9033A
Dimension (mm) (L/W/H)		540/830/1080	640/830/1080	740/980/1080
Measuring range (mm) (X/Y/Z)		200/200/200	300/200/200	400/300/200
Measuring accuracy (um)		2,5+ L/100	2,5+ L/100	2,5+ L/100
Repeatability (um)		2.5	2.5	2.5
Weight (kg)		140	180	230
Image and measuring	CCD	1,300,000 pixels industrial-grade color CCD camera		
	Lens	Automatic zoom lens		
	Magnification	24.7~160X (The magnification varies depending on the specific model of the selected camera; the actual magnification should be based on the measured data)		
	Field of view	8.5-1.3mm		
	Working distance (mm)	80mm		
Linear scale resolution (um)		0.5um(0.1um optional)		
Driving system		CNC control, driven by high-precision servo motors; handle control, mouse/keyboard control		
Illumination		Programmable LED 8-zone ring surface light, LED bottom parallel light (Optional: 8-zone surround light, coaxial light)		

Crystal
SINCE 1980

VIDEO MEASURING MODEL (VMM)

AUTOMATIC VIDEO MEASURING MACHINE(VMM) WITH CABINET




MODEL SPECIFICATIONS

Item		AA-9041AC	AA-9042AC	AA-9043AC	AA-9044AC
Dimension (mm)(X/Y/Z)		650/950/1740	730/1040/1740	790/1130/1760	890/1370/1780
Measuring range (mm) (X/Y/Z)		300/200/200	400/300/200	500/400/200	600/500/200
Measuring accuracy (μm)		2 + L/100	2 + L/100	2.5 + L/100	2.5 + L/100
Repeatability (μm)		2	2	2.5	2.5
Weight (kg)		380	530	640	715
Image and Measurement	CCD	1.3MP digital camera			
	Lens	1-10X automatic zoom lens			
	Magnification	18-195X (The magnification varies depending on the different models of the selected camera; the actual magnification is subject to the measured data.)			
	FOV (mm)	8.1-1.3 mm			
	Working Distance (mm)	80			
Linear Scale Resolution (um)		0.5 (optional 0.1)			
Driving System		CNC control, high-precision servo motor drive, Joystick, mouse/keyboard control			
Illumination		Programmable LED 8-zone ring surface light, LED bottom parallel light (optional coaxial light)			

Crystal
SINCE 1980

VIDEO MEASURING MACHINE (VMM)

VMS VIDEO MEASURING MACHINE (VMM)



MODEL SPECIFICATIONS

Item	AA-9051V	AA-9052V	AA-9053V
Dimension (mm) (L/W/H)	550×540×880	600×740×930	700×840×930
Measuring Range (mm) (X/Y/Z)	200×100×150	300×200×200	400×300×200
Measuring Accuracy (μm)	2.5+L/100	2.5+L/100	2.5+L/100
Repeatability (μm)	2.5	2.5	2.5
Weight (kg)	140	190	240
Image Measurement CCD	Industrial grade CCD camera		
Lens	Manual dented zoom lens 0.7-4.5X		
Magnification	18-188X (magnification may vary depending on optional lens/camera combinations; refer to actual machine magnification)		
FOV	8.1-1.3mm (FOV may vary depending on optional lens/camera combinations; refer to actual machine FOV)		
Working Distance	108mm		
Linear Scale Resolution	0.001mm		
Illumination	LED surface light, parallel LED bottom light, manual adjustment		