Canadian Internet Use Survey 2022 Dashboard

User Manual: getting any estimate from the survey data



Mayur Matang | Version 1.0

What this app does

Turns the survey's raw data into estimates, quickly, for anyone. No coding needed.



Data Dictionary

Look up what each survey variable means and how the question was asked.




Descriptive Statistics

Select variables to get estimates in a downloadable table.

Data source: Statistics Canada, Canadian Internet Use Survey 2022 public use microdata file.

Tour of the Data Dictionary tab



1 Category
Pick one or more of the survey topics.

2 Variable Name
Select variables in the chosen categories.

3 Download Dictionary
Saves the full data dictionary containing all variables.

4 Dictionary Table

5 User Manual
Opens this user manual.

6 Codebook
Opens the survey codebook.

7 User Guide
Opens the survey user guide.

8 Questionnaire
Opens the questionnaire.

Tip: Note the exact Variable Name. You will need it on the Descriptive Statistics tab.

Tour of the Descriptive Statistics tab

1 Estimate Type
What to calculate, e.g. count, mean, median, etc.


2 Estimate Variable
Select the variable for which estimates are needed. Hidden for Count.

3 Group By Variable
Split results by one or more variables.

4 Filter Variables
Select variables whose responses are needed, rest are excluded.

9 Add filter
Adds more filters.

8 Results table



5 Measures of Uncertainty
Tick the measures to show in the results table.

- **5a** 95% Confidence Interval
- **5b** Standard Error
- **5c** Coefficient of Variation
- **5d** Number of respondents

6 Build Table
Runs the calculation and builds the table below.

7 Download Table
Saves the results table in a CSV file.

Tip: Some estimates can take a few minutes to calculate. Wait for the button to finish.

Example: reproduce a Statistics Canada table

Published: Table 22-10-0134-01

Internet access at home[4]	Percentage of Canadians with access to the Internet at home	Low 95% confidence interval, percent	High 95% confidence interval, percent
Geography	2022	2022	2022
	Percent		
Newfoundland and Labrador (map)	94.1[A]	92.6	95.4
Prince Edward Island (map)	92.2[A]	90.1	94.0
Nova Scotia (map)	90.4[A]	88.4	92.1
New Brunswick (map)	92.7[A]	90.9	94.2
Quebec (map)	91.5[A]	90.7	92.2
Ontario (map)	94.8[A]	94.2	95.4
Manitoba (map)	90.6[A]	88.6	92.3
Saskatchewan (map)	91.5[A]	89.7	93.1
Alberta (map)	95.7[A]	94.8	96.5
British Columbia (map)	96.6[A]	95.9	97.2


Symbol legend:

[A] data quality: excellent

Proportions are decimals: 0.9414 = 94.1%

=

Dashboard result



1. Estimate Type
Proportion

2. Estimate Variable
Not needed

3. Group By Variable
PROVINCE, AC_030A


4. Filter Variable
AC_030A = Yes, No

5. Measures of Uncertainty
95% Confidence Interval

6. Build Table
Click once

AC_030A is the variable shown on slide 3: access to the Internet at home.

Count estimate




The results table provides the estimated population count of each province.

Note: The population measured by this survey is non-institutionalized persons aged 15 and over in Canada, excluding the three territories and reserves.


Total and quantile

Total estimate



Total amount spent: about 1.25 billion for males and 0.99 billion for females.

Quantile estimate




The 25th, 50th (median) and 75th percentiles of the amount spent are 11, 120 and 275.

Note: EC_G011A is the estimate variable: amount spent on music/video downloads or streaming subscriptions. Quantile returns the 25th, 50th and 75th percentiles.


Mean and median

Mean estimate



Mean (average) amount spent by province, e.g. 204.45 in Newfoundland and Labrador.


Median estimate



Median (middle value) amount spent by province, e.g. 140 in Newfoundland and Labrador.

Note: EC_G011A is the amount spent on music/video downloads or streaming subscriptions. Here the mean is higher than the median, which usually means a few large spenders pull it up.

Filters



1 Filter Variable
Select the variable to filter on.

2 Operator
Choose how to compare, e.g. = or <= (less than or equal to).

3 Value(s)
Select the values to keep. You can pick more than one.

4 Value
For a numeric variable, type a value, e.g. 100.

5 Results table
Shows only the rows that meet all the filters.

Example: mean amount spent (EC_G011A) in Ontario and British Columbia for females with high school or less education who spent 100 or less. A respondent must meet every filter.

Tips

Estimate quality

The estimate_quality column rates how reliable each estimate is.

Acceptable — At least 15 respondents and Coefficient of Variation of 0.165 or lower.

Marginal — At least 15 respondents and Coefficient of Variation from 0.166 to 0.333. Expect high levels of error.

Unacceptable — Fewer than 15 respondents, or Coefficient of Variation above 0.333. Conclusions based on these data will be unreliable, and most likely invalid.

Missing responses

Responses such as Valid skip, Refusal and Not stated are treated as missing values (NA). You do not need to filter for these values.

Each variable's response codes are listed under Answer Categories in the Data Dictionary tab.

Contact

Questions or feedback? Get in touch.



Email

matang.mayur00@gmail.com