



The Information Company™

Azure AD OTDS Integration

Configuring Single Sign-On

November, 2021

Azure AD Configuration

- Add or open the OpenText Directory Services application to your Azure AD tenant from the application gallery

Browse Azure AD Gallery (Preview)

[+ Create your own application](#)
[i Request new gallery app](#)
[G](#)

[i Click here to switch back to the old app gallery experience. →](#)

[Single Sign-on : A](#)


[Federated SSO](#)
[Provisioning](#)

Showing 9 of 9 results



OpenText Directory Services
 OpenText


- Configure the Single sign-on tab to use SAML-based Sign-on



- Enter <https://<OTDSHost>/otdsws/login> for the identifier
- Enter <https://<OTDSHost>/otdsws/login?authhandler=<handlerName>> for the Reply URL
 - The authhandler query parameter is the name of the authentication handler you will create in OTDS (e.g. AzureSAML)

Basic SAML Configuration

 Save

Identifier (Entity ID) * ⓘ

The default identifier will be the audience of the SAML response for IDP-initiated SSO

<https://otdserver.domain.com/otdsws/login>

✓

Default
✓ ⓘ
🗑️

Patterns: https://*.opentext.com/OTDS_TENANT/TENANT_ID/login

Reply URL (Assertion Consumer Service URL) * ⓘ

The default reply URL will be the destination in the SAML response for IDP-initiated SSO

<https://otdserver.domain.com/otdsws/login?authhandler=SAML>

✓

Default
✓ ⓘ
🗑️

Patterns: https://*.opentext.com/*

Sign on URL ⓘ

Enter a sign on URL

- No other configuration changes are necessary – only if desired
- Download the Federation Metadata XML file using the provided link

OTDS Configuration

In OTDS, create a SAML 2.0 Authentication Handler.

- Select Browse to select the metadata file downloaded above
- Configure the OTDS SP Endpoint to be the exact same URL entered into Azure AD above

OTDS Admin > Authentication Handlers > New Authentication Handler

Save Cancel Previous Next

General

User Partition

Parameters

Configuration

Parameters Descriptions

Identity Provider (IdP) Name: Azure

IdP Metadata URL: C:\temp\otds123.xml

IdP Metadata File: C:\temp\otds123.xml **Browse** Clear

WS-Trust Metadata URL:

IdP NameID Format: urn:oasis:names:tc:SAML:1.1:nameid-format:emailAddress ✓

OTDS SP Endpoint: https://otdsserver.domain.com/otdsws/login

Active By Default: true

Grace Period: 5 ✓

Auth Request Binding: urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST

Auth Response Binding: urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST

Use AssertionConsumerServiceURL: false

- There is no need to configure certificates on the OTDS side since Azure AD does not expect or require applications to sign their SAML authentication requests. However, should you require single sign out to be initiated from OTDS, you must configure signing on the authentication handler. See the latest OpenText Directory Services Installation and Administration Guide for details.

If you used the default settings in the attribute mappings on Azure AD, set the authentication principal attribute to **cn**.

OTDS Admin > Authentication Handlers > New Authentication Handler

Save Cancel Previous Next

General

User Partition

Parameters

Configuration

☒ Enable Authentication Handler Priority 10

cn Add Delete

☐ Authentication principal attribute

☐ cn

Save the authentication handler and attempt to access the application. You should now be automatically redirected to Azure and be able to sign in.

Next Step

This guide has covered configuring authentication with Azure AD. See the accompanying document [Azure AD to OTDS Provisioning](#) to configure account synchronization from Azure AD to OTDS. Alternatively, you can manually provision accounts in OTDS or configure account auto-provisioning based on user attributes in the the SAML assertion provided by Azure AD. See the OpenText Directory Services Installation and Administration Guide for configuring auto-provisioning.

About OpenText

OpenText enables the digital world, creating a better way for organizations to work with information, on-premises or in the cloud. For more information about OpenText (NASDAQ: OTEX, TSX: OTEX), visit opentext.com.

Connect with us:

[OpenText CEO Mark Barrenechea's blog](#)

[Twitter](#) | [LinkedIn](#) | [Facebook](#)