



VNET created Name: TTC-vnet-eastus, address space: 10.0.0.0/16



subnet created Name: TTC-Subnet-Eastus, Address space: 10.0.0.0/24



subnet created Name: TTC-appSubnet-Eastus, Address space: 10.0.1.0/24

VM for images created Name: TTC-vm-image-eastus on subnet: TTC-Subnet-Eastus

The screenshot displays the Azure portal interface for a virtual machine named 'TTC-vm-image-eastus'. The left sidebar shows the navigation menu with 'Overview' selected. The main content area is divided into 'Essentials' and 'Properties' sections. The 'Essentials' section provides a quick overview of the VM's status, location, and network configuration. The 'Properties' section offers more detailed information about the VM's configuration, including its operating system, size, and network settings.

Essentials	
Resource group	TTC-eastus-RG
Status	Running
Location	East US (Zone 1)
Subscription	SimpleLearn-HCL-100460
Subscription ID	2407659e-7af4-4715-a11b-a54db8c463d4
Availability zone	1

Properties	
Virtual machine	
Computer name	TTC-vm-image-ea
Operating system	Windows (Windows Server 2019 Datacenter)
VM generation	V2
VM architecture	x64
Agent status	Ready
Agent version	2.7.41491.1149
Hibernation	Disabled
Host group	-
Host	-

Networking	
Public IP address	172.206.240.246 (Network interface TTC-vm-image-eastus240_r1) 1 associated public IPs
Public IP address (IPv6)	-
Private IP address	10.0.0.4
Private IP address (IPv6)	-
Virtual network/subnet	TTC-vnet-eastus/TTC-Subnet-Eastus Configure

Size	
Size	Standard D2s v3

VM for dynamically rendered webpages created Name: TTC-vm-Web-eastus on subnet: TTC-Subnet-Eastus

The screenshot displays the Azure portal interface for a virtual machine named 'TTC-vm-Web-eastus'. The left sidebar shows the navigation menu with 'Overview' selected. The main content area is divided into 'Essentials' and 'Properties' sections. The 'Essentials' section provides a quick overview of the VM's status, location, and network configuration. The 'Properties' section offers more detailed information about the VM's configuration, including its operating system, size, and network settings.


Essentials	
Resource group	TTC-eastus-RG
Status	Running
Location	East US (Zone 1)
Subscription	SimpleLearn-HCL-100460
Subscription ID	2407659e-7af4-4715-a11b-a54db8c463d4
Availability zone	1

Properties	
Virtual machine	
Computer name	TTC-vm-Web-east
Operating system	Windows (Windows Server 2019 Datacenter)
VM generation	V2
VM architecture	x64
Agent status	Ready
Agent version	2.7.41491.1149
Hibernation	Disabled
Host group	-
Host	-

Networking	
Public IP address	20.121.120.33 (Network interface TTC-vm-Web-eastus747_r1) 1 associated public IPs
Public IP address (IPv6)	-
Private IP address	10.0.0.5
Private IP address (IPv6)	-
Virtual network/subnet	TTC-vnet-eastus/TTC-Subnet-Eastus Configure

Size	
Size	Standard D2s v3

Webserver (IIS) installed to both VMs



Creating application gateway **Basics:**

Microsoft Azure | Search resources, services, and docs (G+)

Home > Load balancing and content delivery | Application gateways >

Create application gateway

Changes you make on this tab may affect any configuration you've done on other tabs. Review all options prior to creating the application gateway.

✓ Basics ✓ Frontends ✓ Backends ✓ Configuration ✓ Tags Review + create

An application gateway is a web traffic load balancer that enables you to manage traffic to your web application. [Learn about creating application gateway](#)

Project details
Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription *

Resource group * [Create new](#)

Instance details

Application gateway name *

Region *

Tier

Enable autoscaling ☒ Yes ☐ No

Minimum instance count *

Maximum instance count

IP address type ☒ IPv4 only ☐ Dual stack (IPv4 & IPv6)

HTTP2 ☒ Disabled ☐ Enabled

FIPS (Federal Information Processing) ☒ Disabled ☐ Enabled

[Previous](#) [Next: Frontends >](#)

In real life situation would consider using WAF V2 as tier but not permitted in subscription provided I have configured it to vnet **TTC-vnet-eastus** and Subnet TTC-appSubnet-Eastus

AppGateway frontend IP created on Frontend section name: TTC-Appgw-ip

Microsoft Azure | Search resources, services, and docs (G+)

Home > Load balancing and content delivery | Application gateways >

Create application gateway

✓ Basics **Frontends** Backends Configuration Tags Review + create


Traffic enters the application gateway via its frontend IP address(es). An application gateway can use a public IP address, private IP address, or one of each type.

Frontend IP address type ☒ Public ☐ Private ☐ Both


Public IPv4 address * [Add new](#)

[Previous](#) [Next: Backends >](#)


Backend pool created for image server and added target as VM with server dedicated to images Name: TTC-Imageserver-eastus



Backend pool created for image server and added target as VM with server dedicated to dynamically rendered webpages Name: TTC-Webserver-eastus



Backend pools




In **Configuration** tab I have added **Routing rule** for Images and Dynamically rendered webpages

Listener

Rule Name: TTC-Rule-Imagesandweb



Priority: 1

Listener Name: Listener-http




Backend Target


Setting1 created :




Then I created a path based rule for Images




Then I created a path based rule for Dynamically rendered webpages



Configuration




Created a traffic manager profile with routing method as performance as this will serve its users from the closest (lowest latency) location to them.



Endpoint added to traffic manager Application gateway added as External endpoint Because Application Gateway isn't a supported "Azure endpoint type" in Traffic Manager.


The screenshot displays the Microsoft Azure portal interface. The top navigation bar shows the user is logged in as 'odf_user_2014753@sem...'. The main content area is titled 'TTC-trafficmanager | Endpoints'. On the left, a sidebar lists various management options like Overview, Activity log, Access control (IAM), Tags, Diagnose and solve problems, Resource visualizer, Settings, Locks, Configuration, Real user measurements, Traffic view, Endpoints, Properties, Monitoring, Automation, and Help. The 'Endpoints' section is currently selected, showing a search bar and a list of endpoints (currently empty). A modal window titled 'Add endpoint' is open on the right. It shows the configuration for a new 'External endpoint' named 'TTC-Tfman-to-Appgw'. The 'Fully-qualified domain name (FQDN) or IP address' is set to '135.222.244.210', and the 'Location' is 'East US'. The 'Enable Endpoint' checkbox is checked. Below this, there's a section for 'Health Checks' with an 'Enable' radio button selected. A warning message states: 'Do NOT input sensitive customer data in this field (i.e. APIKeys, Secrets, and Auth tokens etc.)'. At the bottom of the modal are 'Add' and 'Cancel' buttons. Below the modal, the 'Overview' page for the 'TTC-trafficmanager' profile is visible. It shows details such as 'Resource group: NetworkWatcherRG', 'Subscription ID: 2407659e-7af4-4715-a11b-a54db0c463d4', 'Status: Enabled', and 'Location: global'. A 'Get Started' section provides links to 'Documentation', 'Add endpoint', 'Traffic view', and 'Configuration'.

Images url tested (<http://ttc-trafficmanager.trafficmanager.net/images/>)




Images

This server is dedicated to serving images.



Any other url (<http://ttc-trafficmanager.trafficmanager.net/>)



Dynamically Rendered Webpages

This server is dedicated to serving dynamic content.

