

Azure Project Screenshots

1. Create virtual networks in the aforementioned region (HQ in East US and Branch office in SouthEast Asia)

East US Virtual network

Microsoft Azure

Home > Network foundation > Virtual networks >

Create virtual network

Basics Security IP addresses Tags Review + create

Azure Virtual Network (VNet) is the fundamental building block for your private network in Azure. VNet enables many types of Azure resources, such as Azure Virtual Machines (VM), to securely communicate with each other, the internet, and on-premises networks. VNet is similar to a traditional network that you'd operate in your own data center, but brings with it additional benefits of Azure's infrastructure such as scale, availability, and isolation. [Learn more](#)

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * SimpleLearn HOL 100780

Resource group * TheOSSCorporation-vnet-RG [Create new](#)

Instance details

Virtual network name * OSS-HQ-EastUS-Vnet

Region * (US) East US [Deploy to an Azure Extended Zone](#)

Previous Next **Review + create** [Give feedback](#)

Microsoft Azure

Home > Network foundation > Virtual networks >

Create virtual network

Basics Security **IP addresses** Tags Review + create

Configure your virtual network address space with the IPv4 and IPv6 addresses and subnets you need. [Learn more](#)

Define the address space of your virtual network with one or more IPv4 or IPv6 address ranges. Create subnets to segment the virtual network address space into smaller ranges for use by your applications. When you deploy resources into a subnet, Azure assigns the resource an IP address from the subnet. [Learn more](#)

☐ Allocate using IP address pools. [Learn more](#)

[+ Add a subnet](#)

10.0.0.0/16 [Delete address space](#)

10.0.0.0 /16

10.0.0.0 - 10.0.255.255 65,536 addresses

Subnets	IP address range	Size	NAT gateway
OSS-HQ-EastUS-subnet	10.0.0.0 - 10.0.0.255	/24 (256 addresses)	-

[Add IPv4 address space](#)

Previous Next **Review + create** [Give feedback](#)

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

oef_user_1964979@sim...
SIMPLELEARN HOL 100780 (20M)

Home > Network foundation | Virtual networks >

Create virtual network

Validation passed

BasicsSecurityIP addressesTagsReview + create

View automation template

Basics

SubscriptionSimplelearn HOL 100780

Resource GroupTheOSSCorporation-vnet-RG

NameOSS-HQ-EastUs-Vnet

RegionEast US

Security

Azure BastionDisabled

Azure FirewallDisabled

Azure DDoS Network ProtectionDisabled

IP addresses

Address space10.0.0.0/16 (85,536 addresses)

SubnetOSS-HQ-EastUs-subnet (10.0.0.0/24) (256 addresses)

Tags

PreviousNextCreateDownload a template for automation

Give feedback

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

oef_user_1964979@sim...
SIMPLELEARN HOL 100780 (20M)

Home >

OSS-HQ-EastUs-Vnet-1763500251417 | Overview

Deployment

Search

DeleteCancelRedeployDownloadRefresh

Overview

Inputs

Outputs

Template

✓ Your deployment is complete

Deployment name : OSS-HQ-EastUs-Vnet-1763500251417

Subscription : Simplelearn HOL 100780

Resource group : TheOSSCorporation-vnet-RG

Start time : 11/18/2025, 9:10:56 PM

Correlation ID : f8c232e1-fba60-442c-b1dd-f63d0781ccdd

Deployment details

Next steps

Go to resource

Give feedback

Tell us about your experience with deployment

Cost management

Get notified to stay within your budget and prevent unexpected charges on your bill.

Set up cost alerts >

Microsoft Defender for Cloud

Secure your apps and infrastructure

Go to Microsoft Defender for Cloud >

Free Microsoft tutorials

Start learning today >

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.

Find an Azure expert >

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

oef_user_1964979@sim...
SIMPLELEARN HOL 100780 (20M)

Home > Network foundation

Network foundation | Virtual networks

Preview

Review performance of all Virtual NetworksIdentify virtual networks with misconfigurationsSuggest a firewall SKU for my network topology

Search

CreateManage viewRefreshExport to CSVOpen queryAssign tags

Group by none

You are viewing a new version of Browse experience. Click here to access the old experience.

Filter for any field...Subscription equals allResource Group equals allLocation equals allAdd filter

Virtual networks

NAT gateways

Public IP addresses

Network interfaces

Network security groups

Application security groups

Bastions

Route tables

Route servers

Private Link

DNS

Monitoring and management

Name ?

Resource Group

Location

Subscription

OSS-HQ-EastUs-Vnet

TheOSSCorporation-vnet-RG

East US

Simplelearn HOL 100780

Showing 1 - 1 of 1. Display count: auto

Give feedback

SouthEast Asia Virtual network

Basics Security IP addresses Tags Review + create

Azure Virtual Network (VNet) is the fundamental building block for your private network in Azure. VNet enables many types of Azure resources, such as Azure Virtual Machines (VM), to securely communicate with each other, the internet, and on-premises networks. VNet is similar to a traditional network that you'd operate in your own data center, but brings with it additional benefits of Azure's infrastructure such as scale, availability, and isolation.

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription *

Simplelearn HOL 100780

Resource group *

TheOSSCorporation-vnet-RG

Create new

Instance details

Virtual network name *

OSS-Branch-SouthEastAsia-Vnet

Region *

Asia Pacific(S) Southeast Asia

Deploy to an Azure Extended Zone

Basics Security IP addresses Tags Review + create

Configure your virtual network address space with the IPv4 and IPv6 addresses and subnets you need. [Learn more](#)

Define the address space of your virtual network with one or more IPv4 or IPv6 address ranges. Create subnets to segment the virtual network address space into smaller ranges for use by your applications. When you deploy resources into a subnet, Azure assigns the resource an IP address from the subnet. [Learn more](#)

☐ Allocate using IP address pools. [Learn more](#)

+ Add a subnet

10.1.0.0/16

Delete address space

10.1.0.0

/16

10.1.0.0 - 10.1.255.255

65,536 addresses

Subnets	IP address range	Size	NAT gateway
OSS-Branch-SouthEastAsia	10.1.0.0 - 10.1.0.255	/24 (256 addresses)	-

+ Add IPv4 address space 1

Validation passed

Basics Security IP addresses Tags Review + create

[View automation template](#)

Basics

Subscription

Simplelearn HOL 100780

Resource Group

TheOSSCorporation-vnet-RG

Name

OSS-Branch-SouthEastAsia-Vnet

Region

Southeast Asia

Security

Azure Bastion

Disabled

Azure Firewall

Disabled

Azure DDoS Network Protection

Disabled

IP addresses

Address space

10.1.0.0/16 (65,536 addresses)

Subnet

OSS-Branch-SouthEastAsia-subnet (10.1.0.0/24) (256 addresses)

Tags

Microsoft Azure | Search resources, services, and docs (G+)

Home > **OSS-Branch-SouthEastAsia-Vnet-1763500579020** | Overview

Deployment

Overview | Inputs | Outputs | Template

✓ **Your deployment is complete**

Deployment name : OSS-Branch-SouthEastAsia-Vnet-1763500579020
Subscription : SimpleLearn HOL 100780
Resource group : TheOSSCorporation-vnet-RG

Start time : 11/18/2025, 9:16:23 PM
Correlation ID : 4503e49c-09a7-433a-b290-256021cbb254

Deployment details
Next steps
[Go to resource](#)

Give feedback
[Tell us about your experience with deployment](#)

Deployment succeeded
Deployment 'OSS-Branch-SouthEastAsia-Vnet-1763500579020' to resource group 'TheOSSCorporation-vnet-RG' was successful.
[Go to resource](#) [Pin to dashboard](#)

Cost management
Get notified to stay within your budget and prevent unexpected charges on your bill.
[Set up cost alerts >](#)

Microsoft Defender for Cloud
Secure your apps and infrastructure
[Go to Microsoft Defender for Cloud >](#)

Free Microsoft tutorials
[Start learning today >](#)

Work with an expert
Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
[Find an Azure expert >](#)

Network foundation | Virtual networks

Overview | Virtual network overview | **Virtual networks** | NAT gateways | Public IP addresses | Network interfaces | Network security groups | Application security groups | Bastions | Route tables | Route servers | Private Link | DNS | Monitoring and management

Create | Manage view | Refresh | Export to CSV | Open query | Assign tags

You are viewing a new version of Browse experience. [Click here to access the old experience.](#)

Filter for any field... Subscription equals all Resource Group equals all Location equals all Add filter

Name	Resource Group	Location	Subscription
↔ OSS-Branch-SouthEastAsia-Vnet	TheOSSCorporation-vnet-RG	Southeast Asia	SimpleLearn HOL 100780
↔ OSS-HQ-EastUs-Vnet	TheOSSCorporation-vnet-RG	East US	SimpleLearn HOL 100780

Showing 1 - 2 of 2. Display count: auto

[Give feedback](#)

2. Create test virtual machines in both the virtual networks

East Us VM

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

odf_user_1964979@sim...
SIMPLELEARN HCL TESTED COMP.

Home > Compute infrastructure | Virtual machines >

Create a virtual machine

Help me create a VM optimized for high availabilityHelp me create a low cost VMHelp me choose the right VM size for my workload

Help me create a low cost VMHelp me create a VM optimized for high availabilityHelp me choose the right VM size for my workload

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription *
Resource group *
Create new

Simplelearn HCL 100780
TheOSSCorporation-vnet-RG

Instance details

Virtual machine name *
Region *
Availability options
Zone options
Availability zone *
Security type
Image *

VM1Eastus
(US) East US
Availability zone
Self-selected zone
Choose up to 3 availability zones, one VM per zone
Azure-selected zone (Preview)
Let Azure assign the best zone for your needs
Using an Azure-selected zone is not supported in region 'East US'.
Zone 1
You can now select multiple zones. Selecting multiple zones will create one VM per zone. [Learn more](#)
Trusted launch virtual machines
Configure security features
Windows Server 2019 Datacenter - x64 Gen2

< PreviousNext: Disks >Review + create

Give feedback

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

odf_user_1964979@sim...
SIMPLELEARN HCL TESTED COMP.

Home > Compute infrastructure | Virtual machines >

Create a virtual machine

Help me create a VM optimized for high availabilityHelp me create a low cost VMHelp me choose the right VM size for my workload

Help me create a low cost VMHelp me create a VM optimized for high availabilityHelp me choose the right VM size for my workload

VM architecture
Run with Azure Spot discount
Size *
Enable Hibernation
Administrator account
Username *
Password *
Confirm password *
Inbound port rules
Public inbound ports *
Select inbound ports *

Arm64
x64
Arm64 is not supported with the selected image.
☐
Standard_DS1_v2 - 1 vcpu, 3.5 GiB memory (Price unavailable)
See all sizes
Hemid availability based on policy assignment(s) for the selected scope.
az13038-PolicyDefinition (Policy details)
☐
Hiberate is not supported by the size that you have selected. Choose a size that is compatible with Hiberate to enable this feature. [Learn more](#)
ossadmin

None
Allow selected ports
RDP (3389)

This will allow all IP addresses to access your virtual machine. This is only

< PreviousNext: Disks >Review + create

Give feedback

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

odf_user_1964979@sim...
SIMPLELEARN HCL TESTED COMP.

Home > Compute infrastructure | Virtual machines >

Create a virtual machine

Help me create a VM optimized for high availabilityHelp me create a low cost VMHelp me choose the right VM size for my workload

Help me create a low cost VMHelp me create a VM optimized for high availabilityHelp me choose the right VM size for my workload

BasicsDisksNetworkingManagementMonitoringAdvancedTagsReview + create

Define network connectivity for your virtual machine by configuring network interface card (NIC) settings. You can control ports, inbound and outbound connectivity with security group rules, or place behind an existing load balancing solution. [Learn more](#)

Network interface

When creating a virtual machine, a network interface will be created for you.

Virtual network
Subnet *
Public IP
NIC network security group
Public inbound ports *
Select inbound ports *
Delete public IP and NIC when VM is deleted

OSS-HQ-EastUS-Vnet (TheOSSCorporation-vnet-RG)
Edit virtual network
OSS-HQ-EastUS-subnet
Edit subnet
10.0.0.0 - 10.0.0.255 (256 addresses)
[New] VM1Eastus-IP
Create new
None
Basic
Advanced
None
Allow selected ports
RDP (3389)

This will allow all IP addresses to access your virtual machine. This is only recommended for testing. Use the Advanced controls in the Networking tab to create rules to limit inbound traffic to known IP addresses.

< PreviousNext: Management >Review + create

Give feedback

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

oefl_user_1964979@sim...
SIMPLELEARN HOL 100780 (RMF)

Home > Compute infrastructure | Virtual machines >

Create a virtual machine

Help me create a VM optimized for high availability Help me create a low cost VM Help me choose the right VM size for my workload

Validation passed

Help me create a low cost VM Help me create a VM optimized for high availability Help me choose the right VM size for my workload

Basics Disks Networking Management Monitoring Advanced Tags Review + create

Unable to retrieve prices and legal terms

TERMS

By clicking "Create", I (a) agree to the legal terms and privacy statement(s) associated with the Marketplace offering(s) listed above; (b) authorize Microsoft to bill my current payment method for the fees associated with the offering(s), if any, with the same billing frequency as my Azure subscription; and (c) agree that Microsoft may share my contact, usage and transactional information with the provider(s) of the offering(s) for support, billing and other transactional activities. Microsoft does not provide rights for third-party offerings. See [Azure Marketplace Terms](#) for additional details.

You have set RDP port(s) open to the internet. This is only recommended for testing. If you want to change this setting, go back to Basics tab.

Basics

Subscription

Simplelearn HOL 100780

Resource group

TheOSSCorporation-vnet-RG

Virtual machine name

VM1Eastus

Region

East US

Availability options

Availability zone

Zone options

Self-selected zone

Availability zone

1

Security type

Trusted launch virtual machines

Enable secure boot

Yes

< Previous

Next >

Create

Download a template for automation Give feedback

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

oefl_user_1964979@sim...
SIMPLELEARN HOL 100780 (RMF)

Home >

CreateVm-MicrosoftWindowsServer.WindowsServer-201-20251118212250 | Overview

Deployment

Search

Delete Cancel Redeploy Download Refresh

Overview

Inputs

Outputs

Template

Your deployment is complete

Deployment name: CreateVm-MicrosoftWindowsServer.WindowsSe...

Start time: 11/18/2025, 9:26:30 PM

Correlation ID: b6b4c6d5-b52e-48c3-a36e-f8e1c3f2da48

Deployment details

Next steps

Go to resource Create another VM

Give feedback

Tell us about your experience with deployment

Cost Management

Get notified to stay within your budget and prevent unexpected charges on your bill. Set up cost alerts >

Microsoft Defender for Cloud

Secure your apps and infrastructure Go to Microsoft Defender for Cloud >

Free Microsoft tutorials

Start learning today >

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support. Find an Azure expert >

Add or remove shortcuts by pressing Ctrl+Shift+F

21:29

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Home > Compute infrastructure | Virtual machines

Microsoft

Virtual machines

Overview

All resources

Infrastructure

Virtual machines

Virtual Machine Scale Set (VMSS)

Compute Fleet

Disks + images

Capacity + placement

Related services

Monitoring+Policy

Help

+ Create

Reservations

Manage view

Refresh

Export to CSV

Open query

Assign tags

Start

Restart

Stop

Delete

Services

Maintenance

Group by none

You are viewing a new version of Browse experience. Click here to access the old experience.

Filter for any field...

Subscription equals all

Type equals all

Resource Group equals all

Location equals all

Add filter

Name	Subscription	Resource Group	Location	Status	Operating system	Size	Public IP address	Disks	Update status
VM1Eastus	Simplilearn HOL L...	TheOSSCorporation...	East US	Running	Windows	Standard_DS1_v2	20.115.83.175	1	Enable periodic ass...

Showing 1 - 1 of 1. Display count: auto

Give feedback

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Home > Compute infrastructure | Virtual machines > VM1Eastus

Virtual machine

Help me copy this VM in any region

Manage this VM with Azure CLI

Standard HDD OS disks will be retired on September 8, 2028. →

Help me copy this VM in any region

Connect

Start

Restart

Stop

Hibernate

Capture

Delete

Refresh

Open in mobile

Feedback

CU / PS

Essentials

Resource group (most) : TheOSSCorporation-vnet-RG

Status : Running

Location : East US (Zone 1)

Subscription (most) : Simplilearn HOL 100790

Subscription ID : f1efb64e-4202-4f77-82d5-8f81c2444326

Availability zone : 1

Tags (add) : Add tags

Operating system : Windows (Windows Server 2019 Datacenter)

Size : Standard DS1 v2 (1 vcpu, 3.5 GiB memory)

Primary NIC public IP : 20.115.83.175

1 associated public IPs

Virtual network/subnet : OSS-HQ-EastUs-vnet/OSS-HQ-EastUs-subnet

DNS name : Not configured

Health state : -

Time created : 11/18/2025, 9:26 PM UTC

JSON View

Properties

Monitoring

Capabilities (8)

Recommendations

Tutorials

Virtual machine

Computer name : VM1Eastus

Operating system : Windows (Windows Server 2019 Datacenter)

VM generation : V2

VM architecture : x64

Agent status : Ready

Agent version : 2.7.41491.1183

Hibernation : Disabled

Host group : -

Host : -

Public IP address : 20.115.83.175 (Network interface vm1eastus590_21)

1 associated public IPs

Public IP address (IPv6) : -

Private IP address : 10.0.0.4

Private IP address (IPv6) : -

Virtual network/subnet : OSS-HQ-EastUs-vnet/OSS-HQ-EastUs-subnet

DNS name : Configure

Size

Showing 1 - 2 of 2. Display count: auto

21:39

SouthEast Asia VM

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

odf_user_1964979@sim...
SIMPLELEARN HOL 100780 (PAM)

Home > Compute infrastructure | Virtual machines >

Create a virtual machine

Help me create a low cost VMHelp me create a VM optimized for high availabilityHelp me choose the right VM size for my workload

Help me create a low cost VMHelp me create a VM optimized for high availabilityHelp me choose the right VM size for my workload

BasicsDisksNetworkingManagementMonitoringAdvancedTagsReview + create

Create a virtual machine that runs Linux or Windows. Select an image from Azure marketplace or use your own customized image. Complete the Basics tab then Review + create to provision a virtual machine with default parameters or review each tab for full customization. [Learn more >](#)

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription *

Simplelearn HOL 100780

Resource group *

TheOSSCorporation-vnet-RG

Create new

Instance details

Virtual machine name *

VM1SouthEastAsia

Region *

(Asia Pacific) Southeast Asia

Deploy to an Azure Extended Zone

Availability options

Availability zone

Zone options

Self-selected zone

Choose up to 3 availability zones, one VM per zone

Zone 1

Azure-selected zone (Preview)

Let Azure assign the best zone for your needs

Availability zone *

Zone 1

You can now select multiple zones. Selecting multiple zones will create one VM per zone. [Learn more >](#)

< Previous

Next > Disks

Review + create

Give feedback

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

odf_user_1964979@sim...
SIMPLELEARN HOL 100780 (PAM)

Home > Compute infrastructure | Virtual machines >

Create a virtual machine

Help me create a low cost VMHelp me create a VM optimized for high availabilityHelp me choose the right VM size for my workload

Help me create a low cost VMHelp me create a VM optimized for high availabilityHelp me choose the right VM size for my workload

run with Azure spot discount

Size *

Standard_DS1_v2 - 1 vCPU, 3.5 GiB memory (Price unavailable)

See all sizes

Item(s) availability based on policy assignment(s) for the selected scope.
act10038-PolicyDefinition (Policy details)

Enable hibernation

Hibernate is not supported by the size that you have selected. Choose a size that is compatible with hibernate to enable this feature. [Learn more >](#)

Administrator account

Username *

osadmin

Password *

Confirm password *

Inbound port rules

Select which virtual machine network ports are accessible from the public internet. You can specify more limited or granular network access on the Networking tab.

Public inbound ports *

None

Allow selected ports

Select inbound ports *

RDP (3389)

This will allow all IP addresses to access your virtual machine. This is only recommended for testing. Use the Advanced controls in the Networking tab to create rules to limit inbound traffic to known IP addresses.

Licensing

Save up to 49% with a license you already own using Azure Hybrid Benefit. [Learn more >](#)

< Previous

Next > Disks

Review + create

Give feedback

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

odf_user_1964979@sim...
SIMPLELEARN HOL 100780 (PAM)

Home > Compute infrastructure | Virtual machines >

Create a virtual machine

Help me create a low cost VMHelp me create a VM optimized for high availabilityHelp me choose the right VM size for my workload

Help me create a low cost VMHelp me create a VM optimized for high availabilityHelp me choose the right VM size for my workload

BasicsDisksNetworkingManagementMonitoringAdvancedTagsReview + create

Define network connectivity for your virtual machine by configuring network interface card (NIC) settings. You can control ports, inbound and outbound connectivity with security group rules, or place behind an existing load balancing solution. [Learn more >](#)

Network interface

When creating a virtual machine, a network interface will be created for you.

Virtual network

OSS-Branch-SouthEastAsia-Vnet (TheOSSCorporation-vnet-RG)

Edit virtual network

Subnet *

OSS-Branch-SouthEastAsia-subnet

Edit subnet

10.1.0.0 - 10.1.0.255 (256 addresses)

Public IP

(new) VM1SouthEastAsia-ip

Create new

NIC network security group

None

Basic

Advanced

Public inbound ports *

None

Allow selected ports

Select inbound ports *

RDP (3389)

This will allow all IP addresses to access your virtual machine. This is only recommended for testing. Use the Advanced controls in the Networking tab to create rules to limit inbound traffic to known IP addresses.

Delete public IP and NIC when VM is deleted

< Previous

Next > Management

Review + create

Give feedback

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

oef_user_1964979@sim...
SIMULATED HOL 100780 (PaaS)

Home > Compute infrastructure > Virtual machines >

Create a virtual machine

Help me create a low cost VMHelp me create a VM optimized for high availabilityHelp me choose the right VM size for my workload

Validation passed

Help me create a low cost VMHelp me create a VM optimized for high availabilityHelp me choose the right VM size for my workload

BasicsDisksNetworkingManagementMonitoringAdvancedTagsReview + create

Unable to retrieve prices and legal terms

TERMS

By clicking "Create", I (a) agree to the legal terms and privacy statement(s) associated with the Marketplace offering(s) listed above; (b) authorize Microsoft to bill my current payment method for the fees associated with the offering(s), if any, with the same billing frequency as my Azure subscription; and (c) agree that Microsoft may share my contact, usage and transactional information with the provider(s) of the offering(s) for support, billing and other transactional activities. Microsoft does not provide rights for third-party offerings. See [Azure Marketplace Terms](#) for additional details.

Unable to retrieve prices and legal terms

Basics

Subscription

Simplelearn HOL 100780

Resource group

TheOSSCorporation-vnet-RG

Virtual machine name

VM1SouthEastAsia

Region

Southeast Asia

Availability options

Availability zone

Zone options

Self-selected zone

Availability zone

1

Security type

Trusted launch virtual machines

Enable secure boot

Yes

< Previous

Next >

Create

Download a template for automation

Give feedback

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

oef_user_1964979@sim...
SIMULATED HOL 100780 (PaaS)

Home >

CreateVm-MicrosoftWindowsServer.WindowsServer-201-20251118213241 | Overview

Deployment

Search

DeleteCancelRedeployDownloadRefresh

OverviewInputsOutputsTemplate

Your deployment is complete

Deployment name: CreateVm-MicrosoftWindowsServer.WindowsSe...
Subscription: Simplelearn HOL 100780
Resource group: TheOSSCorporation-vnet-RG

Start time: 11/18/2025, 9:36:52 PM
Correlation ID: ebf184c5-8652-473d-bd47-ad6655beed05

Deployment details

Next steps

Setup auto-shutdown Recommended
Monitor VM health, performance and network dependencies Recommended
Run a script inside the virtual machine Recommended

Go to resourceCreate another VM

Give feedback

Tell us about your experience with deployment

Deployment succeeded

Deployment 'CreateVm-MicrosoftWindowsServer.WindowsServer-201-20251118213241' to resource group 'TheOSSCorporation-vnet-RG' was successful.

Go to resourcePin to dashboard

Cost Management

Get notified to stay within your budget and prevent unexpected charges on your bill.
Set up cost alerts >

Microsoft Defender for Cloud

Secure your apps and infrastructure
Go to Microsoft Defender for Cloud >

Free Microsoft tutorials

Start learning today >

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
Find an Azure expert >

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

oef_user_1964979@sim...
SIMULATED HOL 100780 (PaaS)

Home > CreateVm-MicrosoftWindowsServer.WindowsServer-201-20251118213241 | Overview >

VM1SouthEastAsia

Virtual machine

Help me copy this VM in any regionManage this VM with Azure CU

Standard HDD OS disks will be retired on September 8, 2028. →

Help me copy this VM in any region

ConnectStartRestartStopHibernateCaptureDeleteRefreshOpen in mobileFeedbackCU / PS

OverviewActivity logAccess control (IAM)TagsDiagnose and solve problemsResource visualizerConnectNetworkingSettingsAvailability + scaleSecurityBackup + disaster recoveryOperationsMonitoringAutomationHelp

Essentials

Resource group (move) : TheOSSCorporation-vnet-RG
Status : Running
Location : Southeast Asia (Zone 1)
Subscription (move) : Simplelearn HOL 100780
Subscription ID : f9efbf4e-4202-4777-82d5-6f81c2444326
Availability zone : 1

Operating system : Windows
Size : Standard D51 v2 (1 vcpu, 3.5 GiB memory)
Primary NIC public IP : 4.143.89.165
1 associated public IPs
Virtual network/subnet : OSS-Branch-SouthEastAsia-vnet/OSS-Branch-SouthEastAsia-subnet
DNS name : Not configured
Health state : -
Time created : 11/18/2025, 9:37 PM UTC

JSON View

PropertiesMonitoringCapabilities (8)RecommendationsTutorials

Virtual machine

Computer name : VM1SouthEastAsi
Operating system : Windows
VM generation : V2
VM architecture : x64
Agent status : Not Ready
Agent version : Unknown
Hibernation : Disabled
Host group : -
Host : -

Networking

Public IP address : 4.143.89.165 (Network interface vm1southeastasia550_z1)
1 associated public IPs
Public IP address (IPv6) : -
Private IP address : 10.1.0.4
Private IP address (IPv6) : -
Virtual network/subnet : OSS-Branch-SouthEastAsia-vnet/OSS-Branch-SouthEastAsia-subnet
DNS name : Configure

Size

Size : Standard D51 v2

3. Establish the connectivity between both the networks via VNet peering

East Us to SouthEast Asia Peering

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

odf_user_1964979@sam...
Simplilearn HCL, 100780

Home > Network foundation > Virtual networks > OSS-HQ-EastUs-Vnet > Peerings >

Add peering

...

OSS-HQ-EastUs-Vnet

Virtual network peering enables you to seamlessly connect two or more virtual networks in Azure. This will allow resources in either virtual network to directly connect and communicate with resources in the peered virtual network.

Remote virtual network summary

Peering link name *
Eastus-to-SouthEastAsia

I know my resource ID

Subscription *
Simplilearn HCL 100780

Virtual network *
OSS-Branch-SouthEastAsia-Vnet (TheOSSCorporation-vnet-RG)

Remote virtual network peering settings

Allow 'OSS-Branch-SouthEastAsia-Vnet' to access 'OSS-HQ-EastUs-Vnet'

Allow 'OSS-Branch-SouthEastAsia-Vnet' to receive forwarded traffic from 'OSS-HQ-EastUs-Vnet'

Allow gateway or route server in 'OSS-Branch-SouthEastAsia-Vnet' to forward traffic to 'OSS-HQ-EastUs-Vnet'

Enable 'OSS-Branch-SouthEastAsia-Vnet' to use 'OSS-HQ-EastUs-Vnet's' remote gateway or route server

Local virtual network summary

Add

Cancel

Give feedback

21:43

SouthEast Asia to East US Peering

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

odf_user_1964979@sam...
Simplilearn HCL, 100780

Home > Network foundation > Virtual networks > OSS-HQ-EastUs-Vnet > Peerings >

Add peering

...

OSS-HQ-EastUs-Vnet

access 'OSS-HQ-EastUs-Vnet'

Allow 'OSS-Branch-SouthEastAsia-Vnet' to receive forwarded traffic from 'OSS-HQ-EastUs-Vnet'

Allow gateway or route server in 'OSS-Branch-SouthEastAsia-Vnet' to forward traffic to 'OSS-HQ-EastUs-Vnet'

Enable 'OSS-Branch-SouthEastAsia-Vnet' to use 'OSS-HQ-EastUs-Vnet's' remote gateway or route server

Local virtual network summary

Peering link name *
SouthEastAsia-to-Eastus

Local virtual network peering settings

Allow 'OSS-HQ-EastUs-Vnet' to access 'OSS-Branch-SouthEastAsia-Vnet'

Allow 'OSS-HQ-EastUs-Vnet' to receive forwarded traffic from 'OSS-Branch-SouthEastAsia-Vnet'

Allow gateway or route server in 'OSS-HQ-EastUs-Vnet' to forward traffic to 'OSS-Branch-SouthEastAsia-Vnet'

Enable 'OSS-HQ-EastUs-Vnet' to use 'OSS-Branch-SouthEastAsia-Vnet's' remote gateway or route server




Add

Cancel

Give feedback


21:43

Peering




4. Ensure connectivity is established properly

Ping From Vm in East us to vm in Southeast Asia



Ping From Vm in SouthEast Asia to vm in East us



All Resources in my Resource Group

