Sr No	Part Name	Model Of Part
1	Flange for Tailpeace- 100mm	
2	Tail Pieces (Short End)	
3	Tail Pieces (Long End)	
4	MS Elbow 100mm	
5	HDPE Elbow 100mm	
6	4" BSP Ball Valve Both End Female Threaded	
7	Flange End Ball Valve 80 mm	
8	Flange End Ball Valve 100 mm	
9	One Side 4" Flange & One 4" BSP Threaded Nipple	
10	4" Flange End & 4" Victoulic Groove Nipple Flange	
11	4" Flange End & 3" Victoulic Groove Nipple Flange	

12	3" Flange End & 3" Victoulic Groove Nipple Flange	
13	Semi Automatic Filter 80 MM	
14	PFCMD- 80 MM	
15	PFCMD- 50 MM	
16	ON-OFF Valve- 50 MM	
17	Ball Valve- 50 MM	
18	Air Valve- 50 MM	
19	Universal flange 4" * 3"	ANIA PARAMETER STATE OF THE PARAMETER STATE O
20	3" Victaulic Groove Coupling	
21	4" Victaulic Groove Coupling	IOI

22	2 Way Manifold (Nagalwdi oms)	
23	4 Way Manifold (MS/HDPE)	STAGES FLOW ON MANY AND CONTRACTOR OF THE PARTY OF THE P
25	6 Arm Outlet Valve Manifold MS	
26	Filter Inlet & Outlet Manifold (MS)	
27	2 Way Both Side Flange End Filter Inlet Manifold(Odisha Cluster IV)	
28	6 Arm Outlet Valve Manifold hdpe	GI GII GII GII GII GII GII GII GII GII
29	4 Way Manifold MS	8
30	5 Way Manifold (Odisha Cluster IV) HDPE	666
31	63MM Compressition fitting (1- Green Cap, 2-White Compression Ring, 3- Black Rubber Ring, 4- Black Washer Ring)	
32	3" Victaulic groove & 3" Plain Nipple (Electrofusion Welding)	

33	Pipe Fitting	
34	4" BSP x 3" Victaulic Reducer	
36	Victaulic Reducer	
37	OMS Enclosure Cabinet	
38	OMS Enclosure Cabinet MS	
39	Pedastal Set	
40	OMS controller	
41	OMS solar panel	
42	Nut bolts + Washer M16*70mm for spool Piece Connections	
43	Nut bolts + Washer M16*90mm for spool Piece Connections	
44	Nut bolts + Washer M16*65mm for Universal Flange Connections	

45	Nut bolts + Washer M14*70mm for Universal Flange Connections	
46	full face Gasket Size 80 mm (200x90x152x04x16)- Universal Flange	
47	Rubber Ring Gasket 100NB Dia: OD 160,ID 114,THK-3MM	0
48	Rubber Ring Gasket 80NB Dia: OD 140,ID 90,THK-5MM	
49	Gasket Size 100 mm (220x118x180x08x19x03)	
50	(3")80 mm U-clamps	Principle Principle Total Tota
51	(2.5")63 mm U-clamps	
52	(4")110 mm U-Clamp	
53	(2.5")63 mm U-clamps - shadel Clamp	
54	Nut bolts + Washer M5*50mm for spool Piece Connections	