QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

CLIENT	MODEL		S/N	MAP
YAZAKI SALTANO DE OVAR, P.E. LDA	RFY0676-JSC_A		F 29178	
	Cod. KIT	K K015686		
ORDER	**TERMINAL TO BE CRIMPED**			**A#**
4510696816	7116-2963-02			

APPLICATOR SETUP

SETUP L.D.P. (mm.)=	190,00	STROKE	35 (mm)		MECAL	S.C.	S.T.M.	Note
Load Cal. (Kg.) =	850			Specification		X		
				Terminal Samples		X		
	Setup	Fixing. Ref.▼		Wire Samples		X		
POSITIVE CAM (Terminal present)		C		Housing Samples				
NEGATIVE CAM (Terminal absent)	X	A		Seal Samples				
		Fixing. Ref.▲		Applicounter			No	
				Mobile Ejector			No	
				Carrier strip to be cut			Yes	

FEEDING POINT OF THE TERMINAL

Hole	Slot	Wire wing	Insulation wing	Other
			X	


Automatic machine

CMK	Crimp Height	Pull Force	Section	Photo
			0,50	X

Setup on

	Mod.	S/N
Press	P107C	42877
Stripper		

Strip length = (mm)



CRIMPING

WIRE	INSULATION	BARREL
 F	 S	
Profile dimension	Profile dimension	Profile dimension
Wire C. Profile Width (mm.) 2,00 (toll. +) 0,02	Insulation C. Profile Width (mm.) 2,7 (toll. +) 0,02	Barrel C. Profile Width (mm.) (toll. +)


WIRE CHARACTERISTICS — CRIMPING DIMENSIONS (mm.)

SECTION	COMPOSITION		Insulation	CONDUCTOR				INSULATION				BARREL			Pull Force	Crimp Force
					Required HEIGHT ±	Required WIDTH ±	Measured WIDTH		Required HEIGHT ±	Required WIDTH ±	Measured WIDTH	Required HEIGHT ±	Required WIDTH ±	Measured WIDTH		
mm²	Nb	Ø	Ø	Index Wire	0,05			Index Insulation	0,1						Toll. ± 2 % (N.)	C.F.A. (KN.)
0,93 Sez. reale																
1,00 FLRYA	19	0,25	1,90	2,15	1,40		2,07	1,52	2,40		2,79				180	8,39
0,48 Sez. reale																
0,50 FLRYA	19	0,18	1,60	2,27	1,25		2,05	1,52	2,20		2,72				95	7,76

CHECK



Description		Rif.	Test
Bent left or right (max)	3°	A	OK
Bent up or down (max)	3°	B	OK
Torsion (max)	3°	C	OK



Description		Rif.	Test
Bellmouth	(0.2-0.5)	D	OK
Cut-off (max)	0.5	E	OK
Wire overlay(min.)	0.5	F	OK

DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
18/1/2018	*Valinotto*	*Bruno*	*Zatti*

N.B.: MECAL affirms that the MECAL tool is in accordance with the above mentioned characteristics

QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

YAZAKI SALTANO DE OVAR, P.E. LDA | **WIRE** | **RFY0676-JSC_A** | **29178**

	Terminal
	7116-2963-02
Wire Section.	0,50
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	



	Terminal
	7116-2963-02
Wire Section.	0,50
CH. (mm.)	1,25
C.W. (mm.)	2,05
Material Compression (%)	12,3
Wire Compression	
Terminal Compression	

	Terminal
	7116-2963-02
Wire Section.	0,50
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	

DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
18/1/2018	*Valinotto*	*Bruno*	*Zatti*

MECAL	DISTINTA COMPONENTI - PARTS LIST - BESTANDTEILELIST

DATA	18/01/2018
MODELLO	
MODEL	**RFY0676-JSC_A**
TYPE	
MODELE	
TERMINALE	
TERMINAL	**7116-2963-02**
KONTAKT	
COSSE	
MATRICOLA	
SERIAL NUMBEF	**F 29178**
REGISTRIERNUMMER	
MATRICULE	


CODICE	Qt.	Rif
870550004	1	110
601051006	2	130
600052010	1	150
870620001	1	180
880480008	1	190
871980007	1	200
991320002	1	210
600041106	1	220
630104106	1	230
650231018	1	240
990270004	1	250
991300009	1	260
991310000	1	270
640050020	1	280
901150000	1	290
991330003	1	300
991340002	1	310
991350000	1	330
650242004	2	340
991590000	1	360
600050016	1	370
600050016	2	380
901190003	1	390
600061016	2	470
990400003	1	520
640050020	1	530
640060020	2	550
991290010	1	585
991290010	1	587
600050012	4	590
901120003	1	610
610111308	1	630
991280007	1	640
600050020	2	650
600052016	1	660
901100000	1	670
901170000	1	690
610101005	2	695
600052030	1	710

CODICE	Qt.	Rif
95127 0207	1	001
90113 0016	1	100
99101 0007	1	120
95127 0047	1	140
90002 0002	1	160
90114 0005	1	170
99017 0000	1	320
90109 0000	1	350
90124 0076	1	430
90125 0002	1	440
90126 0046	1	450
88146 0018	1	455
88146 0019	1	460
60004 0008	4	465
90111 0076	1	480
90137 0004	1	490
60004 0006	3	500
60004 0012	2	510
90104 0026	1	540
90105 0048	1	560
61010 1003	1	561
62003 1012	1	562
64004 0006	1	563
90107 0138	1	570
99132 0001	1	620
90018 0001	1	680
90121 0048	1	700
90110 0017	1	702
62006 1016	1	704
61010 1006	1	706
Person. **F_A50-Y**		
98146 1823	**1**	**1000**
98145 1679	**1**	**1010**
99948 0510	1	1030
60008 1025	1	1050
90133 0281	**1**	**1060**
99150 0580	1	1065
60004 0012	2	1070
90134 0101	**1**	**1100**
90135 0105	**1**	**1110**
90129 0000	1	1120
60005 0025	2	1125
98127 2474	**1**	**1130**
60004 0010	1	1137


REV	DATE	DESCRIPTION	REQUIRED	FITMENT


Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069


F_BLK00-RY





ATTENZIONE: la protezione in gomma (rif. 180) tra le ghiere ed il corpo del miniapplicatore deve essere rimossa prima dell' utilizzo dell' attrezzo.
ATTENTION: the rubber protection (ref. 180) between the ram and the applicator it must be removed before using.















Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069

F_A50-Y



Dichiarazione di incorporazione
Declaration of incorporation

(All. IIB Dir. 2006/42/CE)

Il fabbricante
The manufacturer

Mecal s.r.l. Strada per Felizzano, 18
15043 Fubine (AL) Italia

dichiara
declares

(seguendo la procedura di valutazione della conformità secondo Art.13 Dir. 2006/42/CE)

che la quasi macchina
the partly completed machinery

Miniapplicatore - Stampo Mod. RFY0676-JSC_A Matr. F29178 anno 2018

Applicatore e stampo per l'aggraffatura di terminali metallici su cavi conduttori

Applica e rispetta i requisiti essenziali di sicurezza
1.1.1 – 1.1.3 –1.3.4 della direttiva 2006/42/CE all I
e la documentazione tecnica pertinente è stata compilata in conformità allegato VIIB

It applies and fulfill the essential safety requirements 1.1.1 - 1.1.3 - 1.3.4 - of Directive 2006/42/CE annex 1 and the related technical documentation has been compiled in accordance with part B of annex VII

Ci impegniamo a trasmettere, in risposta da una richiesta adeguatamente motivata delle autorità nazionali, informazioni pertinenti su miniapplicatori / stampi (quasi macchine) in formato digitalizzato

Si dichiara il divieto della messa in servizio di tutti gli applicatori e stampi MECAL definiti "quasi macchine" prima che le macchine sulle quali vengono incorporate siano state dichiarate conformi alle disposizioni della direttiva 2006/42/CE

It is expressely prohibited to put in use all MECAL applicator - defined "partly completed machines" before that the machines hosting the mentioned Mecal applicators are confirmed in compliance with Directive 2006/42/CE

e autorizza
and authorizes

Luigi Aluffo - Str. Per Felizzano,18, 15043 Fubine (AL) Italia

a costituire il fascicolo tecnico
to compile the technical file

luogo e data 18/01/2018
place and date

Fubine

Mecal s.r.l.
Aluffo Luigi
presidente
president