QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

CLIENT	MODEL		S/N	MAP
YAZAKI SALTANO DE OVAR, P.E. LDA	RSY2548-JA		L 59225	
	Cod. KIT	K K004791		
ORDER	TERMINALE TO BE CRIMPED			A#
5003787	7114-3461			

APPLICATOR SETUP


SETUP L.D.P. (mm.)=	190,00	STROKE	35 (mm)		MECAL	S.C.	S.T.M.
Load Cal. (Kg.) =	850			Specification			X
				Terminal Samples		X	
	Setup	Fixing. Ref.▼		Wire Samples		X	
POSITIVE CAM (Terminal present)		C		Housing Samples			
NEGATIVE CAM (Terminal absent)	X	A		Seal Samples			
		Fixing. Ref.▲		Applicounter			No
				Mobile Ejector			No
				Carrier strip to be cut			No
				Conform to Mecal norms			Yes
				Automatic machine			

FEEDING POINT OF THE TERMINAL				
Hole	Slot	Wire wing	Insulation wing	Other
X				

	Crimp Height	Pull Force	Section	Photo
C			6,00	X
M				
K			4,00	X

Setup on		
	Mod.	S/N
Press	P107C	42877
Stripper		

Strip lenght = 5,50 (mm)



CRIMPING

WIRE	INSULATION	BARREL
 F	 S	
Profile dimension	Profile dimension	Profile dimension
Wire C. Profile Width (mm.) 3,80 (toll. +) 0,02	Insulation C. Profile Width (mm.) 5,20 (toll. +) 0,02	Barrel C. Profile Width (mm.) (toll. +)

WIRE CHARACTERISTICS


CRIMPING DIMENSIONS (mm.)

SECTION	COMPOSITION		Insulation	CONDUCTOR				INSULATION				BARREL			Pull Force	Crimp Force
					HEIGHT ±	Required WIDTH ±	Measured WIDTH		HEIGHT ±	Required WIDTH ±	Measured WIDTH	HEIGHT ±	Required WIDTH ±	Measured WIDTH		
mm²	Nb	Ø	Ø	Index Wire	0,05			Index Insulation	0,10						Min. (N.)	C.F.A. (KN.)
5,546 Sez. reale																
6,00 FLRYB	84	0,29	4,10	2,05	2,55		3,91	2,00	4,90		5,34				650	12,66
3,70 Sez. reale																
4,00 KABFLYW	56	0,29	4,20	2,42	2,20		3,87	1,60	5,00		5,36				450	13,68

CHECK



Description		Rif.	Test
Bent left or right (max)	3°	A	OK
Bent up or down (max)	3°	B	OK
Torsion (max)	3°	C	OK



Description		Rif.	Test
Bellmouth	(0.2-0.5)	D	OK
Cut-off (max)	0.5	E	OK
Wire overlay(min.)	0.5	F	OK


DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
16/7/2012	*Toniato*	*Bruno*	*Zatti*

N.B.: MECAL affirms that the MECAL tool is in accordance with the above mentioned characteristics

QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

YAZAKI SALTANO DE OVAR, P.E. LDA | **WIRE** | **RSY2548-JA** | **59225**

	Terminal
	7114-3461
Wire Section.	6,00
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	



	Terminal
	7114-3461
Wire Section.	6,00
CH. (mm.)	2,55
C.W. (mm.)	3,91
Material Compression (%)	22,0
Wire Compression	
Terminal Compression	


	Terminal
	7114-3461
Wire Section.	6,00
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	

DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
16/7/2012	*Toniato*	*Bruno*	*Zatti*

QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

YAZAKI SALTANO DE OVAR, P.E. LDA | **WIRE** | **RSY2548-JA** | **59225**

	Terminal
	7114-3461
Wire Section.	4,00
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	



	Terminal
	7114-3461
Wire Section.	4,00
CH. (mm.)	2,20
C.W. (mm.)	3,87
Material Compression (%)	21,2
Wire Compression	
Terminal Compression	

	Terminal
	7114-3461
Wire Section.	4,00
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	

DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
16/7/2012	*Toniato*	*Bruno*	*Zatti*

MECAL	DISTINTA COMPONENTI - PARTS LIST - BESTANDTEILELIST

DATA 16/07/2012

MODELLO
MODEL RSY2548-JA
TYPE
MODELE

TERMINALE
TERMINAL 7114-3461
KONTAKT
COSSE

MATRICOLA
SERIAL NUI L 59225
REGISTRIERNUMMER
MATRICULE


CODICE	Qt.	Rif
870550004	1	110
601051006	2	130
600052010	1	150
911190000	1	160
911070012	1	170
650231018	1	180
630104106	1	190
990270004	1	200
991320002	1	210
600041106	1	220
991280007	1	230
991320001	1	240
610111308	1	250
911110013	1	260
991300008	1	280
870620001	1	295
880480008	1	300
871980007	1	310
990400003	1	315
600061016	2	360
601058012	1	370
600050010	1	380
640060020	2	390
991290010	1	400
991290016	1	405
600050014	4	410
640050020	1	420
600041008	1	450
650242004	2	460
991350000	1	480
600050016	2	490
600050010	1	500
991590000	1	510
911010006	1	520
991340002	1	530
991330003	1	540
991310000	1	560
640050020	1	570
600052010	1	580
911090007	1	590


CODICE	Qt.	Rif
95127 0207	1	001
60006 0040	1	005
91112 0035	1	100
99101 0038	1	120
99101 0039	1	120
95127 0046	1	140
91103 0041	1	290
91117 0053	1	320
91118 0184	1	330
99017 0019	1	343
60005 2010	1	344
91125 0074	1	350
88146 0018	1	355
88146 0019	1	362
60004 0016	4	365
91106 0008	1	430
91105 0000	1	440
99017 0000	1	470
91102 0001	1	550
91108 0050	1	600
91011 0000	2	610
91124 0415	1	620
91119 0003	1	621
99126 0028	1	622
91116 0025	1	623
91122 0000	1	630
60003 0006	2	640
91148 0373	1	650
91148 0382	1	655
91148 0385	1	655
63010 4104	2	665
60004 1012	2	660
Personal. **L_G98-Y**	1	
98146 0607	**1**	**1000**
98145 0561	**1**	**1010**
99141 0100	1	1020
99951 0410	1	1030
91130 0327	1	1040
60008 1025	1	1055
98127 0758	**1**	**1060**
60004 0010	1	1062
91134 0240	**1**	**1070**
91133 0167	**1**	**1075**
91035 0002	1	1080
20108 0061	1	1082
60003 0008	1	1085
60004 0016	4	1090
60003 0006	1	1093
91145 0025	1	1095
91141 0359	1	1096
60004 0010	1	1097
62104 0010	1	1098


Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069


L_BLK00-RY


ATTENZIONE: la protezione in gomma (rif. 295) tra le ghiere ed il corpo del miniapplicatore deve essere rimossa prima dell' utilizzo dell' attrezzo.
ATTENTION: the rubber protection (ref. 295) between the ram and the applicator it must be removed before using.

















Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069

L_G98-Y

