QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

CLIENT	MODEL		S/N	MAP
YAZAKI SALTANO DE OVAR, P.E. LDA	RSY1465-JM1_M		L 72109	
	Cod. KIT	K / K007494		
ORDER	TERMINAL TO BE CRIMPED			A#
5009146	7112-5081-02			

APPLICATOR SETUP


SETUP L.D.P. (mm.)=	135,80	STROKE	40 (mm)		MECAL	S.C.	S.T.M.	Note
Load Cal. (Kg.) =	850			Specification		X		
				Terminal Samples		X		
	Setup	Fixing. Ref.▼		Wire Samples		X		FLRYA
POSITIVE CAM (Terminal present)	X	C		Housing Samples				
NEGATIVE CAM (Terminal absent)		B		Seal Samples				
		Fixing. Ref.▲		Applicounter			No	
				Mobile Ejector			No	
				Carrier strip to be cut			No	
				Conform to Mecal norms			Yes	
				Automatic machine				

FEEDING POINT OF THE TERMINAL				
Hole	Slot	Wire wing	Insulation wing	Other
X				

	Crimp Height	Pull Force	Section	Photo
C			0,75	X
M			0,50	X
K				

Setup on		
	Mod.	S/N
Press	P107C	42877
Stripper		

Strip length = 3,50 (mm)



CRIMPING

WIRE	INSULATION	BARREL
 F	 C	
Profile dimension	Profile dimension	Profile dimension
Wire C. Profile Width (mm.) 1,45 (toll. +) 0,02	Insulation C. Profile Width (mm.) 2,08 (toll. +) 0,02	Barrel C. Profile Width (mm.) (toll. +)

WIRE CHARACTERISTICS


CRIMPING DIMENSIONS (mm.)

SECTION	COMPOSITION		Insulation	CONDUCTOR				INSULATION				BARREL			Pull Force	Crimp Force
					Required HEIGHT ±	Required WIDTH ±	Measured WIDTH		Required HEIGHT ±	Required WIDTH ±	Measured WIDTH	Required HEIGHT ±	Required WIDTH ±	Measured WIDTH		
mm²	Nb	Ø	Ø	Index Wire	0,05			Index Insulation	0,10						Min. (N.)	C.F.A. (KN.)
0,72 Sez. reale																
0,75	19	0,22	1,80	2,23	1,05		1,55	1,98	1,80		2,10				130	2,38
0,48 Sez. reale																
0,50	19	0,18	1,50	2,33	0,95		1,54	2,02	1,65		2,07				90	2,52

CHECK



Description		Rif.	Test
Bent left or right (max)	3°	A	OK
Bent up or down (max)	3°	B	OK
Torsion (max)	3°	C	OK



Description		Rif.	Test
Bellmouth	(0.1-0.4)	D	OK
Cut-off (max)	0,3	E	OK
Wire overlay(min.)	0,1	F	OK


DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
12/2/2015	*Valinotto*	*Toniato*	*Zatti*

N.B.: MECAL affirms that the MECAL tool is in accordance with the above mentioned characteristics

QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

YAZAKI SALTANO DE OVAR, P.E. LDA | **WIRE** | **RSY1465-JM1_M** | **72109**

	Terminal
	7112-5081-02
Wire Section.	0,75
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	



	Terminal
	7112-5081-02
Wire Section.	0,75
CH. (mm.)	1,05
C.W. (mm.)	1,55
Material Compression (%)	20,2
Wire Compression	
Terminal Compression	

	Terminal
	7112-5081-02
Wire Section.	0,75
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	

DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
12/2/2015	*Valinotto*	*Toniato*	*Zatti*

QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

YAZAKI SALTANO DE OVAR, P.E. LDA | **WIRE** | **RSY1465-JM1_M** | **72109**

	Terminal
	7112-5081-02
Wire Section.	0,50
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	



	Terminal
	7112-5081-02
Wire Section.	0,50
CH. (mm.)	0,95
C.W. (mm.)	1,54
Material Compression (%)	17,6
Wire Compression	
Terminal Compression	

	Terminal
	7112-5081-02
Wire Section.	0,50
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	

DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
12/2/2015	*Valinotto*	*Toniato*	*Zatti*


MECAL	DISTINTA COMPONENTI - PARTS LIST - BESTANDTEILELIST


DATA	12/02/2015	**CODICE**	**Qt.**	**Rif**		**CODICE**	**Qt.**	**Rif**
MODELLO		870550004	1	110		95127 0207	1	001
MODEL	**RSY1465-JM1_M**	601051006	2	130		60006 0040	1	005
TYPE		600052010	1	150		91112 0035	1	100
MODELE		911190000	1	160		99101 0039	1	120
		911070012	1	170		95127 0047	1	140
TERMINALE		650231018	1	180		91103 0045	1	290
TERMINAL	**7112-5081-02**	630104106	1	190		91117 0053	1	320
KONTAKT		990270004	1	200		91118 0184	1	330
COSSE		991320002	1	210		60005 0035	1	340
		600041106	1	220		99017 0019	1	343
MATRICOLA		991280007	1	230		91125 0074	1	350
SERIAL NU	**L 72109**	991320001	1	240		91106 0000	1	430
REGISTRIERNUMMER		610111308	1	250		91105 0018	1	440
MATRICULE		911110013	1	260		99017 0000	1	470
		991300008	1	280		91102 0001	1	550
		870620001	1	295		91108 0050	1	600
		880480008	1	300		91011 0000	2	610
		871980007	1	310		91124 0228	1	620
		990400003	1	315		91119 0003	1	621
		600061016	2	360		99126 0028	1	622
		601058012	1	370		91116 0025	1	623
		600050010	1	380		91122 0000	1	630
		640060020	2	390		60003 0006	2	640
		991290010	1	400		91148 0360	1	650
		991290016	1	405		91148 0381	1	655
		600050014	4	410		91148 0382	1	655
		640050020	1	420		63010 4104	2	665
		600041008	1	450		60004 1012	2	660
		650242004	2	460		Personal. **L_H112-Y**		
		991350000	1	480		**98146 0319**	**1**	**1000**
		600050016	2	490		**98145 0448**	**1**	**1010**
		600050010	1	500		99951 0330	1	1030
		991590000	1	510		91130 0305	1	1040
		911010006	1	520		99059 0000	1	1045
		991340002	1	530		99155 0119	1	1050
		991330003	1	540		60008 1025	1	1055
		991310000	1	560		60004 0010	1	1058
		640050020	1	570		**98127 0386**	**1**	**1060**
		600052010	1	580		**91134 0177**	**1**	**1070**
		911090007	1	590		**91133 0114**	**1**	**1075**
		881460018	1	355		91035 0002	1	1080
		881460019	1	362		20108 0061	1	1082
						60003 0008	1	1085
						60004 0016	2	1090
						91145 0025	1	1095
						91141 0329	1	1096
						62104 0010	1	1098
						60004 0016	2	1100
						91143 0089	1	1105
						64002 0008	1	1110
						91042 0000	1	1115
						91145 0001	1	1120
						91146 0001	1	1125
						60004 0016	1	1130


Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069


L_BLK00-RY


ATTENZIONE: la protezione in gomma (rif. 295) tra le ghiere ed il corpo del miniapplicatore deve essere rimossa prima dell' utilizzo dell' attrezzo.
ATTENTION: the rubber protection (ref. 295) between the ram and the applicator it must be removed before using.




















Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069

L_H112-Y

