PTC - Avenida D. Manuel I
Zona Industrial de Ovar
3880-109 OVAR

YAZAKI
PORTO TECHNICAL CENTRE

APPLICATOR VALIDATION REPORT

(Spec. YEL-RP-02-0004)

Applicator Serial Nº
2406E005

TOOLS MANAGEMENT INFORMATION ---> TOOL Nº 7195-1790 Y1 SEQUENCE Nº 9

Validation Terminal Nº	Accessory	Applicator Type	Purchasing Order Nº	Project / Model
7195-1790-02	*	**MYS**	**YSD 4514092419**	**ILER TRUCK BEV**

Applicable Terminals for this Tool:









7195-1790-02			

Anvil		
7195-1790-00XA		(N)
CW (c) 1,57	*CW (i)* 2,29	

Wire Crimper		
7195-1790-00XW		(N)
CW 1,57		

Insulation Crimper		
7195-1790-00XI		(N)
CW 2,29		


1 - VISUAL / MEASURED CHECK ITEMS


			Spec. (*)	Value (**)			
			O - ok **X** - ng **NA** - not aplicable				
	The two sides of the insulation grips are in the correct position.	**O**	0.00~0.20mm 0.10~0.40mm	0 0.33		The Bell Mouth is within the spec.**(*)**	**O**
	Not found any Bell Mouth in the insulation area.	**O**	0.00~0.50mm	0.13		The dimension of the cutting carrier is within the spec.**(*)**	**O**
	The lance height and shape are not deformed.	**O**	0.00~0.30mm 0.00~0.30mm	0.06 --		Bend up and Bend down are within the criteria**(*)**	**O**
	Not found any burr in the cutting carrier.	**O**	0.10~1.00mm	0.36		The exposed conductor is within the spec.(*)	**O**
	Not found any crack in the terminal.	**O**	5º	1.0		The terminal is not bent sideway, look-king from the top**(*)**	**O**
	The wire barrel is free from major burrs.	**O**	0.00~0.50mm	0.06		The body of the terminal is not twisted**(*)**	**O**

(*) - Specified on Crimping Spec. **(**)** - Measured Value(From Lower Wire Kind&Size Sample)

LOWER WIRE KIND & SIZE	**UPPER** WIRE KIND & SIZE

2 - MICRO CUT SAMPLES





3 - CRIMPING HEIGHT STABILITY

	NOMINAL	AVERAGE	Cmk
mm	1,05	1,05	2,31
	+/-0.03		

	NOMINAL	AVERAGE	Cmk
mm	1,12	1,12	2,95
	+/-0.03		

REMARKS:

Aplicable wire range 0.20mm²~0.50mm²
Wire size 0.35mm² C/W(I)- 2.02mm
Wire size 0.50mm² C/W(I)- 2.09mm

EVALUATION DECISION

SUITABLE [X]
NOT SUITABLE [ ]
FOR USE IN PRODUCTION

APPROVED (Section Chief) 3485	CHECKED (Operator) 44	PREPARED (Operator) nº 19147
Date: 2024/jul/08	Date: 2024/jun/28	Date: 2024/jun/25

YAZAKI
PORTO TECHNICAL CENTRE

APPLICATOR VALIDATION REPORT

Applicator Serial Nº
2406E005

LOWER WIRE KIND & SIZE

Wire kind: FLRYA

Wire size: 0,35 mm²

Nominal Cr. Height:	1,05	1,8	mm
+/-	0,03	0,1	mm

Sample number	Crimp height WIRE (mm)	Crimp height INSULATION (mm)
1	1,055	1,805
2	1,053	1,805
3	1,052	1,810
4	1,051	1,810
5	1,049	1,805
6	1,047	1,804
7	1,046	1,802
8	1,046	1,800
9	1,049	1,797
10	1,051	1,796
11	1,054	1,794
12	1,055	1,799
13	1,055	1,800
14	1,057	1,803
15	1,057	1,805
16	1,061	1,807
17	1,061	1,808
18	1,061	1,811
19	1,057	1,805
20	1,051	1,804
21	1,051	1,802
22	1,051	1,801
23	1,055	1,800
24	1,055	1,798
25	1,054	1,797
26	1,053	1,795
27	1,053	1,802
28	1,052	1,805
29	1,051	1,808
30	1,048	1,810
31	1,048	1,812
32	1,048	1,814
33	1,052	1,810
34	1,053	1,808
35	1,054	1,802
36	1,055	1,801
37	1,051	1,798
38	1,051	1,795
39	1,051	1,795
40	1,058	1,795
41	1,051	1,793
42	1,051	1,793
43	1,055	1,800
44	1,051	1,801
45	1,050	1,802
46	1,050	1,803
47	1,046	1,805
48	1,044	1,809
49	1,044	1,812
50	1,048	1,814
Average	1,05	1,80
Cmk	2,31	5,66

UPPER WIRE KIND & SIZE

Wire kind: FLRYA

Wire size: 0,5 mm²

Nominal Cr. Height:	1,12	2	mm
+/-	0,03	0,1	mm


Sample number	Crimp height WIRE (mm)	Crimp height INSULATION (mm)
1	1,121	2,006
2	1,121	2,008
3	1,124	2,011
4	1,121	2,013
5	1,120	2,012
6	1,118	2,008
7	1,116	2,005
8	1,115	2,004
9	1,117	2,002
10	1,121	1,999
11	1,123	1,995
12	1,123	1,996
13	1,125	1,998
14	1,123	2,003
15	1,122	2,006
16	1,122	2,009
17	1,120	2,013
18	1,121	2,005
19	1,122	2,005
20	1,124	2,018
21	1,124	2,009
22	1,124	2,004
23	1,122	2,002
24	1,118	2,001
25	1,117	1,998
26	1,115	1,996
27	1,117	1,992
28	1,120	1,994
29	1,121	2,002
30	1,122	2,004
31	1,123	2,007
32	1,123	2,009
33	1,125	2,013
34	1,126	2,005
35	1,126	2,005
36	1,122	2,006
37	1,120	2,003
38	1,119	2,002
39	1,118	1,999
40	1,117	1,998
41	1,121	1,996
42	1,123	1,994
43	1,124	2,004
44	1,126	2,005
45	1,128	2,007
46	1,128	2,008
47	1,127	2,011
48	1,124	2,005
49	1,121	2,005
50	1,120	2,012
Average	1,12	2,00
Cmk	2,95	5,54

Acceptance criteria: Cmk>= 2,0

END

04 APPLICATOR CONSUMABLE PARTS LIST ／ 04 アプリケーター 消耗部品表

PRODUCT No. 製品番号	C0100-7652	TERMINAL No. 端子品番	7195-1790Y1
共通品番	–	–	–
	–	–	



No,	PARTS No, 部品番号	DRW No, 図番	PARTS NAME 部品名称	No,	PARTS No, 部品番号	DRW No, 図番	PARTS NAME 部品名称
1	7195-1790-00XW		WIRE CRIMPER ワイヤークリンパー	17	48A47013	-002②	FEEDING CLAW 送り爪
2	7195-1790-00XI		INSULATION CRIMPER インシュレーションクリンパー	18	48A19100	-005	WIRE STOPPER Assy 電線ストッパー アッシー
3	7195-1790-00XA		ANVIL アンビル	19	48A19047	-002	TERMINAL SCRAPER 端子掻き落とし
4	7195-1790XJE		ANVIL HOLDER アンビルホルダー	20	48A47031		RETURN SPRING 戻しスプリング
5	7195-1790XYY		SUPPORTING STOPPER サポーティングストッパー	21	48A47032	-002①	SUPPORTING STOPPER SPRING サポーティングストッパースプリング
6	7195-1790XYB		BASE ベース	22	48A19017	-003	FEEDING CLAW SPRING 送り爪スプリング
7	7195-1790XYH		TERMINAL GUIDE PLATE B ターミナルガイドプレートB	23	48A19023	-002	WIRE HOLDER SPRING 電線押さえスプリング
8	48A47016	-001	WIRE HOLDER 電線押さえ	24	48A19074		TERMINAL HOLDER SPRING ターミナル押さえスプリング
9	48A47017	-002	CUTTING PUNCH & WIRE HOLDER 切断ポンチ兼電線押さえホルダー	25	48A19050		SHEARBLADE SPRING シャーブレードスプリング
10	48A47020	-A04	TERMINAL GUIDE PLATE A ターミナルガイドプレートA	26	48A19999		TERMINAL OIL UNIT ターミナル塗油ユニット
11	48A47022	-001	TERMINAL HOLDER ターミナル押さえ		7195-1790XKP		BRACKET ブラケット
12	7195-1790XS		SHEARBLADE シャーブレード	27	-		STABILIZER CRIMPER スタビライザークリンパー
13	7195-1790XP		OUTER SHEARBLADE アウターシャーブレード	〈OPTION オプション〉			
14	48A19007	-028	INSULATION ADJUSTING PIECE インシュレーション調整コマ	13	7195-1790XPM		OUTER SHEARBLADE アウターシャーブレード
15	48A19019	-017	BUSH ブッシュ	14	48A47042	-001	INSULATION ADJUSTING PIECE(MECAL) インシュレーション調整コマ(メカル)
16	48A47014	-001	FEEDING CAM 送りカム				

MARK 記号	DATE 日付	REVISION RECORD 改訂記録	No. 番号	CHECKED 点検	APPRICATION POST 申請部署	
					YTU	
N	9/22/2022	APPROVED	CDC	H.HASEGAWA F.SAMU	DESIGNED DATE 設計日	
②	1/13/2020	CHANGE FEEDING CLAW: -001 TO -002	PTC	S.JUNIOR	10/28/2019	
①	1/6/2020	SUPPORTING STOPPER SPRING: -001 TO -002	PTC	S.JUNIOR	APPROVED 承認	DESIGNED 設計
N	10/28/2019	NEW	PTC	S.JUNIOR	S.JUNIOR	D.Tavares
					10/28/2019	10/28/2019

ISSUED 発行

ISSUE
9/27/2022
YAZAKI PARTS CO.,LTD. HIB MACHINE PRODUCT DEP.