QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

CLIENT	MODEL	S/N	MAP
YAZAKI SALTANO DE OVAR P.E. LDA	RFYP2120-JS_M	F 038878	
	Cod. KIT: K K012235		
ORDER: 4514235509	TERMINAL TO BE CRIMPED: 7196-0013-02		A#

APPLICATOR SETUP

SETUP L.D.P. (mm.)=	190,00
Load Cal. (Kg.) =	850
STROKE	35 (mm)

	Setup	Fixing. Ref.▼
POSITIVE CAM (Terminal present)	X	C
NEGATIVE CAM (Terminal absent)		B
		Fixing. Ref.▲

	MECAL	S.C.	S.T.M.	Note
Specification		X		
Terminal Samples		X		
Wire Samples		X		
Housing Samples				
Seal Samples				
Applicounter			No	
Mobile Ejector			No	
Carrier strip to be cut			Yes	
Automatic machine				


FEEDING POINT OF THE TERMINAL

Hole	Slot	Wire wing	Insulation wing	Other
			X	

	Crimp Height	Pull Force	Section	Photo
C				
M				
K			4,00	X

Setup on	Mod.	S/N
Press	P107C	42877
Stripper		

Strip length = (mm)



CRIMPING

WIRE	INSULATION	BARREL
 F	 S	
Profile dimension Wire C. Profile Width (mm.) 4,00 (toll. +) 0,02	Profile dimension Insulation C. Profile Width (mm.) 5,3 (toll. +) 0,02	Profile dimension Barrel C. Profile Width (mm.) (toll. +)

WIRE CHARACTERISTICS


CRIMPING DIMENSIONS (mm.)

SECTION	COMPOSITION		Insulation	CONDUCTOR				INSULATION				BARREL			Pull Force	Crimp Force
					Required HEIGHT ±	Required WIDTH ±	Measured WIDTH		Required HEIGHT ±	Required WIDTH ±	Measured WIDTH	Required HEIGHT ±	Required WIDTH ±	Measured WIDTH		
mm²	Nb	Ø	Ø	Index Wire	0,05	0,10		Index Insulation	0,1						Toll. ± 2 % (N.)	C.F.A. (KN.)
5,55 Sez. reale 6,00	84	0,29	4,70	1,89	2,50	4,06	4,10	1,70	4,80	5,33	5,45				450	9,74
3,70 Sez. reale 4,00	56	0,29	3,40	2,17	2,15	4,06	4,06	1,85	4,30	5,33	5,32				350	10,83

CHECK



Description		Rif.	Test
Bent left or right (max)	3°	A	OK
Bent up or down (max)	3°	B	OK
Torsion (max)	3°	C	OK



Description		Rif.	Test
Bellmouth	(0.38-0.76)	D	OK
Cut-off (max)	0.38	E	OK
Wire overlay(min.)	0~0.76	F	OK


DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
10/7/2025	*Valinotto*	*P.Bruno*	*Zatti*

N.B.: MECAL affirms that the MECAL tool is in accordance with the above mentioned characteristics.

QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

YAZAKI SALTANO DE OVAR P.E. LDA | **WIRE** | **RFYP2120-JS_M** | **038878**

	Terminal
	7196-0013-02
Wire Section.	4,00
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	



	Terminal
	7196-0013-02
Wire Section.	4,00
CH. (mm.)	2,15
C.W. (mm.)	4,06
Material Compression (%)	23,3
Wire Compression	
Terminal Compression	

	Terminal
	7196-0013-02
Wire Section.	4,00
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	

DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
10/7/2025	*Valinotto*	*P.Bruno*	*Zatti*

MECAL	DISTINTA COMPONENTI - PARTS LIST - BESTANDTEILELIST

DATA 10/07/2025

MODELLO
MODEL **RFYP2120-JS_M**
TYPE
MODELE

TERMINALE
TERMINAL **7196-0013-02**
KONTAKT
COSSE

MATRICOLA
SERIAL NUMBEI F **F38878**
REGISTRIERNUMMER
MATRICULE

CODICE	Qt.	Rif
870550004	1	110
601051006	1	130
600052010	1	150
991320003	1	175
870620001	1	180
880480008	1	190
871980007	1	200
990010016	1	240
P0138	0,4	245
600050020	2	260
991310001	1	270
610110308	1	300
991280008	1	310
991350000	1	330
650242004	2	340
991160033	2	360
600050020	1	370
610101005	1	380
600052016	1	390
600050020	2	460
600041012	1	470
990400003	1	520
620081030	1	530
640060020	2	550
991290010	1	585
991290010	1	587
600050012	4	590
901120003	1	610
791640006	1	625
911090003	1	630
600061010	2	640
600061016	2	650
600030016	3	660
600040014	1	665
610101004	1	667
901100014	1	670
901170000	1	690
610101005	2	692
610101005	1	695
600052030	1	710
840010014	1	720
790400003	1	730
790340005	1	740
790420004	1	750
790340003	5	760
790340002	1	765


CODICE	Qt.	Rif
95127 0207	1	001
90113 0016	1	100
99101 0031	1	120
95127 0046	1	140
90002 0002	1	160
90114 0005	1	170
62008 5240	1	280
99132 0007	1	620
99017 0000	1	320
90109 0000	1	350
90124 0001	1	430
90125 0002	1	440
64006 0020	2	444
90126 0046	1	450
88146 0018	1	455
88146 0019	1	462
60004 0006	4	465
90111 0001	1	480
90137 0006	1	490
60004 0008	3	500
60004 0016	2	510
90104 0027	1	540
90107 0002	1	570
60005 0012	2	580
90018 0011	1	680
90121 0013	1	675
Person. **F_A50-Y**		
98146 2659	**1**	**1000**
98145 2414	**1**	**1010**
99948 0610	1	1030
60008 1025	1	1050
90133 0369	**1**	**1060**
99150 0570	1	1065
60004 0010	2	1070
90134 0101	**1**	**1100**
90135 0105	**1**	**1110**
90129 0000	1	1120
60005 0025	2	1125
98127 3732	**1**	**1130**
60004 0010	1	1137


REV	DATE	DESCRIPTION	REQUIRED	FITMENT


Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069


F_BLK00-RYP


ATTENZIONE: la protezione in gomma (rif. 180) tra le ghiere ed il corpo del miniapplicatore deve essere rimossa prima dell' utilizzo dell' attrezzo.
ATTENTION: the rubber protection (ref. 180) between the ram and the applicator it must be removed before using.















Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069

F_A50-Y



Dichiarazione di incorporazione
Declaration of incorporation

(All. IIB Dir. 2006/42/CE)

Il fabbricante
The manufacturer

Mecal s.r.l. Strada per Felizzano, 18
15043 Fubine (AL) Italia

dichiara
declares

(seguendo la procedura di valutazione della conformità secondo Art.13 Dir. 2006/42/CE)

che la quasi macchina
the partly completed machinery

Miniapplicatore - Stampo Mod. RFYP2120-JS_M Matr. F038878 anno 2025

Applicatore e stampo per l'aggraffatura di terminali metallici su cavi conduttori

Applica e rispetta i requisiti essenziali di sicurezza
1.1.1 – 1.1.3 –1.3.4 della direttiva 2006/42/CE all I
e la documentazione tecnica pertinente è stata compilata in conformità allegato VIIB

It applies and fulfill the essential safety requirements 1.1.1 - 1.1.3 - 1.3.4 - of Directive 2006/42/CE annex 1 and the related technical documentation has been compiled in accordance with part B of annex VII

Ci impegniamo a trasmettere, in risposta da una richiesta adeguatamente motivata delle autorità nazionali, informazioni pertinenti su miniapplicatori / stampi (quasi macchine) in formato digitalizzato

Si dichiara il divieto della messa in servizio di tutti gli applicatori e stampi MECAL definiti "quasi macchine" prima che le macchine sulle quali vengono incorporate siano state dichiarate conformi alle disposizioni della direttiva 2006/42/CE

It is expressely prohibited to put in use all MECAL applicator - defined "partly completed machines" before that the machines hosting the mentioned Mecal applicators are confirmed in compliance with Directive 2006/42/CE

e autorizza
and authorizes
Claudio Aluffo - Str. Per Felizzano,18, 15043 Fubine (AL) Italia
a costituire il fascicolo tecnico
to compile the technical file

luogo e data 10/07/2025
place and date

Fubine

Mecal s.r.l.
Claudio Aluffo

