QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

CLIENT	MODEL		S/N	MAP
YAZAKI SALTANO DE OVAR, P.E. LDA	LMY6261-JG_M		L 86398	
	Cod. KIT	K K013628		
ORDER	TERMINAL TO BE CRIMPED			A#
4510514560	7116-7473-02			

APPLICATOR SETUP

SETUP L.D.P. (mm.)=	213,00	STROKE	35 (mm)		MECAL	S.C.	S.T.M.	Note
Load Cal. (Kg.) =	850			Specification		X		
				Terminal Samples		X		
	Setup	Fixing. Ref.▼		Wire Samples		X		
POSITIVE CAM (Terminal present)	X	A		Housing Samples				
NEGATIVE CAM (Terminal absent)		B		Seal Samples		X		7172-5184
		Fixing. Ref.▲		Applicounter			No	
				Mobile Ejector			No	
				Carrier strip to be cut			Yes	


FEEDING POINT OF THE TERMINAL				
Hole	Slot	Wire wing	Insulation wing	Other
	X			

Automatic machine

C M K	Crimp Height	Pull Force	Section	Photo
			4,00	X

Setup on	Mod.	S/N
Press	P104	35432
Stripper		

Strip length = 12,00 (mm)



CRIMPING

WIRE	INSULATION	BARREL
 F	 C	
Profile dimension Wire C. Profile Width (mm.) 5,1 (toll. +) 0,02	Profile dimension Insulation C. Profile Width (mm.) 8,2 (toll. +) 0,02	Profile dimension Barrel C. Profile Width (mm.) (toll. +)


WIRE CHARACTERISTICS — CRIMPING DIMENSIONS (mm.)

SECTION	COMPOSITION		Insulation	CONDUCTOR				INSULATION				BARREL			Pull Force	Crimp Force
					Required HEIGHT ±	Required WIDTH ±	Measured WIDTH		Required HEIGHT ±	Required WIDTH ±	Measured WIDTH	Required HEIGHT ±	Required WIDTH ±	Measured WIDTH		
mm²	Nb	Ø	Ø	Index Wire	0,05	0,10		Index Insulation	0,10	0,20					Toll. ± 2 % (N.)	C.F.A. (KN.)
5,55 Sez. reale 6,00 FLRY-B	84	0,29	4,20	2,31	3,25	5,30	5,23	2,12	7,75	8,20	8,31				1050	32,12
3,70 Sez. reale 4,00 FLRY-B	56	0,29	3,60	2,58	3,05	5,20	5,21	2,12	7,65	8,20	8,21				755	34,12

CHECK



Description		Rif.	Test
Bent left or right (max)	3°	A	OK
Bent up or down (max)	3°	B	OK
Torsion (max)	3°	C	OK



Description		Rif.	Test
Bellmouth	(0.2-0.5)	D	OK
Cut-off (max)	0.5	E	OK
Wire overlay(min.)	0.5	F	OK


DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
26/10/2017	*Ercole D.*	*Bruno*	*Zatti*

N.B.: MECAL affirms that the MECAL tool is in accordance with the above mentioned characteristics

QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

YAZAKI SALTANO DE OVAR, P.E. LDA | **WIRE** | **LMY6261-JG_M** | **86398**

	Terminal
	7116-7473-02
Wire Section.	4,00
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	



	Terminal
	7116-7473-02
Wire Section.	4,00
CH. (mm.)	3,05
C.W. (mm.)	5,21
Material Compression (%)	16,2
Wire Compression	
Terminal Compression	

	Terminal
	7116-7473-02
Wire Section.	4,00
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	

DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
26/10/2017	*Ercole D.*	*Bruno*	*Zatti*

MECAL	DISTINTA COMPONENTI - PARTS LIST - BESTANDTEILELIST

DATA	26/10/2017
MODELLO	
MODEL	**LMY6261-JG_M**
TYPE	
MODELE	
TERMINALE	
TERMINAL	**7116-7473-02**
KONTAKT	
COSSE	
MATRICOLA	
SERIAL NUI	**L 86398**
REGISTRIERNUMMER	
MATRICULE	


CODICE	Qt.	Rif
600081020	2	50
600060016	2	70
600060016	2	75
880480008	1	80
871980007	1	90
870550002	1	100
601051006	1	120
990140003	1	130
991130001	2	140
620041008	1	150
991320000	1	160
991370028	1	272
911090019	1	274
600040012	1	276
600041008	1	278
600081012	1	280
600060014	2	290
660060035	1	300
790340022	1	520
790400003	2	530
600030016	3	540
990010009	1	550
840010014	1	560
790340001	1	570
790420003	1	580
991160025	1	590
600050016	2	600
991160027	1	610
600060020	1	620
630100106	2	630
600060016	1	640
991160026	1	650
790340005	2	670
991350000	1	710
650242004	2	720
610101008	1	740
600041008	1	750
P0138	0,4	790
600060040	1	320

CODICE	Qt.	Rif
99121 0000	1	10
99122 0009	1	20
99125 0005	1	30
99129 0000	1	60
99129 0000	1	65
99101 0028	1	110
99136 0000	1	170
99136 0001	1	180
60005 0014	1	190
63010 0105	1	200
60004 0010	1	210
63010 0104	1	220
60004 0014	1	230
61010 1004	1	240
62004 1006	2	265
99137 0029	1	270
95127 0207	1	310
95127 0080	1	420
95127 0158	1	421
99128 0004	1	660
91102 0013	1	690
99017 0002	1	700
91106 0090	1	730
91105 0000	1	760
99040 0003	1	800
91124 0288	1	810
60005 1020	2	820
91148 0662	1	830
60004 1008	2	840
91122 0021	1	850
91109 0007	1	860
60005 2010	1	880
91108 0047	1	890
91011 0000	2	900
Personal. **LM_G26-Y**		
98146 2953	**1**	**1000**
98145 2676	**1**	**1010**
99151 0640	1	1070
98127 4189	**1**	**1080**
98127 4190	**1**	**1090**
91130 0385	1	1100
60008 0030	1	1110
91133 0471	**1**	**1120**
91134 0270	**1**	**1130**
91035 0001	1	1140
60005 0035	2	1190
60003 0012	1	1200
91141 0158	1	1210
60006 0014	2	1220
91145 0044	1	1232
91143 0157	1	1234
91035 0002	1	1238
60005 0018	2	1240
61010 1004	1	1242
91143 0061	1	1244
99142 0007	1	1260
99142 0034	1	1261

REV	DATE	DESCRIPTION	REQUIRED	FITMENT


Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069

LM_BLK00-Y



Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069

LM_G26-Y



Dichiarazione di incorporazione
Declaration of incorporation

(All. IIB Dir. 2006/42/CE)

Il fabbricante
The manufacturer

Mecal s.r.l. Strada per Felizzano, 18
15043 Fubine (AL) Italia

dichiara
declares

(seguendo la procedura di valutazione della conformità secondo Art.13 Dir. 2006/42/CE)

che la quasi macchina
the partly completed machinery

Miniapplicatore - Stampo Mod. LMY6261-JG_M Matr. L86398 anno 2017

Applicatore e stampo per l'aggraffatura di terminali metallici su cavi conduttori

Applica e rispetta i requisiti essenziali di sicurezza
1.1.1 – 1.1.3 –1.3.4 della direttiva 2006/42/CE all I
e la documentazione tecnica pertinente è stata compilata in conformità allegato VIIB

It applies and fulfill the essential safety requirements 1.1.1 - 1.1.3 - 1.3.4 - of Directive 2006/42/CE annex 1 and the related technical documentation has been compiled in accordance with part B of annex VII

Ci impegniamo a trasmettere, in risposta da una richiesta adeguatamente motivata delle autorità nazionali, informazioni pertinenti su miniapplicatori / stampi (quasi macchine) in formato digitalizzato

Si dichiara il divieto della messa in servizio di tutti gli applicatori e stampi MECAL definiti "quasi macchine" prima che le macchine sulle quali vengono incorporate siano state dichiarate conformi alle disposizioni della direttiva 2006/42/CE

It is expressely prohibited to put in use all MECAL applicator - defined "partly completed machines" before that the machines hosting the mentioned Mecal applicators are confirmed in compliance with Directive 2006/42/CE

e autorizza
and authorizes

Luigi Aluffo - Str. Per Felizzano,18, 15043 Fubine (AL) Italia

a costituire il fascicolo tecnico
to compile the technical file

luogo e data 26/10/2017
place and date

Fubine

Mecal s.r.l.
Aluffo Luigi
presidente
president