QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

CLIENT	MODEL		S/N	MAP
YAZAKI SALTANO DE OVAR, P.E. LDA	LMY4873-JG_M		L 87161	
	Cod. KIT	K K011016		
ORDER	TERMINAL TO BE CRIMPED			A#
4510576795_YSD-XVK81	7114-5623-02			

APPLICATOR SETUP

SETUP L.D.P. (mm.)=	213,00	STROKE	35 (mm)		MECAL	S.C.	S.T.M.	Note
Load Cal. (Kg.) =	850			Specification			X	
				Terminal Samples		X		
	Setup	Fixing. Ref.▼		Wire Samples		X		
POSITIVE CAM (Terminal present)	X	A		Housing Samples				
NEGATIVE CAM (Terminal absent)		B		Seal Samples		X		7158-3673-90
		Fixing. Ref.▲		Applicounter			No	
				Mobile Ejector			No	
				Carrier strip to be cut			YES	


FEEDING POINT OF THE TERMINAL				
Hole	Slot	Wire wing	Insulation wing	Other
	X			

Automatic machine

C M K	Crimp Height	Pull Force	Section	Photo
			10,00	X

Setup on	Mod.	S/N
Press	P104	35432
Stripper		

Strip length = 11,00 (mm)



CRIMPING

WIRE	INSULATION	BARREL
 F	 C	
Profile dimension Wire C. Profile Width (mm.) 8,1 (toll. +) 0,02	Profile dimension Insulation C. Profile Width (mm.) 11,9 (toll. +) 0,02	Profile dimension Barrel C. Profile Width (mm.) (toll. +)


WIRE CHARACTERISTICS — CRIMPING DIMENSIONS (mm.)

SECTION	COMPOSITION		Insulation	CONDUCTOR				INSULATION				BARREL			Pull Force	Crimp Force
					Required HEIGHT ±	Required WIDTH ±	Measured WIDTH		Required HEIGHT ±	Required WIDTH ±	Measured WIDTH	Required HEIGHT ±	Required WIDTH ±	Measured WIDTH		
mm²	Nb	Ø	Ø	Index Wire	0,05			Index Insulation	0,10						Toll. ± 2 % (N.)	C.F.A. (KN.)
15,04 Sez. reale 16,00 FLRYB	126	0,39	6,80	1,95	5,35		8,31	2,14	10,75		11,98				2500	37,77
9,55 Sez. reale 10,00 FLRYB	80	0,39	5,40	2,66	4,75		8,22	2,30	10,00		11,88				1800	43,22

CHECK



Description		Rif.	Test
Bent left or right (max)	3°	A	OK
Bent up or down (max)	3°	B	OK
Torsion (max)	3°	C	OK



Description		Rif.	Test
Bellmouth	(0.2-0.5)	D	OK
Cut-off (max)	0.5	E	OK
Wire overlay(min.)	0.5	F	OK


DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
12/12/2017	*Ercole D.*	*Bruno*	*Zatti*

N.B.: MECAL affirms that the MECAL tool is in accordance with the above mentioned characteristics

QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

YAZAKI SALTANO DE OVAR, P.E. LDA | **WIRE** | **LMY4873-JG_M** | **87161**

	Terminal
	7114-5623-02
Wire Section.	10,00
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	



	Terminal
	7114-5623-02
Wire Section.	10,00
CH. (mm.)	4,75
C.W. (mm.)	8,22
Material Compression (%)	16,6
Wire Compression	
Terminal Compression	

	Terminal
	7114-5623-02
Wire Section.	10,00
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	

DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
12/12/2017	*Ercole D.*	*Bruno*	*Zatti*

MECAL	DISTINTA COMPONENTI - PARTS LIST - BESTANDTEILELIST

DATA	12/12/2017
MODELLO	
MODEL	**LMY4873-JG_M**
TYPE	
MODELE	
TERMINALE	
TERMINAL	**7114-5623-02**
KONTAKT	
COSSE	
MATRICOLA	
SERIAL NU	**L 87161**
REGISTRIERNUMMER	
MATRICULE	


CODICE	Qt.	Rif
600081020	2	50
600060016	2	70
600060016	2	75
880480008	1	80
871980007	1	90
870550002	1	100
601051006	1	120
990140003	1	130
991130001	2	140
620041008	1	150
991320000	1	160
600050014	1	190
630100105	1	200
600040010	1	210
630100104	1	220
600040014	1	230
610101004	1	240
660060035	1	300
790340022	1	520
790400003	2	530
600030016	3	540
990010009	1	550
840010014	1	560
790340001	1	570
790420003	1	580
991160025	1	590
600050016	2	600
991160027	1	610
600060020	1	620
630100106	2	630
600060016	1	640
991160026	1	650
790340005	2	670
991350000	1	710
650242004	2	720
610101008	1	740
600041008	1	750
P0138	0,4	790

CODICE	Qt.	Rif
99121 0000	1	10
99122 0009	1	20
99125 0005	1	30
99129 0000	1	60
99129 0000	1	65
99101 0028	1	110
99136 0000	1	170
99136 0001	1	180
99137 0029	1	270
99137 0028	1	272
91109 0019	1	274
60004 0012	1	276
60004 1008	1	278
60008 1010	1	280
60006 0012	2	290
95127 0207	1	310
95127 0039	1	420
95127 0202	1	421
99128 0004	1	660
91102 0013	1	690
99017 0002	1	700
91106 0055	1	730
91105 0000	1	760
99040 0003	1	800
91124 0288	1	810
60005 1020	2	820
91148 0532	1	830
60004 1008	2	840
91122 0021	1	850
91109 0007	1	860
60005 2010	1	880
91108 0047	1	890
91011 0000	2	900
Personal. **LM_G06-Y**		
98146 1863	**1**	**1000**
98145 1719	**1**	**1010**
99138 0001	1	1040
99151 0630	1	1070
98127 2545	**1**	**1080**
98127 2546	**1**	**1090**
91130 0385	1	1100
60008 0035	1	1110
91133 0471	**1**	**1120**
91134 0541	**1**	**1130**
91035 0001	1	1140
60005 0045	2	1190
60003 0012	1	1200
91141 0158	1	1210
60006 1012	2	1220
99142 0044	1	1260

REV	DATE	DESCRIPTION	REQUIRED	FITMENT


Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069

LM_BLK00-Y



Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069

LM_G06-Y



Dichiarazione di incorporazione
Declaration of incorporation

(All. IIB Dir. 2006/42/CE)

Il fabbricante
The manufacturer

Mecal s.r.l. Strada per Felizzano, 18
15043 Fubine (AL) Italia

dichiara
declares

(seguendo la procedura di valutazione della conformità secondo Art.13 Dir. 2006/42/CE)

che la quasi macchina
the partly completed machinery

Miniapplicatore - Stampo Mod. LMY4873-JG_M Matr. L87161 anno 2017

Applicatore e stampo per l'aggraffatura di terminali metallici su cavi conduttori

Applica e rispetta i requisiti essenziali di sicurezza
1.1.1 – 1.1.3 –1.3.4 della direttiva 2006/42/CE all I
e la documentazione tecnica pertinente è stata compilata in conformità allegato VIIB

It applies and fulfill the essential safety requirements 1.1.1 - 1.1.3 - 1.3.4 - of Directive 2006/42/CE annex 1 and the related technical documentation has been compiled in accordance with part B of annex VII

Ci impegniamo a trasmettere, in risposta da una richiesta adeguatamente motivata delle autorità nazionali, informazioni pertinenti su miniapplicatori / stampi (quasi macchine) in formato digitalizzato

Si dichiara il divieto della messa in servizio di tutti gli applicatori e stampi MECAL definiti "quasi macchine" prima che le macchine sulle quali vengono incorporate siano state dichiarate conformi alle disposizioni della direttiva 2006/42/CE

It is expressely prohibited to put in use all MECAL applicator - defined "partly completed machines" before that the machines hosting the mentioned Mecal applicators are confirmed in compliance with Directive 2006/42/CE

e autorizza
and authorizes

Luigi Aluffo - Str. Per Felizzano,18, 15043 Fubine (AL) Italia

a costituire il fascicolo tecnico
to compile the technical file

luogo e data 12/12/2017
place and date

Fubine

Mecal s.r.l.
Aluffo Luigi
presidente
president