QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

CLIENT	MODEL		S/N	MAP
YAZAKI SALTANO DE OVAR, P.E. LDA	LMY6261-JG_M		L 93655	
	Cod. KIT	K K013628		
ORDER	TERMINAL TO BE CRIMPED			A#
4511162723	7116-7473-02			

APPLICATOR SETUP

SETUP L.D.P. (mm.)=	213,00	STROKE	35 (mm)		MECAL	S.C.	S.T.M.	Note
Load Cal. (Kg.) =	850			Specification		X		
				Terminal Samples		X		
	Setup	Fixing. Ref.▼		Wire Samples		X		
POSITIVE CAM (Terminal present)	X	A		Housing Samples				
NEGATIVE CAM (Terminal absent)				Seal Samples		X		7172-5643-50
		Fixing. Ref.▲		Applicounter			No	
				Mobile Ejector			No	
				Carrier strip to be cut			Yes	


FEEDING POINT OF THE TERMINAL				
Hole	Slot	Wire wing	Insulation wing	Other
	X			

Automatic machine

CMK	Crimp Height	Pull Force	Section	Photo
			4,00	X

Setup on	Mod.	S/N
Press	P80	69384
Stripper		

Strip length = 12±0,5 (mm)



CRIMPING

WIRE	INSULATION	BARREL
 F	 C	
Profile dimension Wire C. Profile Width (mm.) 5,10 (toll. +) 0,02	Profile dimension Insulation C. Profile Width (mm.) 8,20 (toll. +) 0,02	Profile dimension Barrel C. Profile Width (mm.) (toll. +)


WIRE CHARACTERISTICS — CRIMPING DIMENSIONS (mm.)

SECTION	COMPOSITION		Insulation	CONDUCTOR				INSULATION				BARREL			Pull Force	Crimp Force
					Required HEIGHT ±	Required WIDTH ±	Measured WIDTH		Required HEIGHT ±	Required WIDTH ±	Measured WIDTH	Required HEIGHT ±	Required WIDTH ±	Measured WIDTH		
mm²	Nb	Ø	Ø	Index Wire	0,05	0,10		Index Insulation	0,10	0,20					Toll. ± 2 % (N.)	C.F.A. (KN.)
5,93 Sez. reale																
6,00 KABFLYW	84	0,30	4,60	2,00	3,25	5,30	5,24	2,17	7,76	8,20	8,31				900	7,40
3,96 Sez. reale																
4,00 KABFLYW	56	0,30	4,20	2,24	3,05	5,20	5,20	2,17	7,65	8,20	8,26				650	5,50

CHECK



Description		Rif.	Test
Bent left or right (max)	3°	A	OK
Bent up or down (max)	3°	B	OK
Torsion (max)	3°	C	OK



Description		Rif.	Test
Bellmouth	0,8±0,4	D	OK
Cut-off (max)	0.5	E	OK
Wire overlay	0,1~0,5	F	OK


DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
5/9/2018	*Ercole*	*Toniato*	*Zatti*

N.B.: MECAL affirms that the MECAL tool is in accordance with the above mentioned characteristics

QUALITY AND TECHNICAL DATA CERTIFICATE FOR APPLICATOR

YAZAKI SALTANO DE OVAR, P.E. LDA | **WIRE** | **LMY6261-JG_M** | **93655**

	Terminal
	7116-7473-02
Wire Section.	4,00
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	



	Terminal
	7116-7473-02
Wire Section.	4,00
CH. (mm.)	3,05
C.W. (mm.)	5,20
Material Compression (%)	17,5
Wire Compression	
Terminal Compression	

	Terminal
	7116-7473-02
Wire Section.	4,00
CH. (mm.)	
C.W. (mm.)	
Material Compression (%)	
Wire Compression	
Terminal Compression	

DATE	OPERATOR SIGNATURE	CONTROLLER SIGNATURE	QUALITY RESPONSIBLE
5/9/2018	*Ercole*	*Toniato*	*Zatti*

MECAL

DISTINTA COMPONENTI - PARTS LIST - BESTANDTEILELIST

DATA 05/09/2018

MODELLO
MODEL **LMY6261-JG_M**
TYPE
MODELE

TERMINALE
TERMINAL **7116-7473-02**
KONTAKT
COSSE

MATRICOLA
SERIAL NU **L 93655**
REGISTRIERNUMMER
MATRICULE


CODICE	Qt.	Rif
600081020	2	50
600060016	2	70
600060016	2	75
880480008	1	80
871980007	1	90
870550002	1	100
601051006	1	120
990140003	1	130
991130001	2	140
620041008	1	150
991320000	1	160
991370028	1	272
911090019	1	274
600040012	1	276
600041008	1	278
600081012	1	280
600060014	2	290
660060035	1	300
790340022	1	520
790400003	2	530
600030016	3	540
990010009	1	550
840010014	1	560
790340001	1	570
790420003	1	580
991160025	1	590
600050016	2	600
991160027	1	610
600060020	1	620
630100106	2	630
600060016	1	640
991160026	1	650
790340005	2	670
991350000	1	710
650242004	2	720
610101008	1	740
600041008	1	750
P0138	0,4	790
600060040	1	320

CODICE	Qt.	Rif
99121 0000	1	10
99122 0009	1	20
99125 0005	1	30
99129 0000	1	60
99129 0000	1	65
99101 0028	1	110
99136 0000	1	170
99136 0001	1	180
60005 0014	1	190
63010 0105	1	200
60004 0010	1	210
63010 0104	1	220
60004 0014	1	230
61010 1004	1	240
62004 1006	2	265
99137 0029	1	270
95127 0207	1	310
95127 0080	1	420
95127 0158	1	421
99128 0004	1	660
91102 0013	1	690
99017 0002	1	700
91106 0090	1	730
91105 0000	1	760
99040 0003	1	800
91124 0288	1	810
60005 1020	2	820
91148 0662	1	830
60004 1008	2	840
91122 0021	1	850
91109 0007	1	860
60005 2010	1	880
91108 0047	1	890
91011 0000	2	900
Personal. **LM_G26-Y**		
98146 2953	**1**	**1000**
98145 2676	**1**	**1010**
99151 0640	1	1070
98127 4189	**1**	**1080**
98127 4190	**1**	**1090**
91130 0385	1	1100
60008 0030	1	1110
91133 0471	**1**	**1120**
91134 0270	**1**	**1130**
91035 0001	1	1140
60005 0040	2	1190
60003 0012	1	1200
91141 0218	1	1209
91141 0947	1	1210
62104 0010	1	1211
60005 0012	2	1212
60006 0014	2	1220
91145 0044	1	1232
91143 0157	1	1234
91035 0002	1	1238
60005 0018	2	1240
61010 1004	1	1242
91143 0061	1	1244
99142 0007	1	1260
99142 0034	1	1261

REV	DATE	DESCRIPTION	REQUIRED	FITMENT


Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069

LM_BLK00-Y



Mecal Srl
Sede legale e Stab.: Strada per Felizzano, 18 - 15043 Fubine (Al)
Tel. (0131) 792792 - Fax (0131) 792733/792734Cap. Soc. € 500.000 int.vers.
Registro delle Imprese di Alessandria n. 11690 - CCIAA Alessandria - REA N. 153887 - N. Meccanografico AL002563
Codice Fiscale 01328270069 - Codice ISO: IT - Partita Iva: 01328270069

LM_G26-Y



Dichiarazione di incorporazione
Declaration of incorporation

(All. IIB Dir. 2006/42/CE)

Il fabbricante
The manufacturer

Mecal s.r.l. Strada per Felizzano, 18
15043 Fubine (AL) Italia

dichiara
declares

(seguendo la procedura di valutazione della conformità secondo Art.13 Dir. 2006/42/CE)

che la quasi macchina
the partly completed machinery

Miniapplicatore - Stampo Mod. LMY6261-JG_M Matr. L93655 anno 2018

Applicatore e stampo per l'aggraffatura di terminali metallici su cavi conduttori

Applica e rispetta i requisiti essenziali di sicurezza
1.1.1 – 1.1.3 –1.3.4 della direttiva 2006/42/CE all I
e la documentazione tecnica pertinente è stata compilata in conformità allegato VIIB

It applies and fulfill the essential safety requirements 1.1.1 - 1.1.3 - 1.3.4 - of Directive 2006/42/CE annex 1 and the related technical documentation has been compiled in accordance with part B of annex VII

Ci impegniamo a trasmettere, in risposta da una richiesta adeguatamente motivata delle autorità nazionali, informazioni pertinenti su miniapplicatori / stampi (quasi macchine) in formato digitalizzato

Si dichiara il divieto della messa in servizio di tutti gli applicatori e stampi MECAL definiti "quasi macchine" prima che le macchine sulle quali vengono incorporate siano state dichiarate conformi alle disposizioni della direttiva 2006/42/CE

It is expressely prohibited to put in use all MECAL applicator - defined "partly completed machines" before that the machines hosting the mentioned Mecal applicators are confirmed in compliance with Directive 2006/42/CE

e autorizza
and authorizes
Claudio Aluffo - Str. Per Felizzano,18, 15043 Fubine (AL) Italia
a costituire il fascicolo tecnico
to compile the technical file

luogo e data 05/09/2018
place and date

Fubine

Mecal s.r.l.
Claudio Aluffo