Product name	87 APPLICATOR (End feed)	Terminal No.	7116-3995
Product No.	C0333S−0747		

Common No.			
	−	−	−
	−	−	−
	−	−	−

No.	Part No.	Drawing No.	Part name	QTY	Material	Notes	
			＜Common parts of side feed and end feed＞				
1	C0333L-0001-01A		SHANK	1	SK2	48A1901A	
2	C0333L-0001-002		SHANK ADJUSTING NUT	1	SK2	48A19002	
3	C0333L-0001-003		SHANK ADJUSTING SCREW	1	SK2	48A49003	
4	C0333L-0001-004		SHANK ADJUSTING SCREW SPACER	1	SK2	48A19004	
5	C0333L-0001-005		INSULATION CRIMPER DICE	1	SKS3	48A19005	
6	C0333L-0001-006		SHANK ADJUSTING SCREW SP.	1	SWP	48A19006	
7	C0333L-0001-007	-022	INSULATION ADJUSTING PIECE	1	SK3	48A19007	-022
8	C0333L-0001-008		INSULATION ADJUSTING PIECE SPACER	1	SK2	48A19008	
9	C0333L-0001-009		RAM GUIDE PLATE (A)	1	SK2	48A19009	
10	C0333L-0001-010		FEED ADJUSTING SCREW	1	SK2	48A19010	
11	C0333L-0001-011		PIVOT PIN	1	SK3	48A19011	
12	C0333L-0001-012		PIVOT BUSH	1	SK2	48A19012	
13	C0333L-0001-013		ADJUSTING PLATE	1	S45C	48A19013	
14	C0333L-0001-014		FEEDING LEVER (A)	1	SK2	48A19014	
15	C0333L-0001-015		FEEDING ROLLER	1	SCM3	48A19015	
16	C0333L-0001-016		FEEDING ROLLER SHAFT	1	SK2	48A19016	
17	C0333L-0001-017		FEEDING CLAW SPRING	1	SWP	48A19017	
18	C0333L-0001-018		RETURN SPRING	1	SWP	48A19018	
19	C0333L-0001-019	-036	BUSH	1	SK2	48A19019	-036
20	C0333L-0001-020		INSTALLATION PLATE POSITIONING BLOCK	1	SK2	48A19020	

					Requested		
					YWTC		
					Designed date		
					17-05-2010		
					Approved	Designed	
	17-05-2010				S.Junior	C.Almeida	Issued mark
Let	Date	Revision recode	No.	Revised	17-05-2010	17-05-2010	

Product name	87 APPLICATOR (End feed)	Terminal No.	7116-3995
Product No.	C0333S−0747		

No.	Part No.	Drawing No.	Part name	QTY	Material	Notes	
21	C0333L-0001-058		INSTALLATION PLATE BLIND PLATE	1	SK2	48A19058	
22	C0333L-0001-021	-002	WIRE HOLDER	1	SK2	48A19021	-002
23	C0333L-0001-022	-001	CUTTING PUNCH/WIRE HOLDER	1	SKS3	48A19022	-001
24	C0333L-0001-023		WIRE HOLDER SPRING	2	SWP	48A19023	
※Cutting punch carrier(C0333L-0001-059) must be used if the total thick size of crimpers over 9.1.							
25	C0333L-0001-059		CUTTING PUNCH CRRIER	1	SK2	48A19059	
※C0333L-0001-055,-056 must be used if applicator is applicable foe manual crimping machine.							
26	C0333L-0001-057		SAFETY COVER	1	アクリル	48A19057	
27	C0333L-0001-056		SAFETY COVER FIXING SCREW	1	S45C	48A19056	
TERMINAL SCRAPER(C0333L-0001-047)must be used if applicator is applicable automatic crimping machine(AP							
28	C0333L-0001-047	-001	TERMINAL SCRAPER	1	SPC-C	48A19047	-001
＜Parts used end feed applicater＞							
29	C0333S-0001-001		FRAME	1	FC25	48A20001	
30	C0333S-0001-002		RAM	1	SKS3	48A20002	
31	C0333S-0001-003		INSTALLATION PLATE	1	SK2	48A20003	
32	C0333S-0001-035		RAM GUIDE PLATE (B)	1	SK2	48A20035	
33	C0333S-0001-004		PIVOT BLOCK	1	SK2	48A20004	
34	C0333S-0001-005		FEEDING ROD	1	SK2	48A20005	
35	C0333S-0001-006		FEEDING ROD GUIDE PLATE	1	SK2	48A20006	
36	C0333S-0001-007		FEEDING CAM	1	SKS3	48A20007	
37	C0333S-0001-011		FEEDING LEVER (B)	1	SK2	48A20011	
38	C0333S-0001-012	-006	FEEDING CLAW	1	SK2	7116-3995	PYF
39	C0333S-0001-013	-001	BASE	1	SK2	48A20013	-001
40	C0333S-0001-014	-002	TERMINAL GUIDE PLATE A	1	SK2	7116-3995	PYG

Let	Date	Revision recode	No.	Revised	Requested / YWTC	Designed date / 17-05-2010	Approved / Designed	Issued mark
	17-05-2010						S.Junior / C.Almeida	
					17-05-2010	17-05-2010		

Product name	87 APPLICATOR (End feed)	Terminal No.	7116-3995
Product No.	C0333S−0747		

No.	Part No.	Drawing No.	Part name	QTY	Material	Notes	
41	C0333S-0001-015	-002	TERMINAL GUIDE PLATE B	1	SK2	7116-3995	PYH
42	C0333S-0001-016	-001	ADJUSTING BLOCK	1	S45C	48A20016	-001
43	C0333S-0001-017	-001	TERMINAL HOLDER	1	SK2	48A20017	-001
44	C0333S-0001-018	-001	TERMINAL HOLDER SET PARTS	1	SK2	48A20018	-001
45	C0333S-0001-019		TERMINAL HOLDER GUIDE PIN	4	SK2	48A20019	
46	C0333S-0001-008	-001	SUPPORTING STOPPER	1	SK2	48A20008	-001
47	C0333S-0001-009		SUPPORTING STOPPER GUIDE	1	SK2	48A20009	
48	C0333S-0001-010		SUPPORTING STOPPER SP.	1	SWP	48A20010	
※C0333S-0001-021,-022,-023,-024,-038 must be used if applicator is applicable foe manual crimping machine.							
49	C0333S-0001-021	-001	WIRE STOPPER	1	SK2	48A20021	-001
50	C0333S-0001-022		WIRE STOPPER SHAFT	1	SK2	48A20022	
51	C0333S-0001-023		WIRE STOPPER ADJUSTING PLATE	1	S45C	48A20023	
52	C0333S-0001-024		WIRE STOPPER ADJUSTING PIECE	1	S45C	48A20024	
53	C0333S-0001-038		Spacer of wire stopper		Hardened stee	48A20038	As the case may be use
54	C0333S-0001-025	-036	SHEAR BLADE SPACER	1	SK2	48A20025	-036
55	C0333S-0001-026		SHEAR BLADE ADJUSTING SPACER	2	SK2	48A20026	
56	C0333S-0001-027	-007	SHEAR BLADE	1	SKS3	-007	PS(?.?)
57	C0333S-0001-028	-003	FRONT SHEAR BLADE	1	SKS3	7116-3995	PF
58	C0333S-0001-029	-007	REAR SHEAR BLADE	1	SKS3	-007	PR(AorB?.?)
59	C0333S-0001-030	7116-3995	WIRE CRIMPER	1	S7	7116-3995	PW
60	C0333S-0001-031	7116-3995	INSULATION CRIMPER	1	SUP9	7116-3995	PI
61	C0333S-0001-032	7116-3995	ANVIL	1	S7	7116-3995	PA
62	C0333S-0001-033	-001	SHEAR BLADE HOLDER PLATE	1	SK2	7116-3995	PZA
~~63~~	~~C0333S-0001-034~~	~~-001~~	~~TERMINAL UPPER PREVENTION PLATE~~	~~1~~	~~SK2~~	~~48A20034~~	~~-001~~

Let	Date	Revision recode	No.	Revised
	17-05-2010			

Requested	
YWTC	
Designed date	
17-05-2010	
Approved	Designed
S.Junior	C.Almeida
17-05-2010	17-05-2010

Issued mark

Product name	87 APPLICATOR (End feed)	Terminal No.	7116-3995
Product No.	C0333S－0747		

No.	Part No.	Drawing No.	Part name	QTY	Material	Notes
			＜Purchasing parts＞			
64	C0333L-0001-064		Φ5 STEEL BALL	1		48A19064
65	C0333L-0001-065		NUT of PIVOT BUSH	1	M12	Type 2 (48A19065)
66	C0333L-0001-066		WASSHER of PIVOT BUSH	1	M12	Type 2 (48A19066)
67	C0333L-0001-067		STROKE ADJUSTING HEX BOLT	1	M4×L35	48A19067
68	C0333L-0001-068		HEX.NUTS WITH FLANGE	5	M4	48A19068
69	C0333L-0001-069		FEEDING CLAW PIN	1	DOWEL PIN	Φ5,m6,L20 (48A19069)
70	C0333L-0001-070		FEEDING LEVER PIN	1	DOWEL PIN	Φ5,m6,L15 (48A19070)
71	C0333L-0001-071		FEEDING LEVER SHAFT	1	DOWEL PIN	Φ5,m6,L20 (48A19071)
72	C0333L-0001-072		PIN of INSUTALLATING FRAME	2	SPRING PIN	Φ5×L20 (48A19072)
73	C0333L-0001-074		TERMINAL HOLDER SPRING	4	SANESUBANE	A08-05 (48A20036)
74	C0333L-0001-072		PIN of INSUTALLATING FRAME	1	SPRING PIN	Φ5×L15 (48A20037)
75	C0333L-0001-075		MAGNET WASHER	(1)	775631	SMD No. (48A19075)
			＜Optional parts＞			
76	C0432-2851		COUNTER FOR APPLICATOR	1set	48ZZ300A	Applicable 87AP Side feed.
77	48A19201		BLIND PLATE	1		For crimp monitor
78	48A19202001		BLOCK	1	For Φ44	For crimp monitor
79	48A19202002		BLOCK	1	For Φ46	For crimp monitor
80	48A19203		DOG	1		For crimp monitor
81	48A20400		Easy(Unit preventing transformation terminal)	1		For 87AP End feed

Let	Date	Revision recode	No.	Revised
	17-05-2010			

Requested	
YWTC	
Designed date	
17-05-2010	
Approved	Designed
S.Junior	C.Almeida
17-05-2010	17-05-2010

Issued mark