

Middlewares Documentation

NotificationMiddleware Documentation

File Structure

Component	File
NotificationMiddleware	NotificationMiddleware.cs

Core Class

Class	Description
NotificationMiddleware	ASP.NET Core middleware that automatically handles toast notifications for CRUD operations by intercepting HTTP responses and storing session-based messages.

Constructor Dependencies

Dependency	Purpose
RequestDelegate next	Invokes the next middleware in the pipeline

Methods

Method	Purpose	Parameters
InvokeAsync	Processes HTTP requests and sets toast notifications based on controller action results.	HttpContext context IStringLocalizer for localization

INDEX

NotificationMiddleware Documentation

RequestLoggingMiddleware
Documentation

Operation Detection Logic

Condition	Behavior
HTTP Method	Processes POST requests only
Area	Excludes Identity area requests
Status Code	Triggers notifications on 302 redirects
Route Analysis	Detects CRUD action from route values

Action-Specific Notifications

Action	Condition	Toast Key	Toast Type
AddEdit	No ID	ToastAdd	Success
AddEdit	With ID	ToastEdit	Success
Create	—	ToastAdd	Success
Edit	—	ToastEdit	Success
Delete	—	ToastDelete	Error
Other	—	ToastDone	Success

Error Handling

Status Code	Toast Key	Toast Type
500	ToastFailed	Error

Session Storage

Session Key	Description
ToastMessage	Localized notification text
ToastType	Visual style (success / error)
ToastKey	Unique toast identifier

Middleware Registration

```
// Program.cs
app.UseMiddleware<NotificationMiddleware>();
```

INDEX

NotificationMiddleware Documentation

RequestLoggingMiddleware
Documentation

RequestLoggingMiddleware Documentation

File Structure

Component	File
RequestLoggingMiddleware	RequestLoggingMiddleware.cs
NoLoggingAttribute	Attribute for excluding logging
YesGetAttribute	Attribute for including GET logging

Constructor Dependencies

Dependency	Purpose
RequestDelegate	Next middleware in pipeline
ILogger	Application logging
IHttpContextAccessor	HTTP context access

Logging Rules

Rule	Behavior
Status Codes	Logs only 200 and 302 responses
GET Requests	Excluded unless [YesGet] is applied
NoLogging	Respects [NoLogging] attribute
Area Support	Handles Admin and Member areas separately

Middleware Registration

```
// Program.cs
app.UseMiddleware<RequestLoggingMiddleware>();
```