



CYBER SENTINEL XDR

Update & Publish Guide

How to change the product, rebuild it, and put it on GitHub

A plain-English runbook you can follow yourself — no special tools required.

Extended Detection & Response Platform | Version 1.0.0

1. What this guide covers

This explains the exact steps to (a) change something in Cyber Sentinel XDR, (b) rebuild the installers, (c) save the code to GitHub, and (d) publish the new installers on the GitHub **Releases** page so people can download them. Follow the steps top to bottom.



2. Tools you need (one-time setup)

- **Git** – to save code to GitHub. Check: open PowerShell and type `git --version`.
- **Node.js** – to build the dashboard. Check: `node --version`.
- **Python** (the project's Backend\venv) – already set up; used to build the .exe files.
- **Inno Setup 6** – to build the Windows installer. Installed at C:\Program Files (x86)\Inno Setup 6\ISCC.exe.
- A **GitHub account** logged in to your browser (for the Releases page).

3. Where everything lives

Folder map	
cyber-sentinal-xdr-main\	the project (your code)
Backend\	server code (Python)
Cyber Sentinel XDR Frontend\	the dashboard (React); build output in build\
packaging\	build scripts, installer (.iss), server_control.py
C:\csxbldist\backend\	the built server bundle (backend.exe + _internal)
C:\csxbldist\installer_out\	the finished installer .exe files

4. Rebuild the product

Do only the steps that match what you changed. Run commands in **PowerShell**.

A

Changed the dashboard (any .tsx / .ts file)?

Rebuild the dashboard:

```
cd "C:\Users\beeb9\Downloads\Compressed\New folder\cyber-sentinal-xdr-main\Cyber Sentinel XDR"
$env:CI="false"; npm run build
```

Then copy the fresh dashboard into the server bundle:

```
robocopy "build" "C:\csxb\dist\backend\_internal\frontend" /MIR
```

B

Changed backend Python (.py in Backend\)?

Re-freeze the server (this is the long one, 10–20 min):

```
cd "C:\Users\beeb9\Downloads\Compressed\New folder\cyber-sentinal-xdr-main\packaging"
& "..\Backend\venv\Scripts\python.exe" -m PyInstaller --clean --noconfirm `
    --distpath C:\csxb\dist --workpath C:\csxb\build backend.spec
```

If you only changed the dashboard, SKIP this – step A is enough.

C

Changed the Server Control Panel (server_control.py)?

Re-freeze it (small, ~2 min), then copy into the bundle:

```
cd "...packaging"
& "..\Backend\venv\Scripts\python.exe" -m PyInstaller --onefile --noconsole `
    --collect-submodules pymongo --collect-submodules dns `
    --distpath C:\csxb\ctl_dist server_control.py
copy C:\csxb\ctl_dist\ServerControl.exe C:\csxb\dist\backend\ServerControl.exe
```

D

Rebuild the installer (always, after A–C)

Compile the Windows installer (~4 min):

```
& "C:\Program Files (x86)\Inno Setup 6\ISCC.exe" `
    "...packaging\installer\CyberSentinelXDR-Server.iss"
```

Output:

C:\csxb\installer_out\CyberSentinelXDR-Server-Setup-1.0.0.exe. The endpoint installer is built the same way from CyberSentinelXDR.iss.

5. Save the code to GitHub

From the project folder, in PowerShell:

```
cd "C:\Users\beeb9\Downloads\Compressed\New folder\cyber-sentinal-xdr-main"
git add .
git commit -m "Describe what you changed"
git push origin HEAD:main
```

Never commit secrets

Do NOT commit `.env` or `endpoint_agent\setup_endpoint.ps1` (they contain your API key). They are already in `.gitignore`; just don't force-add them.

Your GitHub repository:

```
https://github.com/Mazhar-codes/CYBER-DENTINAL-XDR
```

6. Publish installers on the Releases page

This is done in your web browser – no command line needed:

1

Open the Releases page

Go to your repo, click **Releases** (right side), then **Draft a new release** (or click an existing release and **Edit** to replace files).

2

Pick a tag

Set the tag to **v1.0.0** (or a new number like v1.0.1 for a new version) and Target = **main**.

3

Attach the installers

Drag these two files into the **Assets** box:

```
C:\csxb\installer_out\CyberSentinelXDR-Server-Setup-1.0.0.exe    (server)
...\packaging\dist\CyberSentinelXDR-Setup-1.0.0.exe            (endpoint)
```

If replacing an old file with the same name, delete the old asset first (the small **X** next to it).

4

Publish

Add a short description (which file is which) and click **Publish release**. Anyone can now download from the release link.

7. Good to know (common issues)

- “database offline” at login – the server can’t reach MongoDB. Open the Server Control Panel, set the correct **MongoDB URI** (local or your Atlas string), click **Test Database**. Also needs stable internet + port

27017 open for Atlas.

- **“XDR_API_KEY must be set”** – the .env has a weak key. Use the Control Panel's **Regenerate** next to API Key, then **Save**.
- **Installer build fails with a long-path error** – always build to the short path C:\csxb (already in the commands above).
- **Unsigned installer warning (SmartScreen)** – normal. Click **More info** → **Run anyway**.

Quick recap

Edit → rebuild (A–D) → git add / commit / push → upload the new .exe on the Releases page.
That's the whole cycle.