```
Time: 3 Hours
                                                                                   Total Marks: 80
             N.B
                (1) Question no. 1 is compulsory.
                (2) Attempt any 3 from the remaining questions.
                (3) Assume suitable data if necessary.
                (4) Figures to right indicate full marks.
             Attempt the Multiple Choice Questions
Q.1
             i)#include<stdio.h>
            int main()
               int a=0;
               a=a+++a++-a+++++a;
               printf("%d\n", a);
               return 0;
             The output of above program is
                          (b) 0
                                                          (d) Error
             (a) 2
                                      (c) 3
             ii) Which of the following operator can be used to access value at address stored in a
             pointer variable?
             (a) *
                        (b) @
                                      (c) &
                                                          (d) &&
             iii)In C Programming which of the operator have the highest precedence
             (a) Relational
                                 (b) Arithmetic
                                                       (c)Bitwise
                                                                              (d) Logical
             iv) Which of the following are themselves a collection of different data types?
             (a) string
                             (b) 2D Arrays
                                                  (c) structures
                                                                          (d) char
             v) If x and b are the float variable what is the value of x when x=sizeof(b).
             (a) 2
                       (b) 3
                                                (d) Null
                                  (c) 4
            vi)The default value of static storage class variable is
                                (b) Garbage
              (a) Zero
                                                    (c) One
                                                                           (d) None of above
            Find the output of following
                                                                                                       4
             i)) #include <stdio.h>
            int main()
                    int a=1;
                    do{
                           a++;
                            ++a;
                    \} while(a++>25);
                    printf("%d\n",a);
                    return 0;
```

69838

Paper / Subject Code: 29704 / Structured Programming Approach

```
ii) #include <stdio.h>
             int main()
                    int x;
                    x = 10;
                    if(x > 10)
                       x = 10;
                    else if(x \ge 0)
                            x += 00;
                    else if(x)
                            x += 10;
                    else
                            x = 10;
                    printf("%d\n",x);
                    return 0;
             }
            Convert the following
       c)
                                                                                                        6
             i)153 from base 10 to Hexadecimal
             ii)1100 1101 1001 1011 from base 2 to decimal
             iii) 143 from base 8 to decimal
            Differentiate between Structure and Union
                                                                                                        4
       d)
Q.2
             What is recursion? Write a program using recursion to calculate the value of Z=X<sup>Y</sup>.
       a)
       b)
             Write a function to reverse a 3 digit number
                                                                                                        6
       c)
              Write a program to display following pattern
                                                                                                        6
                             0
                           0.1
                         010
                        0101
                       01010
       a)
             Write a program to find the frequency of digits in a set of numbers and remove duplicates
Q.3
             from an array .For ex. array A = \{1,2,3,4,2,5,2\} frequency of 2 is 3 and resultant array is
             A = \{1,2,3,4,5\}.
             Explain the concept of nested structure? Declare a structure to enter employee
       b)
                                                                                                       10
             Information like name, id, salary, date of joining. Use nested structure to get the address
             of an employee. Write a program to read 10 records and display them.
            Explain strncat() & strcpy() with example. Also write a program to check whether entered 10
Q.4
       a)
             string is palindrome or not without using inbuilt string functions.
             Differentiate between call by value and call by reference. Write a program to calculate 10
       b)
             Factorial of a number using call by reference.
```

69838 Page 2 of 3

Q.5	a) b)	What is file? Explain the functions available for Reading & Writing data of files? Write a program to take student information from user and store it in file. Write a program to calculate sum of diagonal elements of a matrix. For ex. 1 2 3 5 9 8 1 4 7 Calculate the sum of diagonal elements=3+9+1=13	10
Q.6	a)	Explain storage classes with example.	10
	b) c)	Write a program to find greatest number among three entered number using ternary operator Write a program to calculate the sum of series x-x/2!+x/3!-x/4!x/n!	4

69838 Page 3 of 3