



Echo-Guard IoT

Pipeline Integrity Incident Report

GENERATED

25 June 2026 at 11:32:41

ORGANISATION


Maziv Technologies Limited

SYSTEM

Echo-Guard IoT v1.0

Executive Summary

This report summarises pipeline security events recorded by the Echo-Guard IoT distributed sensor network. All data is sourced directly from the SQLite event database and reflects the period up to the time of generation.



Threat Type Breakdown



Activity Per Node



Active Simulation Settings

Parameter	Value	Description
Confidence Threshold	90%	CNN minimum confidence to confirm vandalism
Tick Interval	3500ms	How often the engine checks for events
Threat Probability	18%	Chance per tick of a threat event
Ambient Probability	14%	Chance per tick of ambient noise
Mesh Hop Delay	400ms	LoRa propagation delay per node hop
Post-Alert Reset Delay	5000ms	Duration nodes stay in alert state
SMS Alerts	Enabled	SMS dispatch on confirmed vandalism
Telegram Alerts	Enabled	Telegram dispatch on confirmed vandalism
Persist to Database	Enabled	Save events to SQLite backend
Auto-Simulation	Enabled	Random event injection while running

Full Alert Log

1 total records · 1 confirmed alerts · 0 ambient events

Timestamp	Node	Threat	Confidence	Severity	Response	Notified
25/06/26, 11:32:41	N1	Pipeline impact	95.0%	ALERT	1.2s	Yes