

```
<h1>CHARACTER RECORD</h1>
<div style="font-size: 9pt; opacity: 0.8;">EDA
RPG</div>
```

```
<div class="field-group">
  <span class="label">Character Name</span>
  <input type="text" name="char_name"
style="font-size: 14pt; font-weight: bold;">
</div>
<div class="field-group">
  <span class="label">Lineage & Heritage</span>
  <input type="text" name="lineage">
</div>
<div class="field-group">
  <span class="label">Total XP</span>
  <div class="box-input" style="height: 30px;">
    <input type="text" name="xp">
  </div>
</div>
```

```
<!-- LEFT COLUMN PAGE 1 -->
<div style="display: flex; flex-direction:
column; gap: 10px;">
  <!-- ATTRIBUTES -->
  <div>
    <div class="section-header">Attributes</div>
    <div class="attributes-container">
      <div class="attribute-row">
        <div class="attribute-name">STRENGTH
<span class="attribute-abbr">STR</span></div>
        <div class="box-input"><input type="text"
name="attr_str"></div>
      </div>
      <div class="attribute-row">
        <div class="attribute-name">AGILITY <span
class="attribute-abbr">AGI</span></div>
        <div class="box-input"><input type="text"
name="attr_agi"></div>
      </div>
      <div class="attribute-row">
        <div class="attribute-name">LOGIC <span
class="attribute-abbr">LOG</span></div>
        <div class="box-input"><input type="text"
name="attr_log"></div>
```

```
</div>
<div class="attribute-row">
  <div class="attribute-name">INSTINCT
<span class="attribute-abbr">INS</span></div>
  <div class="box-input"><input type="text"
name="attr_ins"></div>
</div>
<div class="attribute-row">
  <div class="attribute-name">CHARISMA
<span class="attribute-abbr">CHA</span></div>
  <div class="box-input"><input type="text"
name="attr_cha"></div>
</div>
<div class="attribute-row">
  <div class="attribute-name">CONSTITUTION
<span class="attribute-abbr">CON</span></div>
  <div class="box-input"><input type="text"
name="attr_con"></div>
</div>
</div>
</div>
<!-- TALENTS -->
<div style="flex: 1; display: flex; flex-
direction: column;">
  <div class="section-header">Talents &
Abilities</div>
  <div style="border: 1px solid #ccc; padding:
5px; background: #fdfaf3; margin-bottom: 5px;">
    <span class="label">Heritage Traits</span>
    <input type="text" name="heritage_traits">
  </div>
  <table class="weapons-table" style="flex:
1;">
    <tr style="height: 20px;">
      <th width="10%" style="text-align:
center;">Tier</th>
      <th width="30%">Name</th>
      <th width="60%">Effect</th>
    </tr>
    <tr>
      <td><input type="text" style="text-align:
center;"></td>
      <td><input type="text"></td>
```

```
<td><input type="text"></td>
</tr>
<tr>
<td><input type="text" style="text-align:
center;"></td>
<td><input type="text"></td>
<td><input type="text"></td>
</tr>
<tr>
<td><input type="text" style="text-align:
center;"></td>
<td><input type="text"></td>
<td><input type="text"></td>
</tr>
<tr>
<td><input type="text" style="text-align:
center;"></td>
<td><input type="text"></td>
<td><input type="text"></td>
</tr>
<tr>
<td><input type="text" style="text-align:
center;"></td>
<td><input type="text"></td>
<td><input type="text"></td>
</tr>
<tr>
<td><input type="text" style="text-align:
center;"></td>
<td><input type="text"></td>
<td><input type="text"></td>
</tr>
<tr>
<td><input type="text" style="text-align:
center;"></td>
<td><input type="text"></td>
<td><input type="text"></td>
</tr>
</table>
</div>
</div>
```

<!-- RIGHT COLUMN PAGE 1 -->

<div style="display: flex; flex-direction:

```
column; gap: 10px;">
<!-- VITALITY -->
<div>
  <div class="section-header">Vitality &
Defense</div>
  <div class="vitality-grid">
    <div class="stat-box">
      <span class="label">Health Points (HP)
</span>
      <div style="display: flex; gap: 5px;">
        <input type="text" placeholder="Cur">
<span style="font-size:14pt;">/</span> <input
type="text" placeholder="Max">
      </div>
    </div>
    <div class="stat-box">
      <span class="label">Instinct Points (IP)
</span>
      <div style="display: flex; gap: 5px;">
        <input type="text" placeholder="Cur">
<span style="font-size:14pt;">/</span> <input
type="text" placeholder="Max">
      </div>
    </div>
    <div class="stat-box">
      <span class="label">Speed</span>
      <div class="box-input" style="height:
35px; border: none; border-bottom: 2px solid
#8b0000; border-radius: 0;">
        <input type="text" name="speed">
      </div>
    </div>
    <div class="stat-box">
      <span class="label">Defense</span>
      <div class="box-input" style="height:
35px; border: none; border-bottom: 2px solid
#8b0000; border-radius: 0;">
        <input type="text" name="defense">
      </div>
    </div>
  </div>
  <div class="stat-box" style="margin-top:
10px;">
```

```
        <span class="label">Reaction Pool</span>
        <input type="text" name="reaction">
    </div>
</div>
<!-- ARSENAL -->
<div>
    <div class="section-header">Arsenal &
Combat</div>
    <table class="weapons-table">
        <tr>
            <th width="35%">Weapon</th>
            <th width="15%" style="text-align:
center;">Mod</th>
            <th width="15%" style="text-align:
center;">Dmg</th>
            <th width="35%">Notes</th>
        </tr>
        <tr>
            <td><input type="text"></td>
            <td><input type="text" style="text-
align: center;"></td>
            <td><input type="text" style="text-
align: center;"></td>
            <td><input type="text"></td>
        </tr>
        <tr>
            <td><input type="text"></td>
            <td><input type="text" style="text-
align: center;"></td>
            <td><input type="text" style="text-
align: center;"></td>
            <td><input type="text"></td>
        </tr>
        <tr>
            <td><input type="text"></td>
            <td><input type="text" style="text-
align: center;"></td>
            <td><input type="text" style="text-
align: center;"></td>
            <td><input type="text"></td>
        </tr>
        <tr>
            <td><input type="text"></td>
            <td><input type="text" style="text-
align: center;"></td>
            <td><input type="text" style="text-
align: center;"></td>
            <td><input type="text"></td>
        </tr>
        <tr>
            <td><input type="text"></td>
```

```
        <td><input type="text" style="text-align: center;"></td>
        <td><input type="text" style="text-align: center;"></td>
        <td><input type="text"></td>
    </tr>
</table>
</div>
<!-- CONDITIONS / NOTES FILLER -->
<div style="flex: 1; display: flex; flex-direction: column;">
    <div class="section-header">Active Conditions</div>
    <textarea style="flex: 1; background: #fdfaf3;"></textarea>
</div>
</div>
```

<h1>PROFICIENCIES & INVENTORY</h1>

```
<!-- LEFT COLUMN PAGE 2: SKILLS -->
<div>
    <div class="section-header">Skills</div>
    <div style="font-size: 8pt; color: #666; margin-bottom: 5px; text-align: center; font-style: italic;">Check box if Trained.</div>
    <div class="skills-container" style="display: block;">
        <!-- Physical Skills -->
        <div class="skill-category">
            <div style="border-bottom: 1px solid #8b0000; color: #8b0000; font-weight: bold; font-size: 9pt; margin-bottom: 5px;">PHYSICAL & AGILITY</div>
            <div class="skill-row">
                <div class="skill-name">
                    <div class="checkbox-wrapper"><input type="checkbox" name="skill_acrobatics"></div>
                    Acrobatics <span class="skill-stat">
                        (AGI)</span>
                </div>
                <div class="skill-val"><input type="text"></div>
            </div>
        </div>
    </div>
```

```
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_athletics"></div>
    Athletics <span class="skill-stat">
(STR)</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_drive"></div>
    Drive Vehicle <span class="skill-stat">
(AGI)</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_riding"></div>
    Riding <span class="skill-stat">(AGI)
</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_stealth"></div>
    Stealth <span class="skill-stat">(AGI)
</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
```

```
type="checkbox" name="skill_thievery"></div>
    Thievery <span class="skill-stat">(AGI)
</span>
</div>
    <div class="skill-val"><input
type="text"></div>
</div>
</div>
<!-- Social Skills -->
<div class="skill-category" style="margin-
top: 15px;">
    <div style="border-bottom: 1px solid
#8b0000; color: #8b0000; font-weight: bold; font-
size: 9pt; margin-bottom: 5px;">SOCIAL &
CHARISMA</div>
    <div class="skill-row">
        <div class="skill-name">
            <div class="checkbox-wrapper"><input
type="checkbox" name="skill_animal"></div>
            Animal Training <span class="skill-
stat">(CHA)</span>
        </div>
        <div class="skill-val"><input
type="text"></div>
    </div>
    <div class="skill-row">
        <div class="skill-name">
            <div class="checkbox-wrapper"><input
type="checkbox" name="skill_barter"></div>
            Barter <span class="skill-stat">(CHA)
</span>
        </div>
        <div class="skill-val"><input
type="text"></div>
    </div>
    <div class="skill-row">
        <div class="skill-name">
            <div class="checkbox-wrapper"><input
type="checkbox" name="skill_bluff"></div>
            Bluff <span class="skill-stat">(CHA)
</span>
        </div>
        <div class="skill-val"><input
```



```
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_diplomacy"></div>
    Diplomacy <span class="skill-stat">
(CH A)</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_entertain"></div>
    Entertain <span class="skill-stat">
(CH A)</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_intimidate"></div>
    Intimidate <span class="skill-stat">
(CH A)</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_persuade"></div>
    Persuade <span class="skill-stat">(CH A)
</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
</div>
```

```
<!-- Mental Skills -->
<div class="skill-category" style="margin-
top: 15px;">
    <div style="border-bottom: 1px solid
#8b0000; color: #8b0000; font-weight: bold; font-
size: 9pt; margin-bottom: 5px;">MENTAL &
KNOWLEDGE</div>
    <div class="skill-row">
        <div class="skill-name">
            <div class="checkbox-wrapper"><input
type="checkbox" name="skill_alchemy"></div>
            Alchemy <span class="skill-stat">(LOG)
</span>
        </div>
        <div class="skill-val"><input
type="text"></div>
    </div>
    <div class="skill-row">
        <div class="skill-name">
            <div class="checkbox-wrapper"><input
type="checkbox" name="skill_appraise"></div>
            Appraise <span class="skill-stat">(LOG)
</span>
        </div>
        <div class="skill-val"><input
type="text"></div>
    </div>
    <div class="skill-row">
        <div class="skill-name">
            <div class="checkbox-wrapper"><input
type="checkbox" name="skill_crafting"></div>
            Crafting <span class="skill-stat">(LOG)
</span>
        </div>
        <div class="skill-val"><input
type="text"></div>
    </div>
    <div class="skill-row">
        <div class="skill-name">
            <div class="checkbox-wrapper"><input
type="checkbox" name="skill_disguise"></div>
            Disguise <span class="skill-stat">(LOG)
</span>
```

```
</div>
<div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_engineering"></div>
    Engineering <span class="skill-stat">
(LOG)</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_history"></div>
    History <span class="skill-stat">(LOG)
</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_investigation"></div>
    Investigation <span class="skill-stat">
(LOG)</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_linguistics"></div>
    Linguistics <span class="skill-stat">
(LOG)</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
```

```
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_medicine"></div>
    Medicine <span class="skill-stat">(LOG)
</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_nature"></div>
    Nature <span class="skill-stat">(LOG)
</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_navigation"></div>
    Navigation <span class="skill-stat">
(LOG)</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
  <div class="skill-name">
    <div class="checkbox-wrapper"><input
type="checkbox" name="skill_occult"></div>
    Occult Knowledge <span class="skill-
stat">(LOG)</span>
  </div>
  <div class="skill-val"><input
type="text"></div>
</div>s
<div class="skill-row">
  <div class="skill-name">
```

```
        <div class="checkbox-wrapper"><input
type="checkbox" name="skill_perception"></div>
        Perception <span class="skill-stat">
(INS)</span>
    </div>
    <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
    <div class="skill-name">
        <div class="checkbox-wrapper"><input
type="checkbox" name="skill_religion"></div>
        Religion <span class="skill-stat">(LOG)
</span>
    </div>
    <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
    <div class="skill-name">
        <div class="checkbox-wrapper"><input
type="checkbox" name="skill_seafaring"></div>
        Seafaring <span class="skill-stat">
(LOG)</span>
    </div>
    <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
    <div class="skill-name">
        <div class="checkbox-wrapper"><input
type="checkbox" name="skill_survival"></div>
        Survival <span class="skill-stat">(CON)
</span>
    </div>
    <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
    <div class="skill-name">
        <div class="checkbox-wrapper"><input
type="checkbox" name="skill_tracking"></div>
        Tracking <span class="skill-stat">(LOG)
```

```
</span>
    </div>
    <div class="skill-val"><input
type="text"></div>
</div>
<div class="skill-row">
    <div class="skill-name">
        <div class="checkbox-wrapper"><input
type="checkbox" name="skill_warfare"></div>
        Warfare <span class="skill-stat">(LOG)
</span>
    </div>
    <div class="skill-val"><input
type="text"></div>
</div>
</div>
</div>
<!-- RIGHT COLUMN PAGE 2: INVENTORY & BIO -->
<div style="display: flex; flex-direction:
column; gap: 15px;">
    <!-- EQUIPMENT -->
    <div>
        <div class="section-header">Equipment &
Wealth</div>
        <div style="border: 2px solid #ccc; padding:
10px; background: #fff; min-height: 250px;">
            <span class="label">Inventory</span>
            <div class="inventory-grid">
                <div class="inv-slot"><input type="text">
</div><div class="inv-slot"><input type="text">
</div>
                <div class="inv-slot"><input type="text">
</div><div class="inv-slot"><input type="text">
</div>
                <div class="inv-slot"><input type="text">
</div><div class="inv-slot"><input type="text">
</div>
                <div class="inv-slot"><input type="text">
</div><div class="inv-slot"><input type="text">
</div>
                <div class="inv-slot"><input type="text">
</div><div class="inv-slot"><input type="text">
</div>
            </div>
        </div>
    </div>
</div>
```

```

</div>
    <div class="inv-slot"><input type="text">
</div><div class="inv-slot"><input type="text">
</div>
    <div class="inv-slot"><input type="text">
</div><div class="inv-slot"><input type="text">
</div>
    <div class="inv-slot"><input type="text">
</div><div class="inv-slot"><input type="text">
</div>
    <div class="inv-slot"><input type="text">
</div><div class="inv-slot"><input type="text">
</div>
    <div class="inv-slot"><input type="text">
</div><div class="inv-slot"><input type="text">
</div>
    <div class="inv-slot"><input type="text">
</div><div class="inv-slot"><input type="text">
</div>
    <div class="inv-slot"><input
type="text"></div><div class="inv-slot"><input
type="text"></div>
    <div class="inv-slot"><input
type="text"></div><div class="inv-slot"><input
type="text"></div>
</div>
</div>
<div class="currency-bar">
    <div class="coin-input">GP <input
type="text"></div>
    <div class="coin-input" style="color:
#666;">SP <input type="text" style="border-color:
#666;"></div>
    <div class="coin-input" style="color:
#a86b32;">CP <input type="text" style="border-
color: #a86b32;"></div>
</div>
</div>
<!-- BIOGRAPHY -->
<div style="flex: 1; display: flex; flex-
direction: column;">
    <div class="section-header">Biography</div>
    <div style="flex: 1; display: flex; flex-

```

```
direction: column; gap: 10px;">
    <div style="flex: 1; border: 1px solid
#ccc; padding: 5px; background: #fdfaf3;">
        <span class="label">Backstory &
Origins</span>
        <textarea></textarea>
    </div>
    <div style="flex: 1; border: 1px solid
#ccc; padding: 5px; background: #fdfaf3;">
        <span class="label">Allies, Rivals &
Notes</span>
        <textarea></textarea>
    </div>
</div>
</div>
</div>
```