

MAZZARATTI

Stage Plot & Technical Rider

Contact: Tom – Booking / Band Representative

Phone: (414) 870-0554

Email: mazzarattirocks@gmail.com

1. Band Overview

Mazzaratti is a high-energy cover band performing Classic Rock, New Wave, 80s, 90s, Country, Pop, and modern hits.

Typical performance length: **2–3 hours** w/ 20-30 minute break

Standard lineup:

- Lead Vocal (center front)
 - Guitar / Vocals (front right)
 - Bass / Vocals (front left)
 - Keys / Vocals (slightly behind Guitar)
 - Drums (center rear)
-

2. Stage Layout (Facing Audience – Left to Right)

Front Line (downstage):

- Bass / Vocals – mic stand, floor monitor, bass amp
- Lead Vocal – mic stand, IEM
- Guitar / Vocals – mic stand, DI, IEM

Back Line (upstage):

- Drums – centered behind Lead Vocal, floor monitor
 - Keys / Vocals – slightly behind Guitar, mic stand, DI, IEM
-

3. Input List (Typical)

Channel Source

1	Kick Drum
2	Snare
3	Overhead Left
4	Overhead Right
5	Bass DI
6	Guitar DI
7	Keys DI (mono or stereo if available)
8	Lead Vocal Mic
9	Guitar Vocal Mic
10	Bass Vocal Mic
11	Keys Vocal Mic

Total Channels: 11–12

4. Monitor & IEM Requirements

Preferred:

- 3 IEM mixes:
 - Lead Vocal
 - Guitar
 - Keys
- 2 floor wedges:
 - Bass position
 - Drummer

Minimum Acceptable:

- 2 floor wedges (Bass + Drums)
- 3 IEM mixes for Lead Vocal, Guitar and Keys

5. Microphones & Stands

Venue to provide:

- 4 vocal microphones with boom stands:
 - Lead Vocal
 - Guitar Vocal
 - Bass Vocal
 - Keys Vocal
 - Drum mic kit (kick, snare, overheads)
-

6. DI & Backline

- **3 DI boxes/connections required:**
 - Guitar
 - Bass
 - Keys
 - **Bass amplifier** positioned to the left of drums
-

7. Power Requirements (110V)

Minimum **4 grounded 110V outlets on stage:**

- Keys position
 - Guitar position
 - Bass position
 - Drum position
-

8. PA System (If Venue Provides)

- Front of House PA appropriate for room size
- Subwoofers preferred
- Digital mixing console preferred
- Monitor wedges (minimum 2)
- DI boxes/connections (minimum 3)

9. Lighting (If Venue Provides)

- Basic stage wash lighting
 - Color lighting preferred
 - No special effects required
-

10. Stage Size

Minimum stage size:

- **12' wide x 8' deep**

Preferred stage size:

- **16' wide x 10' deep**

Smaller stages workable with advance notice.

11. Setup & Soundcheck

- Load-in: **60–90 minutes before show time**
 - Soundcheck: **15 minutes**
 - Clear stage required before band setup
-

12. Hospitality (Optional)

- Secure area for gear cases
-

13. Notes

- Guitar, Bass, and Keys use DI
- Bass also uses a stage amplifier
- Keys player requires vocal microphone
- Lead Vocal, Guitar and Keys primarily use IEM
- Drummer requires floor monitor
- Volume levels are venue-appropriate
- Outdoor shows require weather protection for power and equipment

Audience

