

EAST AFRICAN COMMUNITY (EAC)

GUIDELINES FOR APPROVED CAMPING/CARAVAN SITES

SECTION - ITEM	DETAILS
1.0 LOCATION	
1.1 Site and Environment	Should be suitable for a camping/caravan site. Where a site is located within town boundaries, the facility should be in harmony with natural and built up environment and in compliance with local government regulations. Where the site is located outside town boundaries, the facility should be in harmony with the surrounding natural and cultural environment, and offer attractive scenery. In addition, the facility should be in conformity with applicable local laws and regulations, including those governing National Parks, Game Reserves and Conservation Areas.
1.2 Accessibility	There should be clear direction signage leading to the site, at appropriate intervals and/or strategic places.
1.3 Parking	Parking facilities for vehicles and caravan should be clearly demarcated and indicated.
2.0 BUILDING	There should be a central structure to facilitate proper management and operation of the site.
2.1 Reception	There should be a clearly demarcated area where guests can be formally received. Information on the use of the site and of other touristic interest should be available.

SECTION - ITEM	DETAILS
2.2 Communication	There should be effective means of communication.
2.3 Information	Literature covering services, essential emergency telephone numbers and other important/relevant information should be provided. All information should be provided in Kiswahili and English
3.0 WALKWAYS	Should be distinctive, and of all weather surfaces, preferably with clear signage, which are legible, even at night. Should be well maintained.
4.0 EATING AREA	Should be adequately and appropriately provided for. Where food and/or drinks are provided, priced menu and beverage list should be appropriately presented.
5.0 SERVICE	
5.1 Cooking	A shed providing basic facilities for cooking should be provided
5.2 Washing	Separate basic facilities for washing clothes and cleaning utensils, in proportion to the size of the site, should be provided.
5.3 Waste Collection, Storage and Disposal	There should be appropriate waste storage and disposal facilities, which meet the local health standards and environmental regulations.
5.4 Shades and Shelters	There should be enough provision for natural or man-made shelters/shades.

SECTION - ITEM	DETAILS
6.0 HYGIENE & SANITATION	
6.1 Guest Conveniences	Should be adequate and properly ventilated in proportion to the capacity of the site. Gender segregation and privacy should be observed and indicated.
6.3 Drainage and Sewage	Drainage must be connected to the sewage disposal of the town, where applicable. Where there is no sewage system it should be connected to septic tank of an approved size and soakage pit or any other approved sewage disposal system, in line with the building code, health standards and environmental regulations.
6.4 Vermin Proofing	Efforts should be made to minimize possibility of invasion by stray dogs, cats, vermin, pests and insects.
7.0 WATER SUPPLY	
7.1 Quality	All water provided for Guest use should be suitable and approved for drinking by relevant authorities.
7.2 Testing	Where drinking water is not obtained from a public source, the Management should ensure that the same is tested at least three times a year, by a competent authority. Where the test indicates that the water is not wholesome, the Management should post Notices in prominent places, taps or sources, to that effect.
8.0 SAFETY AND SECURITY	Subject to provisions of local and national laws, the site should be secured against intrusion by wild animals and/or unauthorized persons. Appropriate security measures should be in place and maintained at all times.

SECTION - ITEM	DETAILS
8.1 Fire Protection	Adequate and appropriate fire fighting equipment should be provided and well maintained, in excellent condition, at all times, and in accordance with local fire fighting and prevention by-laws. All staff should be familiar with available fire fighting equipment and their use. Fire drill exercises for staff should be carried out regularly. Statutory fire safety notices should be prominently displayed.
8.2 Electrical Safety	All electrical installations should be done in accordance with applicable safety laws
8.2 Security	There should be adequate security arrangements, including a functional alarm system and properly trained and equipped personnel
8.3 First Aid	A functional kit should be available, with some staff properly trained in first aid techniques and emergency handling.
8.4 Insurance	Appropriate public liability insurance and other statutory insurance policies should be taken.
8.5. Rescue	Sites in remote locations should have practical rescue and evacuation arrangements.
9.0 ENVIRONMENTAL CONSERVATION	Effective measures should be put in place to ensure that the environment is not affected, by waste, refuse and pollution through the operations of the site, in line with appropriate environmental laws.
10.0 MANAGEMENT	
10.1 Staff	A competent person should supervise the site. An appropriate number of staff with relevant skill and attitude should be available to assist Guests.