Map and Lambda Function ★

15 more points to get your next star!

Rank: **680689** | Points: **95/110**

Your Map and Lambda Function submission got 20.00 points. Share Tweet

You are now 15 points away from the 3rd star for your python badge.

Try the next challenge | **Try a Random Challenge**

Problem Submissions Leaderboard Editorial

Let's learn some new Python concepts! You have to generate a list of the first N fibonacci numbers, 0 being the first number. Then, apply the map function and a lambda expression to cube each fibonacci number and print the list.

Concept

The `map()` function applies a function to every member of an iterable and returns the result. It takes two parameters: first, the function that is to be applied and secondly, the iterables.

Let's say you are given a list of names, and you have to print a list that contains the length of each name.

```
>> print (list(map(len, ['Tina', 'Raj', 'Tom'])))
[4, 3, 3]
```

Lambda is a single expression anonymous function often used as an inline function. In simple words, it is a function that has only one line in its body. It proves very handy in functional and GUI programming.

```
>> sum = lambda a, b, c: a + b + c
>> sum(1, 2, 3)
6
```

Note:

Lambda functions cannot use the return statement and can only have a single expression. Unlike def, which creates a function and assigns it a name, lambda creates a function and returns the function itself. Lambda can be used inside lists and dictionaries.

Input Format

One line of input: an integer N.

Constraints

$0 \leq N \leq 15$

Output Format

A list on a single line containing the cubes of the first N fibonacci numbers.

Sample Input

```
5
```

Sample Output

```
[0, 1, 1, 8, 27]
```

Explanation

The first 5 fibonacci numbers are $[0, 1, 1, 2, 3]$, and their cubes are $[0, 1, 1, 8, 27]$.

Change Theme Language Python 3

```
1  cube = lambda x: x*x*x# complete the lambda function
2
3  def fibonacci(n):
4      # return a list of fibonacci numbers
5      a = [0,1]
6      for i in range(2,n):
7          a.append(a[i-2] + a[i-1])
8      return(a[0:n])
9
10
11 if __name__ == '__main__':
12     n = int(input())
13     print(list(map(cube, fibonacci(n))))
```

Line: 9 Col: 1

Upload Code as File Test against custom input Run Code Submit Code

You have earned 20.00 points!

You are now 15 points away from the 3rd star for your python badge.

63% 95/110

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

- **Test case 0**
- Test case 1
- Test case 2
- Test case 3
- Test case 4
- Test case 5
- Test case 6

Compiler Message

```
Success
```

Input (stdin) Download

```
1 5
```

Expected Output Download

```
1 [0, 1, 1, 8, 27]
```