

CONTROL VALVE SPECIFICATION SHEET

PROJECT D2S PoC · SYNTHETIC SAMPLE · NOT A REAL DOCUMENT

SHEET 1 OF 1

REV. A 2003-05-26

GENERAL

TYPE	FLOW CONTROL VALVE
TAG NO.	10-FV-001
MANUFACTURER	FISHER
MODEL	667-EZ
SERVICE	RECYCLE TO DHC FEED FILTERS
LINE NO.	10-P-1042-A1A

PROCESS DATA

FLOWING MEDIA	RECYCLE OIL
Pressure (Norm.)	8.2 kg/cm2G
SP. GR.	0.84
FLOW RATE	120 m3/h

VALVE BODY / TRIM

BODY SIZE	2"
BODY RATING	ANSI CLASS 300
BODY / TRIM MATL	WCB / 316SST
Body Type	GLOBE

ACTUATOR

FAIL POSITION	AIR TO OPEN (ATO)
P&ID	D-2-1041 SH.3

VALVE PERFORMANCE

Rated Cv	83.1
----------	------

NOTE SYNTHETIC FIXTURE FOR UI VERIFICATION.

PIPING ARRANGEMENT DRAWING

SYNTHETIC SAMPLE - NOT A REAL DOCUMENT

DWG NO.	D-2-1041 SH.3
SCALE	1:50
REV	2

PARTS LIST

SYNTHETIC SAMPLE

ITEM 01	BODY ASSY
---------	-----------

ITEM 02	TRIM SET
---------	----------

ITEM 03	GASKET KIT
---------	------------

CONTROL VALVE SPECIFICATION SHEET

DATE SEP 6 1986 ORIGINAL ISSUE

OLD

TAG NO.	10-FV-001
MANUFACTURER	FISHER
MODEL	657-ED
BODY SIZE	2"
RATED CV	70.7
FAIL POSITION	AIR TO OPEN (ATO)