

Buckeye Regional**Match #:****Drive Base:**

- ☐ Swerve tread
- ☐ Motor temp
- ☐ Bumper pegs (4)
- ☐ Bottom swerve bolts
- ☐ Swerve gear
- ☐ Minipan cover
- ☐ Bellypan cover
- ☐ Wheel characterization

Elevator:

- ☐ Belt tension (2x)
- ☐ Elevator slide contact
- ☐ Wrist drive belt tension
- ☐ Encoder belt tension
- ☐ Top cross brace clearances
- ☐ 2nd stage epoxy
- ☐ Limit switch

End Effector:

- ☐ Jaw alignment
- ☐ Roller cleanliness
- ☐ Slotting roller spring joints (4x)
- ☐ Slotting roller parallelism
- ☐ CANrange untriggered empty
- ☐ Belt tension (3x)
- ☐ CF plate rigidity
- ☐ CF plate mounting blocks
- ☐ Spring mounts (4x)

Battery #:**Battery Charge %:****Climber:**

- ☐ Chain tension (2x)
- ☐ Lifting screws (2x)
- ☐ Top plate bent
- ☐ Magnet engagement (2x)

Electrical:

- ☐ USB hub
- ☐ Wrist wires
- ☐ Elevator energy chain alignment
- ☐ Carriage wire chain retraction
- ☐ Carriage connector group
- ☐ Networking lights
- ☐ Battery strap
- ☐ Camera lens caps
- ☐ Cameras focused

Positions:

- ☐ Stow
- ☐ L1
- ☐ L4
- ☐ Intake close
- ☐ Intake far
- ☐ Intake algae

Buckeye Regional**Match #:****Drive Base:**

- ☐ Swerve tread
- ☐ Motor temp
- ☐ Bumper pegs (4)
- ☐ Bottom swerve bolts
- ☐ Swerve gear
- ☐ Minipan cover
- ☐ Bellypan cover
- ☐ Wheel characterization

Elevator:

- ☐ Belt tension (2x)
- ☐ Elevator slide contact
- ☐ Wrist drive belt tension
- ☐ Encoder belt tension
- ☐ Top cross brace clearances
- ☐ 2nd stage epoxy
- ☐ Limit switch

End Effector:

- ☐ Jaw alignment
- ☐ Roller cleanliness
- ☐ Slotting roller spring joints (4x)
- ☐ Slotting roller parallelism
- ☐ CANrange untriggered empty
- ☐ Belt tension (3x)
- ☐ CF plate rigidity
- ☐ CF plate mounting blocks
- ☐ Spring mounts (4x)

Battery #:**Battery Charge %:****Climber:**

- ☐ Chain tension (2x)
- ☐ Lifting screws (2x)
- ☐ Top plate bent
- ☐ Magnet engagement (2x)

Electrical:

- ☐ USB hub
- ☐ Wrist wires
- ☐ Elevator energy chain alignment
- ☐ Carriage wire chain retraction
- ☐ Carriage connector group
- ☐ Networking lights
- ☐ Battery strap
- ☐ Camera lens caps
- ☐ Cameras focused

Positions:

- ☐ Stow
- ☐ L1
- ☐ L4
- ☐ Intake close
- ☐ Intake far
- ☐ Intake algae

Buckeye Regional**Match #:****Drive Base:**

- ☐ Swerve tread
- ☐ Motor temp
- ☐ Bumper pegs (4)
- ☐ Bottom swerve bolts
- ☐ Swerve gear
- ☐ Minipan cover
- ☐ Bellypan cover
- ☐ Wheel characterization

Elevator:

- ☐ Belt tension (2x)
- ☐ Elevator slide contact
- ☐ Wrist drive belt tension
- ☐ Encoder belt tension
- ☐ Top cross brace clearances
- ☐ 2nd stage epoxy
- ☐ Limit switch

End Effector:

- ☐ Jaw alignment
- ☐ Roller cleanliness
- ☐ Slotting roller spring joints (4x)
- ☐ Slotting roller parallelism
- ☐ CANrange untriggered empty
- ☐ Belt tension (3x)
- ☐ CF plate rigidity
- ☐ CF plate mounting blocks
- ☐ Spring mounts (4x)

Battery #:**Battery Charge %:****Climber:**

- ☐ Chain tension (2x)
- ☐ Lifting screws (2x)
- ☐ Top plate bent
- ☐ Magnet engagement (2x)

Electrical:

- ☐ USB hub
- ☐ Wrist wires
- ☐ Elevator energy chain alignment
- ☐ Carriage wire chain retraction
- ☐ Carriage connector group
- ☐ Networking lights
- ☐ Battery strap
- ☐ Camera lens caps
- ☐ Cameras focused

Positions:

- ☐ Stow
- ☐ L1
- ☐ L4
- ☐ Intake close
- ☐ Intake far
- ☐ Intake algae

Buckeye Regional**Match #:****Drive Base:**

- ☐ Swerve tread
- ☐ Motor temp
- ☐ Bumper pegs (4)
- ☐ Bottom swerve bolts
- ☐ Swerve gear
- ☐ Minipan cover
- ☐ Bellypan cover
- ☐ Wheel characterization

Elevator:

- ☐ Belt tension (2x)
- ☐ Elevator slide contact
- ☐ Wrist drive belt tension
- ☐ Encoder belt tension
- ☐ Top cross brace clearances
- ☐ 2nd stage epoxy
- ☐ Limit switch

End Effector:

- ☐ Jaw alignment
- ☐ Roller cleanliness
- ☐ Slotting roller spring joints (4x)
- ☐ Slotting roller parallelism
- ☐ CANrange untriggered empty
- ☐ Belt tension (3x)
- ☐ CF plate rigidity
- ☐ CF plate mounting blocks
- ☐ Spring mounts (4x)

Battery #:**Battery Charge %:****Climber:**

- ☐ Chain tension (2x)
- ☐ Lifting screws (2x)
- ☐ Top plate bent
- ☐ Magnet engagement (2x)

Electrical:

- ☐ USB hub
- ☐ Wrist wires
- ☐ Elevator energy chain alignment
- ☐ Carriage wire chain retraction
- ☐ Carriage connector group
- ☐ Networking lights
- ☐ Battery strap
- ☐ Camera lens caps
- ☐ Cameras focused

Positions:

- ☐ Stow
- ☐ L1
- ☐ L4
- ☐ Intake close
- ☐ Intake far
- ☐ Intake algae

Buckeye Regional**Match #:****Drive Base:**

- ☐ Swerve tread
- ☐ Motor temp
- ☐ Bumper pegs (4)
- ☐ Bottom swerve bolts
- ☐ Swerve gear
- ☐ Minipan cover
- ☐ Bellypan cover
- ☐ Wheel characterization

Elevator:

- ☐ Belt tension (2x)
- ☐ Elevator slide contact
- ☐ Wrist drive belt tension
- ☐ Encoder belt tension
- ☐ Top cross brace clearances
- ☐ 2nd stage epoxy
- ☐ Limit switch

End Effector:

- ☐ Jaw alignment
- ☐ Roller cleanliness
- ☐ Slotting roller spring joints (4x)
- ☐ Slotting roller parallelism
- ☐ CANrange untriggered empty
- ☐ Belt tension (3x)
- ☐ CF plate rigidity
- ☐ CF plate mounting blocks
- ☐ Spring mounts (4x)

Battery #:**Battery Charge %:****Climber:**

- ☐ Chain tension (2x)
- ☐ Lifting screws (2x)
- ☐ Top plate bent
- ☐ Magnet engagement (2x)

Electrical:

- ☐ USB hub
- ☐ Wrist wires
- ☐ Elevator energy chain alignment
- ☐ Carriage wire chain retraction
- ☐ Carriage connector group
- ☐ Networking lights
- ☐ Battery strap
- ☐ Camera lens caps
- ☐ Cameras focused

Positions:

- ☐ Stow
- ☐ L1
- ☐ L4
- ☐ Intake close
- ☐ Intake far
- ☐ Intake algae

Buckeye Regional**Match #:****Drive Base:**

- ☐ Swerve tread
- ☐ Motor temp
- ☐ Bumper pegs (4)
- ☐ Bottom swerve bolts
- ☐ Swerve gear
- ☐ Minipan cover
- ☐ Bellypan cover
- ☐ Wheel characterization

Elevator:

- ☐ Belt tension (2x)
- ☐ Elevator slide contact
- ☐ Wrist drive belt tension
- ☐ Encoder belt tension
- ☐ Top cross brace clearances
- ☐ 2nd stage epoxy
- ☐ Limit switch

End Effector:

- ☐ Jaw alignment
- ☐ Roller cleanliness
- ☐ Slotting roller spring joints (4x)
- ☐ Slotting roller parallelism
- ☐ CANrange untriggered empty
- ☐ Belt tension (3x)
- ☐ CF plate rigidity
- ☐ CF plate mounting blocks
- ☐ Spring mounts (4x)

Battery #:**Battery Charge %:****Climber:**

- ☐ Chain tension (2x)
- ☐ Lifting screws (2x)
- ☐ Top plate bent
- ☐ Magnet engagement (2x)

Electrical:

- ☐ USB hub
- ☐ Wrist wires
- ☐ Elevator energy chain alignment
- ☐ Carriage wire chain retraction
- ☐ Carriage connector group
- ☐ Networking lights
- ☐ Battery strap
- ☐ Camera lens caps
- ☐ Cameras focused

Positions:

- ☐ Stow
- ☐ L1
- ☐ L4
- ☐ Intake close
- ☐ Intake far
- ☐ Intake algae

Buckeye Regional**Match #:****Drive Base:**

- ☐ Swerve tread
- ☐ Motor temp
- ☐ Bumper pegs (4)
- ☐ Bottom swerve bolts
- ☐ Swerve gear
- ☐ Minipan cover
- ☐ Bellypan cover
- ☐ Wheel characterization

Elevator:

- ☐ Belt tension (2x)
- ☐ Elevator slide contact
- ☐ Wrist drive belt tension
- ☐ Encoder belt tension
- ☐ Top cross brace clearances
- ☐ 2nd stage epoxy
- ☐ Limit switch

End Effector:

- ☐ Jaw alignment
- ☐ Roller cleanliness
- ☐ Slotting roller spring joints (4x)
- ☐ Slotting roller parallelism
- ☐ CANrange untriggered empty
- ☐ Belt tension (3x)
- ☐ CF plate rigidity
- ☐ CF plate mounting blocks
- ☐ Spring mounts (4x)

Battery #:**Battery Charge %:****Climber:**

- ☐ Chain tension (2x)
- ☐ Lifting screws (2x)
- ☐ Top plate bent
- ☐ Magnet engagement (2x)

Electrical:

- ☐ USB hub
- ☐ Wrist wires
- ☐ Elevator energy chain alignment
- ☐ Carriage wire chain retraction
- ☐ Carriage connector group
- ☐ Networking lights
- ☐ Battery strap
- ☐ Camera lens caps
- ☐ Cameras focused

Positions:

- ☐ Stow
- ☐ L1
- ☐ L4
- ☐ Intake close
- ☐ Intake far
- ☐ Intake algae

Buckeye Regional**Match #:****Drive Base:**

- ☐ Swerve tread
- ☐ Motor temp
- ☐ Bumper pegs (4)
- ☐ Bottom swerve bolts
- ☐ Swerve gear
- ☐ Minipan cover
- ☐ Bellypan cover
- ☐ Wheel characterization

Elevator:

- ☐ Belt tension (2x)
- ☐ Elevator slide contact
- ☐ Wrist drive belt tension
- ☐ Encoder belt tension
- ☐ Top cross brace clearances
- ☐ 2nd stage epoxy
- ☐ Limit switch

End Effector:

- ☐ Jaw alignment
- ☐ Roller cleanliness
- ☐ Slotting roller spring joints (4x)
- ☐ Slotting roller parallelism
- ☐ CANrange untriggered empty
- ☐ Belt tension (3x)
- ☐ CF plate rigidity
- ☐ CF plate mounting blocks
- ☐ Spring mounts (4x)

Battery #:**Battery Charge %:****Climber:**

- ☐ Chain tension (2x)
- ☐ Lifting screws (2x)
- ☐ Top plate bent
- ☐ Magnet engagement (2x)

Electrical:

- ☐ USB hub
- ☐ Wrist wires
- ☐ Elevator energy chain alignment
- ☐ Carriage wire chain retraction
- ☐ Carriage connector group
- ☐ Networking lights
- ☐ Battery strap
- ☐ Camera lens caps
- ☐ Cameras focused

Positions:

- ☐ Stow
- ☐ L1
- ☐ L4
- ☐ Intake close
- ☐ Intake far
- ☐ Intake algae

Buckeye Regional**Match #:****Drive Base:**

- ☐ Swerve tread
- ☐ Motor temp
- ☐ Bumper pegs (4)
- ☐ Bottom swerve bolts
- ☐ Swerve gear
- ☐ Minipan cover
- ☐ Bellypan cover
- ☐ Wheel characterization

Elevator:

- ☐ Belt tension (2x)
- ☐ Elevator slide contact
- ☐ Wrist drive belt tension
- ☐ Encoder belt tension
- ☐ Top cross brace clearances
- ☐ 2nd stage epoxy
- ☐ Limit switch

End Effector:

- ☐ Jaw alignment
- ☐ Roller cleanliness
- ☐ Slotting roller spring joints (4x)
- ☐ Slotting roller parallelism
- ☐ CANrange untriggered empty
- ☐ Belt tension (3x)
- ☐ CF plate rigidity
- ☐ CF plate mounting blocks
- ☐ Spring mounts (4x)

Battery #:**Battery Charge %:****Climber:**

- ☐ Chain tension (2x)
- ☐ Lifting screws (2x)
- ☐ Top plate bent
- ☐ Magnet engagement (2x)

Electrical:

- ☐ USB hub
- ☐ Wrist wires
- ☐ Elevator energy chain alignment
- ☐ Carriage wire chain retraction
- ☐ Carriage connector group
- ☐ Networking lights
- ☐ Battery strap
- ☐ Camera lens caps
- ☐ Cameras focused

Positions:

- ☐ Stow
- ☐ L1
- ☐ L4
- ☐ Intake close
- ☐ Intake far
- ☐ Intake algae

Buckeye Regional**Match #:****Drive Base:**

- ☐ Swerve tread
- ☐ Motor temp
- ☐ Bumper pegs (4)
- ☐ Bottom swerve bolts
- ☐ Swerve gear
- ☐ Minipan cover
- ☐ Bellypan cover
- ☐ Wheel characterization

Elevator:

- ☐ Belt tension (2x)
- ☐ Elevator slide contact
- ☐ Wrist drive belt tension
- ☐ Encoder belt tension
- ☐ Top cross brace clearances
- ☐ 2nd stage epoxy
- ☐ Limit switch

End Effector:

- ☐ Jaw alignment
- ☐ Roller cleanliness
- ☐ Slotting roller spring joints (4x)
- ☐ Slotting roller parallelism
- ☐ CANrange untriggered empty
- ☐ Belt tension (3x)
- ☐ CF plate rigidity
- ☐ CF plate mounting blocks
- ☐ Spring mounts (4x)

Battery #:**Battery Charge %:****Climber:**

- ☐ Chain tension (2x)
- ☐ Lifting screws (2x)
- ☐ Top plate bent
- ☐ Magnet engagement (2x)

Electrical:

- ☐ USB hub
- ☐ Wrist wires
- ☐ Elevator energy chain alignment
- ☐ Carriage wire chain retraction
- ☐ Carriage connector group
- ☐ Networking lights
- ☐ Battery strap
- ☐ Camera lens caps
- ☐ Cameras focused

Positions:

- ☐ Stow
- ☐ L1
- ☐ L4
- ☐ Intake close
- ☐ Intake far
- ☐ Intake algae