

Index

A

- A. See frequency factor; mass number
- A (ampere), 851
- absolute concentration, 752–753
- absolute scale. See Kelvin scale
- absolute zero, 422, 815–816
- absorption, 899, 986
- absorption spectra, 88, 1002
- accuracy, 9–10
- acetaldehyde (ethanal), 265, 965
- acetic acid
 - in buffers, 741
 - formula, 686, 694
 - naming, 340
 - pH of, 701, 715
 - and potassium hydroxide, 343
 - in solution, 329, 715
 - sources of, 687, 962
 - structure, 192
 - uses, 966, 967
- acetone
 - and carbon disulfide, 561–563
 - dipole–dipole forces, 470
 - model and uses, 964
 - vaporization of, 479
- acetonitrile, 472, 606–607
- acetylaldehyde, 963
- acetylene (ethyne)
 - formula and models of, 165, 949
 - hybridization of, 261–262
 - triple bond in, 192, 936
 - uses, 950
- acetylsalicylic acid, 180, 967
- acid(s). See also *specific acids*
 - acid ionization constant, 693–696
 - amino, 969
 - Arrhenius, 338, 688, 689
 - binary, 339, 691–692
 - Brønsted–Lowry, 689–691, 718
 - buffer effectiveness and amounts of, 752
 - carboxylic, 687, 966–969
 - concentrated, 694
 - concentrations of, in buffers, 752–753
 - conjugate, 690–691, 717, 750–751
 - defined, 329, 688–691

anion, 674

dilution of, 322

diprotic, 338, 693, 723–724, 766

hydronium ion concentration of, 700–709

ions and salts as, 717–720

Lewis, 725–726

molecular structure of, 691–693

monoprotic, 693, 695

nature of, 686–687

oxyacids, 340, 692

percent ionization of, 706–707

pH of, 700–709

polyprotic. See polyprotic acids

properties of, 338–339

and rusting, 879, 880

strength of, 691–696

strong. See strong acid(s)

triprotic, 694

weak. See weak acid(s)

acid anhydride, 967

acid–base chemistry, 685–729

acid strength, 691–696

and autoionization of water, 696–697

in Batman comic book series, 684–686

definitions of acids and bases, 688–691

hydronium ion concentration/pH of acids, 700–709

hydroxide ion concentration/pH of bases, 710–713

ions and salts, 713–720

Lewis acids and bases, 725–726

nature of acids and bases, 686–688

pH scale, 698–699

pOH scale, 699–700

polyprotic acids, 720–724

acid–base reactions, 337–345

binary acids in, 339

hydrochloric acid and sodium hydroxide, 340–341

and properties of acids/bases, 338–339

titrations, 343–345

acid–base titrations. See titrations

acidic cations, 717–718

acidic solutions

balancing redox reactions in, 847–848

defined, 696, 697

hydronium ion concentration in, 700–709

pH of, 698, 700–709

salt solutions as, 718–720

solubility of ionic compounds in, 774

solubility of metal hydroxides in, 782, 783

acid ionization constant (K_a), 693–696, 721

acidosis, 740

acid rain, 820

activated complex, 607

activation energy (E_a)

in Arrhenius equation, 607

from Arrhenius plots, 608–610

defined, 587, 606

active nuclear charge, 133

acute radiation damage, 920

active site, enzyme, 622

activity series of metals, 354–356

actual yield, 300

acute radiation damage, 920

addition

- of chemical equations, 646
- vector, 237–238

addition polymers, 527–528

addition reactions, 954–956

adhesive forces, 477–478

adipic acid, 528

Adventure Thru Inner Space (ride), 34–36

aerosols, 426

age, measuring, 907–910

air, 431, 433, 443

alchemists, 918

alcohols, 961–963

- and aldehydes/ketones, 965
- and carboxylic acids, 967
- solubility of, 544

aldehydes, 963–965

aliphatic hydrocarbons, 937–938

aliquots, 592

alkali metal chlorides, 400

alkali metals, 130, 307–309

alkaline batteries, 870

alkaline earth metals, 130

alkaloids, 687

alkanes, 937, 944–948

- alkynes and alkenes vs., 938
- naming, 945–948
- reactions of, 954

n-alkanes, boiling points of, 468–469, 944

alkenes, 937, 948–953

- alkynes and alkanes vs., 938
- geometric isomerism in, 952–953
- naming, 950–952
- reactions of, 954–956
- unsymmetrical, 955

alkyl groups, 946

alkynes, 937, 948, 950–952

- alkanes and alkenes vs., 938
- naming, 950–952
- reactions of, 954–955

allotropes, 521, 816, 817

alpha (α) decay, 895–897, 900

alpha (α) particles, 48, 899–897

altitude, 370–371, 417, 483

alumina, 524

aluminosilicates, 523

aluminum, 37

- aluminum oxide vs., 524
- density, 14, 60–61, 112–113, 513–514
- electron configuration, 123
- and iron(III) oxide, 396
- isotopes of, 52

molar mass, 58–59
and oxygen, 169
sacrificial electrodes of, 881
and water, 376–377
aluminum-27 isotope, 918
aluminum acetate, 719
aluminum ions, 131, 725, 782–783
aluminum nitrate, 719
aluminum oxide, 524, 880, 985
amines, 711, 968–969
amino acids, 969
ammonia, 177
 and boron trifluoride, 725
 and cobalt(III) compounds, 990
 formation of, 301, 303, 446, 647, 670
 formula and models, 165
 hybrid orbitals, 256–257
 with nitrogen and hydrogen, 667–669
 nitrogen-to-hydrogen mass ratio of, 43
 and silver, 778–779, 990
 and silver chloride, 780–781
 as weak base, 711
ammonium bromide, 719
ammonium nitrate, 173, 544–545, 547
ammonium nitrite, 719
ammonium salts, 969
amorphous solids, 465
ampere (A), 851
amphoterism, 689, 696, 782
amphoteric metal hydroxides, 782–783
amplitude, 77
amu (atomic mass unit), 50
angular momentum quantum number (l), 94
aniline, 957
anion(s)
 defined, 54
 from electrolysis, 875
 and ionic bonds, 161
 ionic radii of, 139
 monoatomic, 171
 neutral, 714, 715
 oxyanions, 174
 as weak bases, 714–717
 in weak diprotic acid solution, 723–724
anionic complex ions, 994
anodes, 852, 855
anodic regions, 880
Antarctica, ozone hole over, 620, 621
antibodies, radioactively labeled, 892, 894
antibonding orbitals, 268–270
antifluorite structure, 520
antifreeze, 564, 565
 glucose as, 538–540
 toxicity of, 739–740
antimony, 129
antiparticles, 898
AOs. See atomic orbitals

appendicitis, diagnosis of, 892–894
approximations, 661–664, 701. See also *x is small* approximation
aqueous ionic equilibrium, 739–786
 buffers, 740–754
 complex ion equilibria, 778–783
 in precipitation reactions, 775–778
 solubility-product constant, 769–775
 titrations, 755–769
 and toxicity of antifreeze, 739–740
aqueous reactions, 331–356
 acid–base, 337–345
 gas-evolution, 346–347
 oxidation–reduction, 347–356
 precipitation, 331–336
 representing, 336–337
aqueous solutions
 defined, 320, 540
 electrolysis in, 875–877
 and heats of hydration, 546–548
 parts per million for, 554
 standard entropies of, 818–819
 types of, 326–329
arbitrary elements, in science, 41
area, pressure and, 415, 417
argon, 52, 130, 518
 atomic radius, 416
 electron configuration, 127
 in Geiger–Müller counter, 903
 ideal vs. real behavior, 447
 ionization energies, 144
 and neon, 541
 partial pressure, 434–435
 standard entropy, 818
argon-40 isotope, 910
Aristotle, 39, 41
aromatic compounds, 958–959
aromatic hydrocarbons, 937, 956–959
Arrhenius, Svante, 606, 688
Arrhenius definition (of acids and bases), 338, 688, 689
Arrhenius equation, 606–611
 activation energy in, 607
 and Arrhenius plots, 608–610
 exponential factor in, 607–608
 frequency factor in, 607
 two-point form, 610
Arrhenius plots, 608–610
arsenic, 129, 262
arsenic pentafluoride, 219, 262
ascorbic acid, 722, 724
Aspidin, Joseph, 524
aspirin, 180, 187, 967
atmosphere (atm), 393, 418
atom(s), 35–65. See also quantum-mechanical model of atom
 atomic radii, 131–135
 average mass, 54–57
 as building blocks of matter, 41

and classification of matter, 37–39
 defined, 36
 discovery of electrons, 45–47
 modern atomic theory, 41–45
 and moles, 57–61
 orientation factors for reactions of, 612
 origins of, 62
 and scientific approach to knowledge, 39–41
 shape of, 103
 structure of, 48–50
 and structure/properties of matter, 35–37
 subatomic particles, 50–54
 atomic bomb, 911–912
 atomic mass, 54–57, 179
 atomic mass unit (amu), 50
 atomic number (Z), 50, 51, 115, 132
 atomic orbitals (AOs)
 completely filled, 253
 defined, 93
 degenerate, 118
 delocalization of, 525
 d orbitals. See *d* orbitals
 filling of, 117–124
 f orbitals, 102–103, 122
 hybridization of, 252, 254–266, 1000
 of Lewis acids, 725
 linear combinations of, 267–270
 for multi-electron atoms, 121–124
 overlap of, 252–254
 and periodic table, 125–126
 phase of, 103
 p orbitals, 100, 102, 255–263, 273
 shapes of, 99–103
 s orbitals, 99–101, 255–263, 273
 *sp*² hybridization, 257–260
 *sp*³*d*² hybridization, 263
 *sp*³*d* hybridization, 262
 *sp*³ hybridization, 255–257
 sp hybridization, 261–262
 atomic radii, 131–135, 512, 987–988
 atomic solids, 518
 atomic spectroscopy, 85–88, 96–98
 atomic theory, 40–45
 atomic weight. See atomic mass
 atomos, 41
 attractive force, 901
 aufbau principle, 121
 autoionization of water, 696–697
 average bond energy, 221
 average bond length, 222
 average kinetic energy, 416, 440
 average rate of reaction, 589–590
 Avogadro, Amedeo, 57, 424
 Avogadro's law, 424–425
 Avogadro's number, 57. See also mole(s)
 axial positions, 225

B

Bacon, Francis, 41

baking soda, 170, 319. See also sodium bicarbonate

balancing equations

- general procedure, 291–294
- half-reaction method, 846–848

ball-and-stick molecular models, 164

band gap, 526

band theory, 525

bar (unit), 393

barium, 85, 87, 88, 130, 910

barium chloride hexahydrate, 174

barometers, 418

base(s). See also *specific bases*

- Arrhenius, 688, 689
- Brønsted–Lowry, 689–691
- buffer effectiveness and amounts of, 752
- conjugate, 690–691, 740–741, 752–753
- and conjugate acids, 690–691, 714, 750–751
- defined, 688–691
- hydroxide ion concentration of, 710–713
- ions and salts as, 713–720
- Lewis, 725
- nature of, 687–688
- pH of, 710–713
- properties, 338–339
- strong. See strong base(s)
- weak. See weak base(s)

base ionization constant (K_b), 710

basic anions, 714–717

basic solutions

- balancing redox reactions in, 848–849
- defined, 697
- metal hydroxides in, 782, 783
- pH of, 698, 711–713
- salt solutions as, 718–720

Batman comic book, 684–686

battery(-ies), 870–872

- alkaline, 870
- dry-cell, 870
- energy loss in, 798, 825–826
- flow of electrical charge in, 844–846
- fuel cells vs., 872
- irreversible reactions in, 825
- lead–acid storage, 870–871
- lithium ion, 871
- nickel–cadmium, 871
- nickel–metal hydride, 871
- rechargeable, 871–872
- redox reactions in, 347

Baumgartner, Felix, 414–416

Becquerel, Antoine-Henri, 48, 894–895

bent geometry, 36, 228

benzaldehyde, 964

benzene

- formula and models, 165
- molecular orbital model, 278
- as molecular solid, 517
- structure, 956–957
- surface tension, 477

benzoic acid, 745

berkelium, 52

beryllium

- effective nuclear charge, 134
- incomplete octet formation, 218, 223
- isotopes, 52
- Lewis structure, 165

beryllium aluminum silicate, 985

beta (β) decay, 895, 897–898, 899, 900

beta minus (β^-) decay, 898

beta (β) particles, 897–898

beta plus (β^+) decay, 898

bicarbonate ions, 713–714, 740

bidentate ligands, 990

Big Bang Theory, 62

bimolecular steps, 613–614

binary acids, 339, 691–692

binary ionic compounds, 171–172

binding energy, 81–82

biological effectiveness factor (RBE), 921

biological systems, 810, 824

biomolecules, 1005–1007

bismuth, 901, 904

blood, buffers in, 738, 740

blood drawing, 477

Blue Ribbon Commission on America's Nuclear Future, 914

body-centered cubic unit cell, 511–512

Bohr, Niels, 75, 86–87

Bohr model, 86–88

boiling, 289. See also vaporization (evaporation)

boiling point

- of *n*-alkanes, 468–469, 944
- and dipole moment, 471
- and dispersion force, 468–469
- and intermolecular forces, 474
- of main-group hydrides, 474
- normal, 483
- and temperature, 483–486
- of water, 494–495

boiling point elevation, 563–566

Boltzmann, Ludwig, 800, 815, 816

Boltzmann constant, 800

bomb calorimeter, 380–381

bombs

- atomic, 911–912
- of bomb calorimeter, 380
- hydrogen, 917

bond(s). See also covalent bonds

- in compounds, 160–162

defined, 160
 directional, 177
 double. See double bond(s)
 energy from breaking, 389–391
 hydrogen, 472–474
 ionic, 161, 162, 166–168
 metallic, 518
 nondirectional, 177
 pi, 258–259
 polarity of, 206–210, 691, 692
 sigma, 258–259
 single, 175–176, 259–260
 triple, 176, 261–262, 936–937
 bond dissociation energy. See bond energies
 bond energies, 220–221, 255, 389–392
 bond enthalpy. See bond energies
 bonding, 205–242, 251–280. See also ionic bonding
 and bond energies, 220–221
 and bond length, 222
 in coordination compounds, 999–1005
 covalent, 161, 175–177
 and electron delocalization, 266–277
 electronegativity and bond polarity, 206–210
 energy required for, 389–391
 exceptions to octet rule, 217–220
 and formal charge, 215–217
 hybridization and bonding schemes, 263–266
 and hybridization of atomic orbitals, 254–266
 hydrogen, 472–474, 495
 and ionization energies, 144
 Lewis theory, 210–220
 magnetic property of liquid oxygen, 250–252
 and molecular geometry, 223–235
 molecular orbital theory, 266–278
 and molecular shape/polarity, 235–239
 in morphine, 204–206
 orbital overlap in, 252–254
 in polyatomic molecules, 277–278
 resonance in, 212–214
 valence bond theory, 252–266
 VSEPR theory, 223–235
 bonding atomic radius (covalent radius), 131
 bonding electron pairs, 175, 227
 bonding orbitals, 267–270, 276
 bond length, 222, 400
 bond order, 269–270
 bond strength, 691–692
 bone scans, 923
 Born–Haber cycle, 168, 398–400
 boron, 165, 218–219
 boron nitride, 524
 boron trifluoride, 725
 borosilicate glass, 525
 Boscovich, Roger Joseph, 35
 Boyle, Robert, 41, 420
 Boyle’s law, 420–422
 and Charles’s law, 424

and ideal gas law, 425, 426
and vapor pressure, 482
Bragg's law, 507, 508
bridging hydrogens, 210
bristlecone pine trees, 907–908
bromate, 174
bromine
 atomic radii, 131
 and 1-butene, 956
 electron configuration, 123
 family of, 130
 and fluorine, 308
 and potassium, 309, 612
bromine trifluoride, 265
bromobenzene, 957
1-bromo-2-chlorobenzene, 958
bromoethane, 962
Brønsted–Lowry definition (of acids and bases), 689–691, 718
buckminsterfullerene, 522
buckyballs, 522
buffer capacity, 754
buffer range, 753–754
buffers, 740–754
 action of, 748
 bases and conjugate acids in, 750–751
 in blood, 738, 740
 characteristics, 740–741
 effectiveness, 752–754
 formation of, 741
 Henderson–Hasselbalch equation for, 743–746
 pH changes in buffer solutions, 746–750
 pH of buffer solutions, 742–744
burns, steam, 479
butanal, 964
butane
 combustion of, 291–293, 382
 isobutane vs., 938–939
n-butane, 944
butanedione, 188–189
1-butanol, 961
2-butanol, 965
2-butanone, 965
1-butene, 956
cis-2-butene, 953
trans-2-butene, 953
2-butene-1-thiol, 936
1-butyne, 950

C

C (heat capacity), 374–376, 380
cadaverine, 969
cadmium, in batteries, 871
CaF₂ (fluorite) structure, 520
cal (calorie), 17

Cal (Calorie), 17

calcium

- absorption spectrometry, 88
- and chelating agents, 1005
- and chlorine, 167
- emission spectra, 88
- family of, 130
- and oxygen, 169
- and water, 846

calcium acetate, 718

calcium bromide, 171

calcium carbonate, 173, 774

calcium chloride, 319

calcium fluoride, 517

- dissolution of, 769–770
- relative solubility, 772–773
- solubility-product constant, 775
- in thermoluminescent dosimeters, 903
- unit cell of, 520

calcium hydroxide, 777–778

calcium ions, 88, 777

calcium nitrate, 718

calcium oxide, 171

calcium sulfate hemihydrate, 174

calcium sulfide, 519

californium, 919

calorie (cal), 17

Calorie (Cal), 17

calorimetry

- constant-pressure, 385–387
- constant-volume, 379–381, 387
- defined, 380

cancer, 920, 923–924, 1007

capillary action, 477–478

carbon

- atomic mass, 50, 55
- in carbon dioxide, 43, 44
- chemical symbol, 52
- and cobalt(III) oxide, 292–293
- color code, 56
- from combustion analysis, 189–191
- combustion of, 307
- electron configuration, 121
- electronegativity, 216
- hybridization in, 255, 256, 261
- and hydrogen, 825
- isotopes of, 53
- Lewis structure of, 165
- molar mass, 59
- as network covalent atomic solid, 521–523
- nuclear charge, 50
- in organic chemistry, 191–192, 935
- origin of, 62
- and oxygen, 177, 371
- properties, 936–937
- standard entropy, 817

and sulfur, 351

carbon-12 isotope, 57

binding energy per nucleon, 915

collision of uranium-238 and, 919

molar mass, 58

and radiocarbon dating, 907

in valley of stability, 901

carbon-14 dating, 907–908

carbonate ions, 331

carbonates, solubility of, 774

carbon dioxide, 38

chemical formula, 163

from combustion, 295–297, 307, 953

decomposition of, 43, 371

from electricity generation, 913

formula mass of, 179

as greenhouse gas, 286, 288

molar mass, 179–180

from oxidation of carbon monoxide, 824

oxygen-to-carbon mass ratio, 44

phase diagram, 493, 494

polarity, 236

in rainwater, 774

real gas behavior of, 450

solubility, 550–552

supercritical, 487

and water, 650, 725, 1007

carbon disulfide, 517, 561–563

carbonic acid, 726, 740, 880

carbonic anhydrase, 1005, 1007

carbon monoxide

in catalytic converters, 619

from electricity generation, 913

and ethanol in gasoline, 961

and nitrogen dioxide, 596–597, 610, 614–615

oxidation of, 824

oxygen-to-carbon mass ratio, 44

standard entropy, 818

carbon skeleton formula, 939

carbon tetrachloride, 814, 954

carbonyl group, 963, 965

carboxylic acids, 687, 966–969

carvone, 964

catalysis, 618–622

catalysts, 618–622, 955, 959

catalytic converters, 619–620

catenation of carbon, 936, 937

cathode rays, 45–46

cathode ray tubes, 45

cathodes, 852, 855

cathodic regions, 880

cation(s)

defined, 54

from electrolysis, 875

and ionic bonds, 161

ionic radii of, 138

as Lewis acids, 726

of metals, 171–172, 717–718
as weak acids, 717–718
cell diagrams, 852–853
cell emf. See cell potential (E_{cell})
cell potential (E_{cell}), 861–869
 and concentration, 865–869
 in concentration cells, 869
 defined, 851–852
 and equilibrium constant/reaction quotient, 868
 and free energy/equilibrium constant, 861–865
 under nonstandard conditions, 866–868
Celsius scale ($^{\circ}\text{C}$), 5–6
cement, 524
centimeter, 3
ceramics, 523–524
certainty of measurements, 8–9
cesium chloride, 519
CFCs. See chlorofluorocarbons
CFT. See crystal field theory
Chadwick, James, 49
chain reactions, 911
charge(s)
 active nuclear, 133
 effective nuclear, 119, 133–134
 electrical, 46–47, 50, 844–846
 formal, 215–217
 ionic, 349
 and lattice energy, 400–401
 metals with invariant, 170
 in voltaic cells, 852
charged particles, configurations of, 162
charge-to-mass ratio, 46
Charles, J. A. C., 423
Charles's law
 described, 422–424
 and ideal gas law, 425, 426
Check step (in problem solving), 20–21
chelate, 991
chelating agents, 991, 1005
chemical analysis, coordination compounds in, 1005
chemical bonds. See bond(s); bonding
chemical changes, 289–290
chemical energy, 16, 368
chemical equations, 290–294
 for acid–base reactions, 342–343
 for aqueous reactions, 336–337
 balancing, 291–294, 846–849
 and equilibrium constants, 644–647
 for gas-evolution reactions, 347
 for precipitation reactions, 335
 writing, 290–291
chemical equilibrium. See equilibrium
chemical formula(s)
 and composition, 186
 of compounds, 162–163, 186–191
 conversion factors from, 184–185

experimental determination of, 186–191
of ionic compounds, 169
and Lewis structures, 210
and mass percent composition, 181
chemical kinetics. See reaction rate(s)
chemical potential, 812
chemical properties, 289
chemical reactions. See reaction(s)
chemical symbols, 52
chemistry, 36
Chernobyl nuclear accident (1986), 913
 χ_a . See mole fraction
china (porcelain), 524
chirality, 942, 998
chlorate, 174
chloride ions, 139, 520, 875
chlorine
 atomic mass, 54
 atomic radii, 139
 and calcium, 167
 chemical symbol, 52
 from electrolysis, 877
 electron affinity, 144, 145
 electron configuration, 126, 129
 electronegativity, 692
 and ethene, 954–955
 family of, 130
 and hydrogen, 208, 349
 and iodine, 309
 ionization energies, 141
 and iron, 308
 isotopes of, 52, 53
 Lewis structure, 175
 mass spectrum, 56
 and methane, 390–391, 954
 and potassium, 166–167
 and sodium, 42, 208, 348
chlorite, 174
chlorobenzene, 957, 959
chloroethane, 955
chloroethene, 528
1-chloro-3-ethylbenzene, 958
chlorofluorocarbons (CFCs), 181, 598, 618, 620
chloroform, 954
chloromethane, 954
chlorophyll, 1005, 1007
1-chloropropane, 955
2-chloropropane, 955
chlorous acid, 754
chromium, 127–128, 171–172
chromium(III) bromide, 171–172
chromium(III) ions, 171–172
Ci (curie), 920
cinnamaldehyde, 191, 964
cis isomers
 of alkenes, 952–953

or coordination compounds, 996–997

properties of, 260

cisplatin, 1007

cis-trans isomerism

- in alkenes, 952–953
- in coordination compounds, 996–997
- and properties of compounds, 260

citric acid, 687, 966

classical (term), 80

Clausius–Clapeyron equation, 484–486

clays, 523

climate change, 286–288

closest-packed structures, 514–516, 518

club soda, 540, 552

coal, 913

cobalt(II) chloride, 174

cobalt(III) coordination compounds, 990, 992

cobalt(III) hexahydrate, 174

cobalt(III) oxide, 292–293

coefficients

- in chemical equations, 291, 644, 646
- in standard entropy change calculations, 819

coffee-cup calorimeters, 385–387

cohesive forces, 477–478

cold packs, chemical, 382

colligative properties of solutions, 558–572

- boiling point elevation, 563–566
- freezing point depression, 563–565
- with medical uses, 571–572
- osmotic pressure, 566–568
- with strong electrolytes, 569–572
- vapor pressure lowering, 558–563, 570–571
- with volatile solutes, 560–563

collision frequency, 611

collision model, 586–587, 611–612

collisions

- elastic and inelastic, 416
- and pressure, 417–419

color(s)

- and absorption of light, 78
- complementary, 1001
- of complex ions, 1001–1003
- of rubies and emeralds, 984–986
- of solutions with indicators, 767–769

coloring agents, 1005

color wheel, 1001

combustion analysis, 189–191

combustion reactions (combustion), 290, 307

- in bomb calorimeters, 380–381
- of butane, 291–293, 382
- of ethanol, 307, 367–368, 382
- and flaming ice demonstration, 367–368
- of fossil fuels, 286–289, 295–297
- of gasoline, 16, 18, 289, 377–378, 797, 824–825
- of hydrocarbons, 953
- of hydrogen, 307, 348
- of methane, 300–301, 395

of natural gas, 290–291, 307, 369, 381
of octane, 286, 295–297, 348, 397–398
of petroleum, 296–297
of propane, 384–385, 810
of sucrose, 380–381
water in, 307, 384, 953
common ion effect, 742–743, 773–774
common names, 170
complementary color, 1001
complementary properties, 91
complete ionic equations, 336, 337
completely filled orbitals, 253
complex ion equilibria, 778–783
 and amphoteric metal hydroxides, 782–783
 and formation constant, 779
 and solubility, 780–782
complex ions, 990
 crystal field strength and color of, 1001–1003
 defined, 778
 formation of, 778–779
 geometries, 992–993
 hybridization schemes, 1000
 naming, 993–994
composition of matter, 37–39, 368
compounds, 159–195. See also coordination compounds; ionic compounds
 aromatic, 958–959
 chemical bonds in, 160–162
 chemical formulas of, 162–163, 186–191
 composition of, 181–186
 in composition of matter, 39
 covalent, 211
 covalent bonding in, 175–177
 formula mass for, 179
 insoluble, 329–331, 334, 540, 775
 interhalogen, 308
 ionic bonding in, 166–168
 Lewis models, 164–166
 Lewis structures, 210–211
 mole concept for, 179–181
 molecular, 162, 177–179, 210–211
 molecular models, 164
 nonpolar, 471
 organic, 191–192, 216–217
 polar, 471
 properties of molecules vs., 159–160
 pure, 393
 soluble, 329–331, 540, 775
 standard enthalpy of formation, 393
 standard free energy of formation, 822
compressibility of gases, 38, 465
concentrated acids, 694
concentrated buffers, 752–753
concentrated solutions, 320, 552
concentration. See also equilibrium concentration
 absolute, 752–753
 of acids and conjugate bases in buffers, 752–753
 of anions in weak diprotic acid solutions, 773–774

of anions in weak diprotic acid solutions, 143–144

and cell potential, 865–869

and electrical current, 868

expressing, 668

and half-life of reaction, 603–604

of hydronium ions in acids, 700–709

of hydroxide ions in bases, 710–713

initial, 657–664, 743–746

and integrated rate law, 598–605

K from experimental measurements of, 652–653

and Le Châtelier's principle, 665–667

and percent ionization, 706–707

in rate laws, 593–605

and rate of reaction, 586

and reaction order, 593–597

and reaction rate, 588–589, 593–605

and selective precipitation, 777–778

of solutions, 320–324, 552–557

time dependence of, 598–605

concentration cells, 868–869

conceptual plan, 19, 20

concrete, 524

condensation, 479, 807–808

condensation polymers, 528

condensation reactions, 967

condensed states, 463, 466–478. See also liquid(s); solid(s)

condensed structural formulas, 939

conduction, 168

conduction band, 525

conductivity, 526–527

coniine, 687

conjugate acid–base pairs

- in buffers, 750–751
- identifying, 690–691
- strength of, 714

conjugate acids

- in Brønsted–Lowry definition, 690–691
- in buffers, 750–751
- cations as, 717

conjugate bases

- in Brønsted–Lowry definition, 690–691
- in buffer solutions, 740–741
- concentrations of, 752–753

connectivity, in structural formula, 939

conservation of energy, law of, 16, 368–373

conservation of mass, law of, 40, 42

constant composition, law of, 43

constant-pressure calorimetry, 385–387

constant-volume calorimetry, 379–381, 387

constructive interference, 80, 506–507

continuous spectrum, 85

conversion factor(s), 17–19

- from chemical formulas, 184–185
- concentrations as, 557
- density as, 23
- mass percent composition as, 182–183
- molarity as, 321–322

coordinate covalent bonds, 219, 990

coordination compounds

- applications of, 1005–1007
- bonding in, 999–1005
- coordination numbers of, 992–993
- geometries of, 992–993
- isomerism of, 995–999
- ligands in, 990–992
- naming of, 993–994

coordination isomers, 995

coordination numbers, 510, 992–993

Copernicus, Nicolaus, 41

copolymers, 528

copper, 57, 60

- atomic mass, 55
- in concentration cells, 868–869
- density, 15
- ductility, 518
- electron configuration, 127–128
- emission spectra, 88
- heat capacity, 375
- and H^+ ions, 861, 864–865
- and magnesium ions, 354
- molar mass, 58
- and zinc, 849, 850, 852–853, 873–874

copper(II) ions, 172, 354

copper(II) oxide, 172

copper plating, 878

copper(II) sulfate pentahydrate, 174

core electrons, 124–125, 270

corrosion, 879–881. See also rusting

corundrum, 880

Coulomb's law

- and intermolecular forces, 467
- and lattice energy, 168, 400
- and sublevel energy splitting, 118–119
- and types of chemical bonds, 160–162

countability, of matter, 57

counterions, 717, 990

covalent bonding, 161, 175–177

covalent bonds

- carbon in, 936
- coordinate, 219, 990
- defined, 162
- ionic vs., 161
- and Lewis model, 166
- nonpolar, 208
- polar, 206–207

covalent compounds, 211

covalent radius (bonding atomic radius), 131

creativity, in science, 40–41

Crick, Francis H. C., 507

critical mass, 911

critical point, 487, 492

critical pressure (P_c), 487

critical temperature (T_c), 487

crystal (leaded glass), 525
 crystal field, 985–986
 crystal field strength
 and color of complex ions, 1001–1003
 and magnetic properties, 1003–1004
 crystal field theory (CFT), 986, 1000–1005
 color of complex ions and crystal field strength, 1001–1003
 magnetic properties and crystal field strength, 1003–1004
 octahedral complexes and *d* orbital splitting, 1000–1001
 tetrahedral/square planar complexes and *d* orbital splitting, 1004–1005
 crystalline lattice, 508
 crystalline solids, 505–531
 and band theory, 525–526
 in ceramics, cement, and glass, 523–525
 closest-packed structures of, 514–516
 defined, 465
 fundamental types, 516–519
 and graphene discovery, 504–506
 ionic, 519–520
 network covalent atomic, 520–523
 and semiconductors, 526–527
 unit cells of, 508–514
 X-ray crystallography of, 506–508
 crystallography, X-ray, 506–508
 crystals
 delocalization of atomic orbitals over, 525
 diffraction from, 507
 perfect, 815–816
 C_s (specific heat capacity), 374–375
 cubic closest packing, 515–516
 cubic unit cells, 508–509
 curie (Ci), 920
 Curie, Eve, 895
 Curie, Irène, 895
 Curie, Marie Skłodowska, 48, 52, 893, 895, 918
 Curie, Pierre, 895
 curium, 52, 895
 current. See electrical current
 cyanate ion, 216
 cyclohexane, 191, 937
 cyclopropane, 601
 cyclotron, 918, 919
 cytochrome c, 1005, 1006

D

d. See density
 Dalton, John, 40, 41, 44, 45, 52, 54
 Dalton's law of partial pressures, 433–434
 daughter nuclide, 896
 Davisson-Germer experiment, 88
d block, 125–127
 Dead Sea Scrolls, 907
 de Broglie, Louis, 75, 88
 de Broglie relation, 89

de Broglie wavelength, 89–90
decane, 938, 944
decay
 alpha, 895–897, 900
 beta, 895, 897–900
 radioactive, 904–907
 radioactive decay series, 902–903
decimal places, significant digits and, 12
decomposition
 of carbon dioxide, 43, 371
 of carbon tetrachloride, 814
 of hydrogen disulfide, 662–664
 of ozone, 609, 617–618
 standard heat of formation for, 395
 of water, 43, 186, 872–873
deep-sea diving, 435–436
definite proportions, law of, 43
degenerate orbitals, 118
dehydration reactions, 962
delocalized electrons, 213, 266–277
 in linear combinations of atomic orbitals, 267–270
 of second-period heteronuclear diatomic molecules, 276–277
 of second-period homonuclear diatomic molecules, 270–275
delocalized orbitals, 525
Democritus, 41
density (d)
 of aluminum, 112–113, 513–514
 calculating, 14–15
 as conversion factor, 23
 and crystal structure, 513–514
 of gases, 417, 430–432
 of ideal gases, 426
 as periodic property, 114
 probability, 99–101
deoxyribonucleic acid (DNA), 507
deposition, 487
depth, pressure and, 421
derived units, 7
destructive interference, 80, 268, 506–507
deterministic laws, 92
deuterium, 917
dextrorotatory isomers, 942
diagnostic medical procedures, radioactivity in, 922–923
diamagnetism, 136–137, 1003
diamminetetrachloroplatinate(III), 993
diamond, 37
 as atomic solid, 518
 graphite from, 798–799
 properties, 521
 as solid, 464
 standard entropy, 817
diatomic elements, 175–176, 222
diatomic molecules
 second-period heteronuclear, 276–277
 second-period homonuclear, 270–275
diborane, 210
1,2-dichlorobenzene, 858

1,2-dichlorobenzene, 958
1,3-dichlorobenzene, 958
1,4-dichlorobenzene, 958
meta-dichlorobenzene, 958
ortho-dichlorobenzene, 958
para-dichlorobenzene, 958
dichloroethane, 954–955
1,2-dichloroethane, 259–260, 952
1,2-dichloroethene, 259–260, 952–953
cis-1,2,-dichloroethene, 953
trans-1,2,-dichloroethene, 953
dichloromethane, 485, 954
diethyl ether, 484, 968
differential rate law, 599
diffraction
 electron, 89
 light, 80, 81
 X-ray, 507–508
diffraction patterns, 507
diffusion, 443
dihydrogen sulfide, 253–255
dilute acids, 694
dilute buffers, 753
dilute solutions, 320, 552
dilutions, 322–324
dimensional analysis, 18–19
dimers, 528
dimethyl ether, 473
dimethylglyoxime (dmg), 1005
3,4-dimethyl-3-hexene, 951
2,4-dimethylpentane, 948
dinitrogen monoxide, 44, 178, 592
diodes, 527
dipole(s)
 instantaneous, 468
 ion–dipole forces, 475
 ion–dipole interactions, 547
 permanent, 470
 temporary, 468
dipole–dipole forces, 470–472
dipole moment (μ)
 and boiling point, 471
 and bond polarity, 208–209
 of polar molecules, 237
dipropyl ether, 968
diprotic acid(s)
 anions in weak, 723–724
 defined, 693
 properties of, 338
 titrations of, 766
Dirac, P. A. M., 75, 91
directional bonds, 177
dispersal of energy, 541, 797, 801, 808
dispersion forces, 467–469
dissociation
 photodissociation, 618
 of polyprotic acids, 724

and strength of acids/bases, 689
 of strong bases, 710
 dissolution, 799–800, 818–819, 861
 disubstituted benzenes, 958
 dmg (dimethylglyoxime), 1005
 DNA (deoxyribonucleic acid), 507
 Döbereiner, Johann, 114
 DOE (U.S. Department of Energy), 296
 doping, semiconductor, 526–527
d orbitals
 and colors of rubies and emeralds, 984–986
 hybridization of, 262–263
 maximum electrons in, 122
 shape of, 100, 102
d orbital splitting
 and octahedral complexes, 1000–1001
 and tetrahedral/square planar complexes, 1004–1005
 dose, radiation, 920–922
 double bond(s)
 carbon in, 936–937
 covalent, 176
 and electron groups, 223
 and sp^2 hybridization, 257–260
 drugs, coordination compounds as, 1007
 dry-cell batteries, 870
 dry ice, 180, 464, 488, 493, 517
 ductility, of metals, 518
 duet, 166
 dynamic equilibrium
 defined, 641–642
 in solutions, 549
 and vapor pressure, 481–482

E

E (internal energy), 370–373
 ΔE (internal energy change), 379–382
 E_a . See activation energy
 EA (electron affinity), 144–145
 Eagle Nebula, 62
 ears, pressure imbalance in, 418
 E_{cell} . See cell potential
 E_{cell}° . See standard cell potential
 ectotherms, reaction rates in, 585–586
 Eddington, Sir Arthur, 797
 edge length, 512
 EDTA⁴⁻ ion (ethylenediaminetetraacetate ion), 991, 1005
 effective nuclear charge (Z_{eff}), 119, 133–134
 effusion of gases, 443–444
 eigenstates, 93
 Einstein, Albert, 3, 52, 75, 82–84, 370, 911–912, 914
 einsteinium, 52
 eka-aluminum, 115
 eka-silicon, 115
 elastic collisions, 416

elBulli, 319

electrical charge

- in batteries and lightning, 844–846
- of electrons, 46–47, 50
- of neutrons, 50
- of protons, 50

electrical current

- and concentration, 868
- continual flow of, 850
- driving force for, 851
- in electrolytic cells, 872
- and potential difference, 850–852
- in voltaic cells, 849

electric field, 46, 76

electricity

- from batteries, 870–872
- driving nonspontaneous reactions with, 872–879
- efficiency of heating with, 798
- from nuclear power, 912–914
- from spontaneous reactions, 849–853

electrochemical cells

- concentration cells, 868–869
- defined, 849
- drawing, 860
- notation for, 852–853

electrochemistry, 845–884

- balancing redox reactions, 846–849
- batteries, 844–846, 870–872
- cell potential, 861–869
- corrosion, 879–881
- electrolysis, 872–879
- lightning, 844–846
- standard electrode potentials, 854–861
- voltaic cells, 849–853

electrodes, 850. See also standard electrode potentials

- platinum, 853, 854
- sacrificial, 881
- standard hydrogen, 854–856

electrolysis, 872–879

- predicting products of, 875–878
- stoichiometry of, 878–879
- voltaic cells vs. electrolytic cells, 873–874

electrolyte(s)

- dissociation of, 558
- and rusting, 880
- strong, 328, 329, 569–572, 688
- weak, 329, 688

electrolyte solutions, 327–329, 569–572

electrolytic cells

- for copper plating, 878
- current in, 872
- defined, 849
- voltaic vs., 873–874

electromagnetic radiation, 76–77, 898

electromagnetic spectrum, 78–80

electromotive force (emf), 851

electron(s)

- absorption of, 899
- core, 124–125, 270
- delocalized, 213, 266–277
- discovery of, 45–47
- electrical current and rate of, 850
- energy of, 93
- of ions, 54
- localized, 213
- nonbonding, 175, 227
- positron as antiparticle of, 898
- properties of, 50
- in redox reactions, 349
- in resonance structures, 212–214
- transitions of, 86–87, 97–98
- unpaired, 252, 274
- valence, 124–128, 164–166
- wave nature of, 88–89

electron affinity (EA), 144–145

electron capture, 895, 899

electron configurations, 117–131

- for families of elements, 129–130
- of ions, 130–131, 136–137
- of metals and nonmetals, 128–129
- and orbital filling, 117–124
- of transition metals, 986–987
- of valence electrons, 124–128

electron diffraction, 89

electronegativity

- and bond polarity, 207–208
- and energy of orbitals, 276
- and percent ionic character, 209
- and strength of oxyacids, 692
- of transition metals, 988–989

electronegativity difference, 208–209

electron geometry

- basic shapes, 223–226
- hybridization and bonding schemes from, 263–264
- and lone pairs, 227–231
- and molecular geometry, 232

electron groups

- defined, 223
- and geometry, 223–226, 231
- and lone pairs, 227–231

electron orbitals, 93

electron pairs

- bonding, 175, 227
- and Lewis acids/bases, 725
- lone pairs, 175, 227–231, 711

electron sea model, 518

electron spin, 95, 117, 121

electron transfer, 166–167, 845

electron volt (eV), 915

electrostatic forces, 46

electrostatic potential maps, 206, 326, 349, 472, 965

element(s). See also main-group elements; transition metals (transition elements)

- atomic masses, 54–57

atomic spectroscopy and identification of, 87–88
compounds vs., 158–160
defined, 39
diatomic, 175–176, 222
electronegativities, 207
families of, 129–130
groups of, 116, 129–130
inner transition, 127–128
mass percent, 181
molar masses, 58–59
octaves of, 114
origins of, 62
proton numbers, 50–52
standard enthalpies of formation, 393
standard free energies of formation, 821, 822
transuranium, 919
triads of, 114
elementary steps, 613–614
elimination reactions, 962
emeralds, color of, 985–986
emf (electromotive force), 851
emission
 gamma ray, 895, 898
 of light, 894
 positron, 895, 898–899
emission spectra, 85–88, 97
empirical formula molar mass, 188
empirical formulas
 from combustion analysis, 190–191
 defined, 162
 from experimental data, 187
 from molecular formulas, 163
enantiomers, 942–943, 998
endogenous (term), 206
endorphins, 206
endothermic processes
 defined, 18
 particle view of, 383
 in solution, 545
 spontaneous, 799
 vaporization, 479
endothermic reactions
 and bond energies, 391
 defined, 382
 and lattice energies, 401
 Le Châtelier's principle for, 670–672
 spontaneity of, 813–814
endpoint of titration, 767
energy, 15–18, 368
 activation, 587, 606–610
 in batteries, 798, 825–826
 binding, 81–82
 bond, 220–221, 255, 389–392
 for bonding/breaking bonds, 389–391
 chemical, 16, 368
 conservation of mass–energy, 370

converting mass to, 914–916
 defined, 15
 dispersal of, 541, 797, 801, 808
 of electrons, 93
 exchange of, 416
 free. See free energy
 heat tax on transfers of, 797–798, 826
 interaction, 252–253
 internal, 370–373
 ionization, 140–144, 988
 kinetic, 15, 368, 369, 416, 440
 lattice, 167–168, 398–401
 law of conservation of, 16, 368–373
 of melting and freezing, 488–489
 nature of, 15–16, 368–369
 nuclear binding, 915–916
 and octet rule, 177
 of orbitals, 267, 268, 276
 “places” for, in states of matter, 805, 818
 potential. See potential energy
 quantifying changes in, 17–18
 quantization of, 82–85
 randomization of, 541
 sign conventions for, 373
 in solution formation, 544–548
 sublimation, 398
 and temperature, 478–479
 thermal. See thermal energy
 total, 15
 transfers of, 368–369, 797–798, 826
 units of, 16–17
 and vaporization, 479–481
 energy bands, 525–526
 energy density, for rechargeable batteries, 871
 energy diagrams, 371, 615, 619
 English system of units, 4
 enthalpy (H), 381–385
 enthalpy change (ΔH), 385–389
 in chemical reactions, 385–398
 in endothermic vs. exothermic processes, 382–384
 internal energy change vs., 382
 and spontaneity, 812–815
 standard, 392–395
 stoichiometry with, 384–385
 enthalpy of reaction (ΔH_{rxn}), 385–398
 from bond energies, 389–392
 in coffee-cup calorimeter, 386–387
 and Hess’s law, 387–389
 measuring, 385–387
 relationships involving, 387–390
 standard, 815, 820–821
 standard change in free energy from, 820–821
 from standard enthalpies of formation, 392–398
 stoichiometry involving, 384–385
 enthalpy of solution (ΔH_{soln}), 545–547
 enthalpy of vaporization. See heat of vaporization (ΔH_{vap})

- entropy (S), 798–810, 815–819
 - in biological systems, 810
 - defined, 800
 - and energy dispersal, 797
 - in microstates and macrostates, 800–801
 - and second law of thermodynamics, 799–804
 - and solutions, 540–541
 - standard molar, 815–819
 - units of, 800, 806
 - of universe, 801–802
- entropy change (ΔS), 802–807
 - and changes in state, 804–807
 - in chemical reactions, 815–821
 - defined, 801, 803, 806
 - with expansion of real gases, 802–804
 - and heat transfer, 807–810
 - predicting sign of, 805
 - and spontaneity, 812–815
 - standard, 815, 819
- entropy change for a reaction. See standard entropy change for a reaction ($\Delta S_{\text{rxn}}^{\circ}$)
- entropy change for surroundings (ΔS_{surr})a, 807–810
 - and entropy change in universe, 807–808
 - quantifying, 809–810
 - temperature dependence of, 808–809
- enzymes, 621–622, 943
- equations. See also *specific equations*
 - chemical. See chemical equations
 - nuclear, 896, 897
 - problems involving, 20, 24–25
 - quadratic, 658
 - two-point forms of, 486, 610
- equatorial positions, 225
- equilibrium, 639–675. See also aqueous ionic equilibrium
 - complex ion, 778–783
 - concentration change and, 665–667
 - dynamic, 481–482, 549, 641–642
 - and fetal hemoglobin, 638–641
 - free energy change of reactions in, 827
 - and Gibbs free energy, 829–832
 - heterogeneous, 650–651
 - Le Châtelier's principle for, 665–672
 - and pH changes in buffers, 747–748
 - pressure changes and, 667–669
 - and reaction quotient, 653–656
 - solubility, 769–775
 - in solutions, 548–552
 - temperature changes and, 670–672
 - thermal, 374
 - volume changes and, 667–669
- equilibrium approach to calculating pH, 745–746
- equilibrium concentration, 656–664
 - equilibrium constant from, 651–653
 - from K and concentrations of products and reactants, 656–657
 - from K and initial concentrations/pressures, 657–661
 - and pH of weak acids, 701, 707
 - simplifying approximations of, 661–664

with small K , 662–664

equilibrium constant (K), 639, 642–653

- approximations in problems with, 661–664
- and chemical equations, 644–647
- for chemical reactions, 644
- defined, 643
- and direction of change, 654–656
- and equilibrium concentrations, 651–653, 656–661
- for fetal hemoglobin, 640
- for heterogeneous equilibria, 650–651
- for ionization of weak acid, 694–696
- large, 644
- and law of mass action, 643
- from pH, 705
- pressure, 647–650
- significance of, 644–645
- small, 645, 661–664
- and standard cell potential, 864–865, 868
- and standard change in free energy, 829–832
- temperature dependence of, 831–832
- units of, 649–650

equivalence point

- defined, 343, 344, 755
- in titration of strong acids, 756, 757, 759
- in titration of weak acids, 760, 762–763

error, 10

ester(s), 966–968

estimations, 9, 23–24

ethanal (acetaldehyde), 265, 965

ethane, 470–471, 936, 944

ethanoic acid. See acetic acid

ethanol (ethyl alcohol), 37

- acetic acid from, 966
- combustion of, 307, 367–368, 382
- dilution of, 324
- dimethyl ether vs., 473
- and ethylene glycol poisoning, 740
- from glucose, 961
- hydrogen bonding in, 473
- ice cubes of, 366–368
- oxidization of, 965
- reactions of, 962
- in solution with water, 540
- uses of, 961

ethene (ethylene)

- and chlorine, 954–955
- double bond in, 936
- from ethanol, 962
- formula and models of, 949
- hybridization and bonding scheme for, 266
- and hydrogen, 612
- hydrogenation of, 620–621
- and hydrogen chloride, 955
- polymers of, 527–528
- standard entropy, 818
- triple bond in, 192
- uses, 949

ethers, 968
ethyl alcohol. See ethanol
ethylamine, 968
ethylbenzene, 957, 959
ethyl butanoate, 967
4-ethyl-2,7-dimethyloctane, 946–947
ethylene. See ethene
ethylenediamine ligand, 990
ethylenediaminetetraacetate ion (EDTA^{4-}), 991, 1005
ethylene glycol
 in antifreeze, 564, 739–740
 freezing point of, 565
 solution of, 556
ethylmethylaniline, 968
3-ethylpentane, 946–947
ethyl pentanoate, 966
ethyl propyl ether, 968
ethyne (acetylene)
 formula and models of, 165, 949
 hybridization of, 261–262
 triple bond in, 192, 936
 uses, 950
europium, 52
eV (electron volt), 915
evaporation. See vaporization
exact numbers, 11–12
excitation, radiation and, 96–97
exothermic processes
 defined, 18
 particle view of, 383
 in solution, 544, 545
exothermic reactions
 and bond energies, 391
 defined, 382, 671
 and lattice energies, 167–168, 401
 Le Châtelier's principle for, 670, 672
 spontaneity of, 812, 813
expanded octets, 210, 217, 219–220
expansion of real gases, 802–804
experiments, 39, 40
exponential factors, 607–608
exponents, 644
exposure, radiation, 920–922
extensive properties, 14, 816
extrapolation, 422

F

face-centered cubic unit cell, 512–514
fac–mer isomerism, 997
Fahrenheit scale ($^{\circ}\text{F}$), 5
falsifiability, 40
family(–ies)
 of elements, 116, 129–130

of organic compounds, 960
Faraday's constant, 862, 878
f block, 125–128
FDA (U.S. Food and Drug Administration), 183, 924
Fermi, Enrico, 910
Fermi National Accelerator Laboratory, 919
fermium, 910
fetal hemoglobin, 638–641
Feynman, Richard P., 367
find information (in problem solving), 20, 24
fireworks, 88
first ionization energy (IE_1), 140–143, 988
first law of thermodynamics, 370–373, 797, 803
first-order reactions
 defined, 594
 half-life of, 603–604
 identifying, from experimental data, 594
 integrated rate law for, 599–601
fishing flies, 476
fission, nuclear, 910–914
flame tests, 87
flaming ice demonstration, 366–368
flash freezing, 495
fluids
 intravenous, 571–572
 supercritical, 487
fluoride ions, 136
fluorine
 and boron, 218–219
 and bromine, 308
 electron configuration, 136
 electronegativity, 207, 277
 family of, 130
 formal charge, 215
 hybrid orbitals, 263
 hydrogen bonding with, 472–473
 Lewis structure, 165
 and magnesium, 169
 and potassium, 169
fluorine-18 isotope, 923
fluorine ions, 54
fluorite (CaF_2) structure, 520
fluoromethane, 474
food, irradiation of, 924
f orbitals, 102–103, 122
force(s). See also intermolecular forces
 adhesive, 477–478
 attractive, 901
 cohesive, 477–478
 from collisions of gas particles, 417, 428–429
 electromotive, 851
 electrostatic, 46
 intramolecular, 177
 and pressure, 415
 and pressure–volume work, 378
 in solutions, 541–544

strong, 301

total, 428–429

formal charge, 215–217

formaldehyde

- addition reaction with, 965
- dipole–dipole forces, 470–471
- formula and model, 963
- geometry, 224
- intermolecular forces in, 474
- uses, 964

formalin, 964

formation, standard heat of. See standard enthalpy of formation (ΔH_f°)

formation constant (K_f), 778–779

formic acid, 694, 754, 966

formula mass, 179

formula unit, 166

forward direction, spontaneous reactions in, 355

fossil fuels, combustion of, 286–289, 295–297

4f orbitals, 102–103

francium, 207

Franklin, Rosalind, 507

free energy, 811–815

- and cell potential/equilibrium constant, 861–865
- Gibbs, 811–812
- of reversible reactions, 824–826

free energy change (ΔG), 812–815

- defined, 811
- and equilibrium, 829–832
- and Le Châtelier's principle, 829
- and Nernst equation, 866
- in nonstandard states, 826–829
- and spontaneity, 812–815
- standard, 820–832
- theoretical limit on, 825–826

free energy change of reaction under nonstandard conditions (ΔG_{rxn}), 826–829

free energy of formation (ΔG_f°), 821–823

free radicals, 218, 954

freezing

- energy of, 488
- flash, 495
- of water, 807–809, 813

freezing point depression, 563–565, 569–570

Freon-112 refrigerant, 182

frequency (ν), 77–79, 82, 84

frequency factor (A)

- in Arrhenius equation, 607
- from Arrhenius plots, 608–610
- and collision model, 611–612
- defined, 606

Friday night experiments, 505–506

fructose, 188

fuel cells, 872, 873

Fukushima Daiichi Nuclear Power Plant accident (2011), 913, 914

Fuller, R. Buckminster, 522

fullerenes, 522

functional groups, 960. See also *specific types*

fused silica, 525
fusion (melting), 489–490
fusion (nuclear), 916, 917

G

G. See Gibbs free energy
 ΔG . See free energy change
gadolinium, 128
Galileo Galilei, 41
gallium, 115, 527
galvanic (voltaic) cells, 849–853, 873–874
gamma (γ) ray emission, 895, 898
gamma (γ) rays, 78–79, 898
garnet, 986
gas(es), 393, 415–453
 Avogadro's law, 424–425
 Boyle's law, 420–422
 Charles's law, 422–424
 collecting, over water, 438–439
 defined, 37, 38
 density, 430–432
 diffusion of, 443
 dipole moments, 209
 effusion of, 443–444
 entropy and state changes in, 804, 805, 807
 greenhouse, 286–288
 on heating curves, 489–491
 ideal gas law, 425–433, 648, 667
 kinetic molecular theory of, 415–417, 422, 428–430
 mean free path, 442–443
 mixtures of, 433–439
 molar mass, 432–433
 molar volume, 430
 noble, 128–130, 468, 518, 817
 partial pressure, 433–437
 on phase diagrams, 491–494
 pressure, 417–419
 properties of, 465
 real, 447–450
 solids and liquids vs., 464–466
 solubility of, 550–552
 standard molar entropies, 816
 standard state for, 815
 stoichiometry with, 444–446
 and sublimation, 487–488
 and supersonic skydiving, 414–416
 temperature and molecular velocities, 440–442
 and vaporization, 478–481
gas chromatographs, 592
gas-evolution reactions, 346–347
gasoline, 37, 464
 alkanes in, 944
 alkynes in, 950
 combustion of, 16, 18, 289, 377–378, 797, 824–825

ethanol in, 961
hydrocarbons in, 937
gauge pressure, 427
Gay-Lussac's law, 426
Geiger-Müller counter, 903
Geim, Andre, 505, 506
genetic defects, 920
geodesic dome, 522
geometric isomerism, 952–953, 996–997
geometry. See electron geometry; molecular geometry
geraniol, 936
germanium, 115, 125
Gibbs free energy (G), 811–812. See also free energy change (ΔG)
given information (in problem solving), 20, 24
glass, 524–525
glassblowing, 524, 525
global warming, 288
glowing, 894
glucose
 alcohols from, 961
 formation of, 289, 297
 formula and models, 165
 formula mass, 179
 optical isomers, 942
 oxidation of, 824
 in respiration, 1007
 in solution, 557
 in wood frogs, 538–540
glycine, 234
glycolic acid, 740
 ΔG_f° (free energy of formation), 821–823
gold, 354, 355, 518, 918, 989
gold foil experiment, 48–49
gold plating, 879
Gore, George, 205
Graham, Thomas, 443
Graham's law of effusion, 443–444
graphene, 504–506, 521, 522
graphite, 37, 518
 conversion of diamond to, 798–799
 in lithium ion batteries, 872
 methane from, 393
 properties, 521
 standard entropy of, 817
gravitational pull, 5
gravity, water in absence of, 462–464
gray (Gy), 920
grease, solubility in water, 540
greenhouse effect, 288
greenhouse gases, 286–288
ground state, 117
groups of elements, 116, 129–130
 ΔG_{rxn} (free energy change of reaction under nonstandard conditions), 826–829
 $\Delta G_{\text{rxn}}^\circ$. See standard change in free energy
Gy (gray), 920
gypsum, 524

H

- H* (enthalpy), 381–385
- ΔH . See enthalpy change
- ΔH° (standard enthalpy change), 392–395
- H_3O^+ ions. See hydronium ions
- Hahn, Otto, 910
- hair, bleaching of, 347
- half-cell, 850
- half-cell potential, measuring, 855–856
- half-equivalence point, 761, 766
- half-life ($t_{1/2}$) of reaction, 603–604, 904–907
- half-reactions
 - on activity series of metals, 355
 - balancing redox equations with, 846–848
- halides, 174
- halogenation, 954
- halogens, 130, 308–309
- halogen substitution reactions, 954
- hard water, 331
- harpoon mechanism, 612
- HDPE (high-density polyethylene), 528
- heat
 - in chemical reactions, 381–385
 - in constant-pressure calorimeters, 385
 - and energy, 368
 - and entropy changes for surroundings, 809–810
 - and internal energy, 372–373
 - quantification of, 373–377
 - transfer of, 807–810
- heat at constant volume (q_v), 380
- heat capacity (C), 374–376, 380
- heating, with natural gas vs. electricity, 798
- heating curve for water, 489–491
- heat of fusion (ΔH_{fus}), 488–489
- heat of hydration ($\Delta H_{\text{hydration}}$), 546–548
- heat of reaction. See enthalpy of reaction (ΔH_{rxn})
- heat of vaporization (ΔH_{vap}), 480–481, 489
- heat tax, 797–798, 826
- Heisenberg, Werner, 75, 91
- Heisenberg's uncertainty principle, 90–92
- heliox mixture, 436–437
- helium, 38, 39, 52, 130, 464
 - behavior, 35, 449
 - density, 430–431
 - dispersion forces in, 467–468
 - effective nuclear charge, 134
 - effusion of, 443
 - electron configuration, 117–118, 166
 - emission spectra, 85, 86
 - Lewis structure, 165, 166
 - mass, 49
 - molar mass, 59

molecular orbital diagram, 269
 origin of, 62
 valence electrons, 126, 128
 helium-4 isotope, 896, 915, 917
 heme, 1006
 hemlock, 687
 hemoglobin
 as coordination compound, 1005–1007
 fetal, 638–641
 and oxygen, 740
 Henderson–Hasselbalch equation, 743–746, 750–751
 Henry's law, 551–552
 Henry's law constant, 551
 heptane, 542
 2-heptanone, 964
 Hess's law, 387–389, 395, 398, 399, 545, 823
 heterogeneous catalysis, 620–621
 heterogeneous equilibrium, 650–651
 heterogeneous mixtures, 39
 heteronuclear diatomic molecules, 276–277
 hexaamminecobalt(III), 993, 1003
 hexaamminecobalt(II) ion, 1003
 hexagonal closest packing, 515
 hexamethylenediamine, 528
 hexane, 944
 as solvent, 542, 544
 structural formula, 940
 structural isomers of, 938
 3-hexanone, 964
 ΔH_f° . See standard enthalpy of formation
 ΔH_{fus} (heat of fusion), 488–489
 $\Delta H_{hydration}$ (heat of hydration), 546–548
 high-density polyethylene (HDPE), 528
 high-spin complexes, 1003–1004
 Hinshelwood, Cyril N., 585
 H^+ ions, copper and, 861, 864–865
 Hiroshima, Japan, 912
 HIV protease, 507
 Hoffmann, Roald, 463, 478
 homogeneous catalysis, 620
 homogeneous mixtures, 39
 homonuclear diatomic molecules, 270–275
 Hooke, Robert, 420
 ΔH_{rxn}° (standard enthalpy change for a reaction), 820–821
 hot-air balloon, 423
 ΔH_{rxn} . See enthalpy of reaction
 ΔH_{soln} (enthalpy of solution), 545–547
 Hund's rule, 121–122, 256
 ΔH_{vap} (heat of vaporization), 480–481, 489
 hybridization
 of atomic orbitals, 252, 254–266, 1000
 resonance, 213, 214
 sp, 261–262
 sp^2 , 257–260
 sp^3 , 255–257
 sp^3d , 262
 sp^3d^2 , 262

sp³ a, 200

hybridization and bonding schemes, 263–266
hybrid orbitals, 254–266, 1000
hybrids, 213, 214, 255
hydrated aluminum ions, 782–783
hydrates, 174
hydrides, 692
hydrobromic acid, 339, 962
hydrocarbons, 192, 937–959
 aliphatic, 937–938
 aromatic, 937, 956–959
 classification, 937–938
 isomerism in, 941–943
 oxidation of, 822
 reactions of, 953–956
 saturated, 944–948
 structures, 938–941
 unsaturated, 948–953
 uses, 945
 viscosity, 477
hydrochloric acid, 339
 acid ionization constant, 693
 dilution of, 322
 and limestone, 346
 and magnesium, 386–387
 and methylamine, 969
 properties, 338
 and sodium bicarbonate, 346–347
 and sodium hydroxide, 340–341
 in solution, 329
 titration of, 756–758
 uses, 686
 and zinc, 338, 438, 439, 861
hydrofluoric acid, 342, 714
hydrogen
 from alcohol and metal reaction, 962
 and ammonia, 43, 667–669
 and carbon, 825
 and chlorine, 208, 349
 collecting, over water, 438, 439
 color code, 36
 from combustion analysis, 189–191
 combustion of, 307, 348
 density, 430–431
 effective nuclear charge, 134
 from electrolysis of aqueous sodium chloride, 877
 electron configuration, 117
 electronegativity and energy of orbitals, 277
 emission spectrum, 85, 86
 and ethene, 612
 formal charge, 215
 formation of, 388, 392, 438, 439, 824
 interaction energy, 252–253
 and iodine, 588–590, 592, 595–596, 641–643, 651
 and iodine monochloride, 613
 Lewis structure, 176
 mass, 49

molecular orbital diagram, 268–269
 and nitrogen, 446, 667–670
 and nitrogen monoxide, 596, 616–617
 origin of, 62
 and oxygen, 177, 391
 and propene, 955
 properties of water vs., 158–160
 as reducing agent, 352
 Rydberg constant, 94
 Schrödinger equation, 94–96
 standard hydrogen electrode, 854–856
 transitions in, 86–87, 97–98
 unhybridized valence electrons of, 258, 261
 from water, 36, 43, 185, 186, 872–873
 hydrogenation, 620–621
 hydrogen bombs, 917
 hydrogen bonding, 472–474, 495
 hydrogen bonds, 472–474
 hydrogen bromide, 956
 hydrogen chloride, 955
 hydrogen disulfide, 662–664
 hydrogen fluoride, 206, 207
 hydrogen halides, 308, 691–692
 hydrogen monochloride, 688
 hydrogen–oxygen fuel cell, 872, 873
 hydrogen peroxide, 162–163, 176, 474
 hydrogen sulfide, 253–255
 hydroiodic acid, 339
 hydronium ions (H_3O^+)
 in acidic solutions, 696, 697
 and Arrhenius definition of acids, 338
 concentration of, 700–709
 defined, 688
 and percent ionization, 706–707
 and pH, 698–699
 water vs., 176
 hydroxide ions (OH^-)
 in basic solutions, 697
 concentration of, 710–713
 and pH, 699
 and pOH, 699–700
 precipitation with, 777–778
 hydroxides, 774
 hydroxyl group, 961
 hyperosmotic solutions, 571
 hypochlorite ion, 173, 174
 hypochlorous acid, 754
hypo- prefix, 174
 hyposmotic solutions, 571
 hypothesis, 40
 hypoxia, 435

i (van't Hoff factor), 569–570

ice, 37, 464, 517

- cooling water with, 491
- flaming ice demonstration, 366–368
- formation of, 813
- on heating curve, 489, 490
- melting of, 488, 806
- sublimation of, 487–488

ICE table, 652–653, 701, 703–704

ideal gas(es), 426

- entropy change with expansion of, 802–804
- real gases vs., 449–450
- solutions of, 541

ideal gas constant, 426

ideal gas law, 425–433, 648, 667

- calculations using, 427–428
- defined, 425–426
- and density of gases, 430–432
- and kinetic molecular theory, 428–430
- molar mass of gas, 432–433
- molar volume at STP, 430
- and simple gas laws, 426

ideal solutions, 560–561

IE (ionization energies), 140–144, 988

IE₁. See first ionization energy

IE₂ (second ionization energy), 140, 143–144

IE₃ (third ionization energy), 140

incomplete octets, 217, 218

indeterminacy, 92–93

indicators, 344, 755, 767–769

inelastic collisions, 416

inert platinum electrodes, 853, 854

infrared (IR) radiation, 79

initial concentration

- equilibrium concentration and, 657–664
- and pH of buffer solution, 743–746

initial rates, method of, 594–595

inner electron configuration, 122, 126

inner transition elements, 127–128

in phase (term), 80

insect control, with radioactivity, 924

insoluble compounds, 329–331, 334, 540, 775

instantaneous dipoles, 468

instantaneous rate of reaction, 590

integrated rate law, 598–605

- first-order, 599–601
- and half-life of reaction, 603–604
- for radioactive decay, 905–907
- second-order, 601–602
- zero-order, 603

intensity

- of light, 77, 83, 84
- of mass spectrum peaks, 56

intensive properties, 14

interaction energy, 252–253

interference

- constructive, 80, 506–507

destructive, 80, 268, 506–507

electron, 88

light, 80, 81

interference patterns, 80, 88, 91, 506

interhalogen compounds (interhalides), 308

intermediates, reaction, 347, 613

intermolecular forces, 466–478

- and capillary action, 477–478
- defined, 463, 464
- dipole–dipole, 470–472
- dispersion, 467–469
- and hydrogen bonding, 472–474
- of ideal gases, 426
- ion–dipole, 475
- in molecular compounds, 177
- of real gases, 448–449
- in solutions, 541–544
- and surface tension, 476–477
- and viscosity, 477
- and water in absence of gravity, 462–464

internal energy (E), 370–373

internal energy change (ΔE), 379–382

International Bureau of Weights and Measures, 4, 5

International System of Units (SI), 4–8

International Union of Pure and Applied Chemistry (IUPAC), 54, 945

intramolecular forces, 177

intravenous fluids, 571–572

inverse relationships, 420

iodate, 174

iodine

- and chlorine, 309
- family of, 130
- and hydrogen, 588–590, 592, 595–596, 641–643, 651
- on periodic table, 115
- phase diagrams, 493

iodine-131 isotope, 922

iodine monochloride, 613

ion(s), 136–144. See also *specific ions*; *specific types*

- acid–base properties of, 713–718
- after selective precipitation, 777–778
- charge on, 400–401
- common ion effect, 742–743, 773–774
- electron configurations of, 130–131, 136–137
- electrons of, 54
- formation of, 130–131
- ionic radii, 138–140
- ionization energy, 140–144
- magnetic properties of, 136–137
- size of, 400
- in strong electrolyte solutions, 569

ion–dipole forces, 475

ion–dipole interactions, 547

ionic bond(s), 161, 162, 166–168

ionic bonding, 166–168

- covalent vs., 161
- and electron transfer, 166–167

and lattice energy, 167–168

models vs. reality of, 168

ionic character, of bonds, 207

ionic charge, 349

ionic compounds, 169–174

- balancing equations with, 294
- binary, 171–172
- chemical formulas of, 169
- defined, 162
- formation of, 161
- hydrated, 174
- lattice energies for, 398–401
- naming, 170–174
- solubility of, 329–331, 540, 769–775

ionic equations, 336–337

ionic radii, 138–140

ionic solids, 168, 517, 519–520

ionizable protons, 693

ionization

- percent, 706–707
- of polyprotic acids, 720–721
- of strong acids, 693
- of strong bases, 710
- of weak acids, 694
- of weak bases, 710

ionization energies (IE), 140–144, 988

ionizing power, 897

ionone, 964–965

ion product constant for water (K_w), 696–697

iron, 508, 518

- and chlorine, 308
- and hemoglobin, 1006
- from iron ore, 799
- and lead, 860
- and magnesium, 860
- oxides of, 880
- rusting of, 289, 347, 348, 798, 880–881

iron blue, 1005

iron(III) chloride, 719

iron(III) fluoride, 719

iron(II) ions, 171

iron(III) ions, 171

iron ore, 799

iron(III) oxide, 396, 524

iron(II) sulfate, 173

IR (infrared) radiation, 79

irradiation of foods, 924

irregular tetrahedron geometry, 229

irreversible reactions, 825

island (valley) of stability, 900–903

isobutane, 191, 937–939

isomerism

- cis–trans, 260, 952–953, 996–997
- of coordination compounds, 995–999
- fac–mer, 997
- geometric, 952–953, 996–997
- optical, 941–943, 998–999

stereo-, 941–943, 996–999

isomers

cis, 260, 952–953, 996–997

coordination, 995

dextrorotatory, 942

levorotatory, 942

linkage, 995–996

structural, 938, 995–996

trans, 260, 952–953, 996–997

isopropyl alcohol (rubbing alcohol), 464, 960, 961

3-isopropyl-4-methyl-1-pentyne, 951–952

isosmotic solutions, 571, 572

isothermal processes, 806

isotonic solutions, 571

isotope(s), 52–53. See also *specific isotopes*

atomic masses of, 54–55

ionic radii of, 140

natural abundance of, 52, 54, 55

notation for, 895–896

relative abundance of, 56

IUPAC (International Union of Pure and Applied Chemistry), 54, 945

J

J (joule), 16–17, 440

Joliot, Frédéric, 918

Joliot-Curie, Irène, 918

joule (J), 16–17, 440

Joule, James, 16

J-tube, 420

K

K. See equilibrium constant

K (kelvin), 5–6, 416

K_a (acid ionization constant), 693–696, 721

kaolinite, 523

K_b (base ionization constant), 710

Kekulé, Friedrich August, 956–957

kelvin (K), 5–6, 416

Kelvin scale, 4–6

Kepler, Johannes, 41

ketones, 963–965

K_f (formation constant), 778–779

kilogram (kg), 4, 5

kilowatt-hour (kWh), 17

kinetic energy

average, 416, 440

defined, 15

and motion, 368

and temperature, 416

transformation of potential and, 369

kinetic molecular theory (KMT) of gases

and behavior of gases, 415–417
 and ideal gas law, 428–430
 and mass, 442
 kinetics
 chemical. See reaction rate(s)
 of radioactive decay, 904–907
 and thermodynamics, 798–799
 KMT of gases. See kinetic molecular theory of gases
 Kobilka, Brian, 204
 krypton, 130, 131, 910
 K_{sp} . See solubility-product constant
 Kuhn, Thomas, 41
 K_w (ion product constant for water), 696–697
 kWh (kilowatt-hour), 17

L

l (angular momentum quantum number), 94
 L (liter), 8
 lactic acid, 966
 lag time, 82
 λ . See wavelength
 lanthanide contraction, 988
 lateral ideas, 506
 lattice energy(-ies), 167–168, 398–401
 lattices, 162
 Lavoisier, Antoine, 39, 40, 42
 Lavoisier, Marie, 40
 law of conservation of energy, 16, 368–373
 law of conservation of mass, 40, 42
 law of constant composition, 43
 law of definite proportions, 43
 law of mass action, 643, 645, 648, 826
 law of multiple proportions, 44
 laws, scientific, 40
 LCAO (linear combination of atomic orbitals), 267–270
 LDPE (low-density polyethylene), 528
 lead, 170, 525, 860, 918, 1005
 lead-206 isotope, 909–910
 lead-acid storage batteries, 870–871
 lead(IV) chloride, 172
 leaded glass, 525
 lead(II) iodide, 332, 334
 lead(II) nitrate, 331, 332, 334, 776
 lead(IV) oxide, 870
 Le Châtelier, Henri, 639
 Le Châtelier's principle, 665–672
 and acid–base chemistry, 700, 707, 708, 722
 and buffers, 742
 and concentration change, 665–667
 and free energy changes, 829
 and temperature change, 670–672
 and volume/pressure change, 667–669
 length

bond, 222, 400
 edge, 512
 unit of measurement, 4
 and volume, 8
 Leucippus, 41
 levorotatory isomers, 942
 Lewis, Gilbert N., 159, 164, 685, 725
 Lewis acids, 725–726
 Lewis bases, 725
 Lewis electron-dot structures (Lewis structures), 164–166
 and bond polarity, 206–207
 and covalent bonding, 175–177
 for molecular compounds, 210–211
 for polyatomic ions, 212
 Lewis models, 164–166
 Lewis symbols, 165
 Lewis theory
 exceptions to octet rule, 217–220
 formal charge in, 215–217
 for molecular compounds, 210–211
 for polyatomic compounds, 212
 resonance in, 212–214
 Libby, Willard, 907
 life, effects of radiation on, 919–922
 ligands, 778, 990–992
 bidentate, 990, 992
 monodentate, 990
 names and formulas of, 994
 nitrito and nitro, 995–996
 strong-field, 1002, 1003
 weak-field, 1002, 1003
 light, 76–85
 diffraction of, 80, 81
 in electromagnetic spectrum, 78–80
 emission of, 894
 intensity of, 77, 83, 84
 interference, 80, 81
 particle nature of, 80–85
 plane-polarized, 942–943
 visible, 78, 79
 wave nature of, 76–78
 white, 78, 85, 86
 lightning, 77, 844–846
 limestone, 346, 524, 774
 limiting reactant, 299–304
 linear accelerators, 918, 919
 linear combination of atomic orbitals (LCAO), 267–270
 linear geometry, 223, 230
 linear relationships, 422
 line notation, 852–853
 lines, on phase diagrams, 492
 linkage isomers, 995–996
 liquefied petroleum (LP), 937, 944
 liquid(s)
 at critical point, 487
 defined, 37
 entropy and state changes for, 804–807

- and fusion, 489–490
- on heating curves, 489–491
- in heterogeneous equilibria, 650–651
- intermolecular forces in, 466–478
- nonvolatile and volatile, 479
- on phase diagrams, 491–494
- properties of, 465, 494–495
- solids and gases vs., 464–466
- standard molar entropies of, 816
- standard state for, 393, 815
- vaporization of, 478–481
- vapor pressure, 481–486
- water in absence of gravity, 462–464
- liter (L), 8
- lithium
 - effective nuclear charge, 133
 - electron configuration, 121, 136
 - energy levels of molecular orbitals, 525–526
 - family of, 130
 - flame tests for, 87
 - Lewis structure, 165
 - molecular orbital theory, 271
 - and water, 308
- lithium bromide, 547
- lithium dichromate, 174
- lithium ion batteries, 872
- lithium ions, 54, 136
- lithium phosphate, 294
- lithium sulfate, 335
- lithium sulfide, 346
- litmus paper, 686, 687
- lizards, reaction rates in, 584–586
- lobes, atomic orbital, 100
- localized electrons, 213
- logarithmic scale, 698
- London, Fritz W., 467
- London forces (dispersion forces), 467–469
- lone pairs, 175, 227–231, 711
- low-density polyethylene (LDPE), 528
- low-spin complexes, 1003–1004
- LP (liquefied petroleum), 937, 944
- lung volume, 422, 425

M

- M. See molarity
- m* (meter), 4
- m* (molality), 554
- M16 (Eagle Nebula), 62
- macrostates, 800–803
- magic numbers, 902
- magnesium
 - and copper ions, 354
 - electron configuration, 123
 - family of, 130

and fluorine, 169
and hydrochloric acid, 386–387
ionization energy, 143
and iron, 860
sacrificial electrodes of, 881
magnesium-22 isotope, 902
magnesium-28 isotope, 902
magnesium hydroxide, 772–773, 777–778
magnesium ions, 354, 777
magnesium oxide, 301–302, 524
magnetic field, 76
magnetic properties
 and crystal field strength, 1003–1004
 of ions, 136–137
 of liquid oxygen, 250–252
magnetic quantum number (m_l), 94–95
main-group elements, 116
 atomic radii, 134
 electron affinities, 144–145
 electron configurations, 124–127
 ionization energy, 140
 valence electrons, 124–125
main-group hydrides, boiling points of, 495
malic acid, 687
malleability, of metals, 518
manganese, 859, 989
Manhattan Project, 912
manometer, 419
Markovnikov's rule, 956
Mars Climate Orbiter, 2–4, 19
Mars Curiosity Rover, 494
Mars Polar Lander, 3
mass. See also molar mass
 atomic, 54–57, 179
 charge-to-mass ratio, 46
 critical, 911
 empirical formula molar, 188–189
 and energy, 914–916
 formula, 179
 and kinetic molecular theory, 442
 law of conservation of mass, 40, 42
 molecular, 179
 and moles, 58–61, 184–185
 and number of molecules, 180
 parts by, 554, 555
 percent by, 554
 unit of measurement, 5
mass action, law of, 643, 645, 648, 826
mass defect, 915–916
mass–energy, conservation of, 370
mass number (A), 52–53
mass percent composition, 182–183
mass spectrometry, 55–57
mass-to-mass conversions, 296–299
materials science, 505
mathematical operators, 93

matter. See also particulate nature of matter; states of matter

building blocks of, 41

classification of, 37–39

composition of, 37–39, 368

countability of, 57

defined, 36

properties and structure of, 35–37

wave nature of, 88–93

Maxwell, James Clerk, 415

mean free path, 442–443

measurement. See also units of measurement

of density, 14–15

of energy, 15–18

of pressure, 418–419

of reaction rates, 591–592

reliability of, 8–10

and significant figures, 10–14

and unit conversion, 18–19

medical solutions, 571–572

medicine, nuclear, 894, 922–924

Meitner, Lise, 910, 911

meitnerium, 910

melting, 489–490, 806

melting points, 168, 488, 519

membranes, semipermeable, 566

Mendeleev, Dmitri, 113, 115, 116, 124, 128

meniscus, 478

mercury, 52, 518

absorption spectra, 88

emission spectra, 85, 88

measuring pressure with, 418–419

meniscus of, 478

metal(s). See also transition metals (transition elements)

and acids, 338

activity series of, 354–356

and alcohols, 962

alkali, 130, 307–309

alkaline earth, 130

in anionic complex ions, 994

bonding atomic radius for, 131

cations of, 717–718

corrosion of, 879–881

with invariant charges, 170

with multiple types of cations, 171–172

with one type of cation, 171

from ores, 879

periodic properties of, 128–129

predicting dissolution of, 861

as reducing agents, 352

semimetals, 129

metal halides, 308

metal hydride, 871–872

metal hydroxides, 710, 782–783

metallic atomic solids, 518

metallic bonds, 518

metallic character, 145–147

metalloids, 129

metastable state, 898
meter (m), 4
methanal. See formaldehyde
methane, 191, 944
 and chlorine, 390–391, 954
 combustion of, 300–301, 395
 formula and models, 164
 geometry, 225
 hybrid orbitals, 254–256
 Lewis structure, 936
 standard enthalpy of formation, 393
methanoic acid (formic acid), 694, 754, 966
methanol, 960
 geometry, 235
 and sodium methoxide, 962
 synthesis of, 445
 uses, 961
 vapor pressure, 486
method of initial rates, 594–595
method of successive approximations, 662, 701
methyl alcohol, 307
methylamine, 711, 968
methylammonium chloride, 969
3-methyl-1-butanethiol, 936
methyl butanoate, 967
3-methyl-1-butanol, 961
methylene chlorine (dichloromethane), 485, 954
3-methylhexane, 942
methyl isonitrile, 606–607
2-methyl-2-pentene, 950
methyl propanoate, 966
methyl red, 769
metric system, 4
Meyer, Julius Lothar, 115
microstates, 800–803
microwaves, 79
milk of magnesia, 774
Millikan, Robert, 46–47, 50
milliliter (mL), 8
millimeter of mercury (mmHg), 418, 419
miscibility, 471, 542
mixtures, 38, 39
 compounds vs., 160
 electrolysis of, 875
 of gases, 433–439
 heterogeneous, 39
 homogeneous, 39
 racemic, 942
 m_l (magnetic quantum number), 94–95
mL (milliliter), 8
mmHg (millimeter of mercury), 418, 419
MO diagrams. See molecular orbital diagrams
moisture, rusting and, 880
mol % (mole percent), 556
molality (m), 554
molar heat capacity, 374

molarity (M)
 in calculations, 321–322
 and concentration of solutions, 553–554
 defined, 320–321
 molar mass, 179–181
 defined, 58
 and dispersion force, 468
 and empirical formula, 188–189
 of gases, 432–433
 and standard molar entropies, 817
 and velocity distribution, 441
 molar solubility, 770–772
 molar volume, 430, 446, 447
 mole(s), 57–61
 of compounds, 179–181
 in ideal gas law, 426–430
 and mass, 58–61, 184–185
 and number of atoms, 58
 and pressure, 446
 and volume, 424–425
 mole concept, 57, 60–61
 molecular complexity, standard molar entropy and, 818
 molecular compounds, 162
 formulas and names for, 177–179
 Lewis structures of, 210–211
 molecular equations, 336, 337
 molecular formulas, 162, 163, 188–189
 molecular gastronomy, 318–320
 molecular geometry
 basic shapes, 223–226
 of coordination compounds, 992–993
 and electron geometry, 232
 and electron groups, 215, 224, 225
 and hybridization, 256
 and lone pairs, 227–231
 and polarity, 235–239
 representing, on paper, 234
 and VSEPR, 231–235
 molecular impostors, 206
 molecularity, 613–614
 molecular mass, 179
 molecular models, 164, 168
 molecular orbital (MO) diagrams, 269, 271, 273, 274
 molecular orbitals (MOs), 266–267
 antibonding, 268–270
 bonding, 267–270, 276
 and energy bands, 525–526
 nonbonding, 277
 molecular orbital (MO) theory, 266–278
 electron delocalization in, 266–277
 linear combinations of atomic orbitals, 267–270
 for polyatomic molecules, 277–278
 for second-period heteronuclear diatomic molecules, 276–277
 for second-period homonuclear diatomic molecules, 270–276
 molecular shape, 235–239, 469
 molecular solids, 517
 molecular structure, acid strength and, 691–693

molecular velocities, of gases, 440–442
 molecular weight, 179
 molecules, 36
 of compounds, 162
 delocalization of atomic orbitals over, 525
 mass and number of, 180
 of molecular solids, 517
 organic, 934–936
 polarity and shape of, 235–239
 predicting geometries of, 231–235
 properties of compounds vs., 159–160
 mole fraction (χ_a), 434, 436–437, 555
 mole percent (mol%), 556
 mole-to-mole conversions, 295–296
 molten salts, electrolysis of, 875
 molybdenum-102 isotope, 902
 momentum, 89
 monatomic anions, 171
 monodentate ligands, 990
 monomers, 527, 528
 monoprotic acids, 693, 695
 monosubstituted benzenes, 957–958
 monoxide, 178
 morphinan, 204
 morphine, 204–206
 MOs. See molecular orbitals
 Moseley, Henry, 115
 MO theory. See molecular orbital theory
 motion, kinetic energy and, 368
 m_s (spin quantum number), 94, 95
 μ . See dipole moment
 multi-electron atoms
 electron configurations, 121–124
 sublevel energy splitting, 118–121
 multiple proportions, law of, 44
 multiplication, 646
 multistage linear accelerator, 918
 multiwalled nanotubes (MWNTs), 522

N

n . See principal quantum number; reaction order
 Nagasaki, Japan, 912
 nanoribbons, 522
 nanotubes, 522–523
 natural abundance of isotopes, 52, 54, 55
 natural gas
 alkanes in, 944
 combustion of, 290–291, 307, 369, 381
 efficiency of heating with, 798
 hydrocarbons in, 937
 molecular models, 164
Nature of Chemical Bond, The (Pauling), 207
 negative charge, in voltaic cells, 852

neon

- and argon, 541
- electron configuration, 122, 126, 128
- emission spectra, 85, 87
- ion formation, 130
- isotopes of, 52–53
- Lewis structure, 165
- as noble gas, 130
- neopentane, 468–469
- Nernst equation, 866–869
- net ionic equations, 336–337
- network covalent atomic solids, 518, 520–523
- neutral anions, 714, 715
- neutral cations, 717
- neutralization reactions. See acid–base reactions
- neutral solutions, 696–698, 718–720
- neutron(s), 49
 - in isotopes, 52–53
 - properties of, 50
 - and valley of stability, 901, 902
- Newlands, John, 114
- Newton, Isaac, 41
- Newton's laws of motion, 92, 429
- nickel, 518, 621, 859
- nickel–cadmium (NiCad) batteries, 871
- nickel(II) chloride, 335
- nickel–metal hydride (NiMH) batteries, 871–872
- nitrate, 174
- nitrate ions, 340
- nitric acid
 - formula, 340
 - oxidation of metals by, 861
 - and PAN, 218
 - and sodium carbonate, 347
 - titrations with, 759
 - uses, 686
- nitrite, 174
- nitrite ions, 995
- nitrito ligands, 995–996
- nitrogen, 38, 83, 464
 - and ammonia, 43, 667–669
 - and boron, 219
 - and carbon-14 isotope, 907
 - density, 431–432
 - electronegativity, 216, 276
 - and hemoglobin, 1006
 - and hydrogen, 446, 667–670
 - hydrogen bonding with, 472–473
 - ionization energy, 143
 - Lewis structure, 165, 176
 - mean free path of, 443
 - and oxygen, 44, 177, 187
 - partial pressure in air, 433
 - and potassium bromide, 550
 - velocity distribution, 441
 - volume occupied by, 427
- nitrogen-17 isotope, 918

nitrogen dioxide
 and carbon monoxide, 596–597, 610, 614–615
 oxygen to nitrogen ratio in, 44
 structure of, 178
 and water, 306
nitrogen ions, 130
nitrogen monoxide
 in catalytic converters, 619
 and hydrogen, 596, 616–617
 Lewis structure, 218
 oxidation of, 649
 standard entropy, 818
nitrogen narcosis, 436
nitrogen oxides, 913
nitrogen triiodide, 178
nitro ligands, 995–996
nitromethane, 215–216
nitrous acid, 754
noble gases, 128–130
 boiling points, 468
 nonbonding atomic solids of, 518
 standard entropies, 817
nodal plane, 100
nodes, orbital, 100
nomenclature, 169
nonbonding atomic radius (van der Waals radius), 131
nonbonding atomic solids, 518
nonbonding electrons, 175, 227
nonbonding orbitals, 277
nondirectional bonds, 177
nonelectrolyte(s), 328, 560–563
nonelectrolyte solutions, 328, 329
nonideal solutions, 561
nonmetal(s), 129, 131, 349
nonoxide ceramics, 524
nonpolar compounds, 471
nonpolar covalent bonds, 208
nonpolar molecules, 236
nonspontaneous processes
 and electrolytic cells, 849, 872–879
 entropy changes in surroundings for, 808–809
 made spontaneous, 824
 spontaneous vs., 798–799
nonstandard conditions, cell potentials under, 866–868
nonstandard states, 826–829
nonvolatile liquids, 479
nonvolatile solutes, 558–560
normal boiling point, 483
normalization, 56
normal science, 41
Novoselov, Konstantin, 505, 506
n-type semiconductors, 527
v. See frequency
nuclear binding energy, 915–916
nuclear chemistry, 896
 converting mass to energy, 914–916
 fission, 910–914

fusion, 916, 917
 transmutation, 918–919
 nuclear equation(s), 896, 897
 nuclear fission, 910–914
 nuclear fusion, 916, 917
 nuclear medicine, 894, 922–924
 nuclear power, 912–914
 nuclear reactions, transmutation in, 918–919
 nuclear reactors, 913
 nuclear theory of atom, 49
 nucleon(s), 901, 902, 915, 916
 nucleus(–i), 49, 893, 896, 901
 nuclides, 895, 896, 904
 nylon 6,6 polymer, 528
 N/Z ratio, 901

O

Obama, Barack, 914
 observation, 39
 octahedral complexes, 1000–1001
 octahedral geometry, 226
 octane, combustion of, 286, 295–297, 348, 397–398
 octaves of elements, 114
 octet(s), 166, 217–220
 octet rule, 166, 177, 217–220
 odd-electron species, 217–219
 odorants, 935, 936
 odors, of organic molecules, 934–936
 OH[–] ions. See hydroxide ions
 oil, 238, 937
 oil drop experiment, 46–47
 olfaction, 935
 olive, spherical, 318–320
 1s orbital, 99–100, 103, 119, 120
On the Revolution of the Heavenly Orbs (Copernicus), 41
 operators (mathematical), 93
 opium poppy, 204, 205
 Oppenheimer, J. R., 912
 optical isomerism, 941–943, 998–999
 orbital(s). See atomic orbitals (AOs); molecular orbitals (MOs)
 orbital blocks, periodic table, 125–126
 orbital diagrams, 117, 118, 121–123
 order
 bond, 269–270
 of reaction. See reaction order
 order of magnitude estimations, 23–24
 ores, metals from, 879
 organic chemistry, 935–973
 alcohols, 961–963
 aldehydes and ketones, 963–965
 alkanes, 944–948
 alkenes, 948–953
 alkynes, 948, 950–952

amines, 968–969

aromatic hydrocarbons, 956–959

carboxylic acids and esters, 966–968

defined, 936

ethers, 968

functional groups, 960

hydrocarbons, 937–959

odors of organic molecules, 934–936

properties of carbon, 936–937

reactions of hydrocarbons, 953–956

organic compounds, 191–192, 216–217

organic molecules, odors of, 934–936

orientation factor, 611–612

orientation of particles, reaction rate and, 587, 611

osmosis, 566–567, 571

osmosis cell, 567

osmotic pressure, 566–568

outer electron configuration, 126

out of phase (term), 80

overall buffer capacity, 754

overall order, 595–597

overcharge tolerance, 871

overlapping orbitals, 256

overvoltage, 877

oxalate ion, 990

oxidation

- of alcohols, 962–963, 965
- of carbon monoxide, 824
- defined, 846
- definition of, 349, 351
- of glucose, 824
- of hydrocarbons, 822
- of nitrogen monoxide, 649
- and oxidation number, 351–353
- selective, 861

oxidation number. See oxidation states

oxidation–reduction (redox) reactions, 347–356

- balancing, 846–849
- corrosion, 879–881
- identifying, 351–353
- and oxidation states, 349–351
- predicting direction of, 859–861, 863
- spontaneous, 354–356, 849, 850

oxidation states, 349–351, 846, 989

oxide ceramics, 524

oxidizing agents, 352, 353, 859

oxyacids, 340, 692

oxyanions, 174

oxygen, 52, 464, 918

- and aluminum, 169
- and calcium, 169
- and carbon, 177, 371
- in carbon dioxide, 43, 44
- collecting, over water, 439
- color code, 36
- in combustion analysis, 175–177
- combustion of, 307

electron configuration, 165
 electronegativity and energy of orbitals, 276
 emission spectrum, 87
 in fetal hemoglobin, 638–641
 in formation of ozone, 813
 and hemoglobin, 740, 1006
 hybridized orbitals of, 258
 from hydrocarbon combustion, 953
 and hydrogen, 177, 391
 hydrogen bonding with, 472–473
 hydrogen–oxygen fuel cell, 872
 ionization energy, 143
 and iron, 798
 Lewis structure, 165, 176
 magnetic property of liquid, 250–252
 and nitrogen, 44, 177, 187
 and nitrogen monoxide, 218
 oxidation state, 350, 351
 as oxidizing agent, 352
 oxyacid strength and bonding of, 692
 paramagnetism of, 274–275
 partial pressure, 433, 436
 properties of water vs., 158–160
 redox reactions without, 348
 reduction of, 879–880
 root mean square velocity, 441–442
 and silicon, 523, 937
 and sodium, 349
 from water, 36, 43, 186, 872–873
 oxygen toxicity, 436
 ozone, 181
 catalytic vs. noncatalytic destruction of, 618–619
 decomposition of, 609, 617–619
 and ethanol in gasoline, 961
 formation of, 813, 822
 molecular orbital model, 278
 in upper vs. lower atmosphere, 619–620
 ozone layer, 598, 620, 621

P

Pa (pascal), 418
 packing efficiency, 510
 palladium, 619, 621
 PAN (peroxyacetylnitrate), 218
 Pantheon, dome of, 524
 paramagnetic (term), 136, 251, 252, 274–275, 1003
 parent nuclide, 896
 partially hydrogenated vegetable oil, 955
 partial pressures (P_n), 433–437
 collecting gases over water, 438–439
 Dalton's law, 433–434
 and deep-sea diving, 435–436
 defined, 433

and equilibrium concentration, 660, 661

and equilibrium concentration, 660–661
equilibrium constant in terms of, 647–650
and total pressure, 434–435
of water, 828
particle nature
 of electron, 91
 of light, 80–85
particles, size of, 416
particulate nature of matter
 and exothermic/endothermic processes, 383
 and kinetic molecular theory of gases, 415–417, 428–430
 and matter classification, 37–39
 and the mole, 57
 and pressure, 417–419
 and reaction rates, 586–587
 and structure/properties, 35–37
parts by mass, 554, 555
parts by volume, 554–555
parts per billion (ppb), 554
parts per million (ppm), 554
pascal (Pa), 418
patchouli alcohol, 934, 936
Pauli, Wolfgang, 117
Pauli exclusion principle, 117–118
Pauling, Linus, 159, 206, 251, 287
p block, 125, 126
 P_c (critical pressure), 487
penetrating power, 897
penetration, electron, 119, 121
pentaaminebromocobalt(II) chloride, 995
pentaaminechlorocobalt(II) bromide, 995
pentaamminenitrocobalt(III), 995
pentaquachlorochromium(III) chloride, 994
pentanal, 964
pentane, 471, 542, 938, 944
n-pentane, 468–469, 482, 487
pentanoic acid, 966
2-pentanol, 961
2-pentanone, 964
percent by mass, 554
percent ionic character, 209, 210
percent ionization, acids, 706–707
percent yield, 299, 300, 302, 304
perchlorate, 174
perfect crystals, 815–816
peridot, 986
periodic law, 115
periodic property(-ies), 113–151
 atomic radii, 131–135
 defined, 114
 density of aluminum, 112–113
 effective nuclear charge, 133–134
 electron affinity, 144–145
 electron configurations and, 117–131, 136–137
 for families of elements, 129–130
 of ions, 130–131, 136–144
 metallic character, 145–147

of metals and nonmetals, 128–129
orbital filling and, 117–124
valence electrons, 124–128
periodic table
 creation of, 114–117
 electron configurations from, 126–127
 orbital blocks in, 125–126
 organization of, 50–52
permanent dipoles, 470
peroxyacetylnitrate (PAN), 218
perpetual motion machines, 370, 796, 798
per- prefix, 174
perturbation theory, 252
PET (positron emission tomography), 923
petroleum, 296–297, 937, 944. See also gasoline
pH
 of acids, 700–709
 of bases, 710–713
 of basic solutions, 711–713
 buffer range, 753–754
 buffers and changes in, 746–750
 of buffer solutions, 742–744
 equilibrium constant from, 705
 indicator color and, 768–769
 of mixtures of acids, 707–709
 and percent ionization, 706–707
 and pK_a , 761
 of polyprotic acids, 721–723
 of salt solutions, 718–720
 and solubility, 774–775
 of strong acids, 701
 of strong bases, 710–712
 of weak acids, 701–705
 of weak bases, 710–713
phase (of orbitals), 103
phase changes, pressure and, 521
phase diagrams, 491–494, 563–564
pH curves, 755, 758, 759, 763–766
phenol, 957
phenolphthalein, 344, 768
phenyl group, 958
3-phenylheptane, 958
4-phenyl-1-hexene, 958
pH meters, 767
phosphorescence, 894
phosphoric acid, 720
phosphorus, 123, 526–527, 918
phosphorus-30 isotope, 898
phosphorus-32 isotope, 923
phosphorus pentachloride, 178
photodissociation, 618
photoelectric effect, 80–85
photons, 82–84
photosynthesis, 1007
pH scale, 698–699
physical changes, 289–290
physical properties, 288

physical properties, 207
 pi (π) bonds, 258–259
 pK_a scale, 700, 761
 Planck, Max, 75, 82
 Planck's constant, 82
 plane-polarized light, 942–943
 platinum
 in catalytic converters, 619
 density, 14
 electrodes of, 853, 854
 and hydrogenation of ethene, 621
 in hydrogen–oxygen fuel cell, 872
 Plato, 39, 41
 plum-pudding model, 48, 49
 plutonium-236 isotope, 906
 P_n . See partial pressures
 p-n junctions, 527
 pOH scale, 699–700
 polar compounds, 471
 polar covalent bonds, 206–207
 polarimetry, 592
 polarity
 and acid strength, 691, 692
 of bonds, 206–210, 691, 692
 and molecular shape, 219–223
 and solubility, 326
 polarizability, 468
 polarized light, rotation of, 942–943
 polar molecules, 235–237
 polar stratospheric clouds (PSCs), 620
 pollutants, 619–620
 polonium, 52, 895
 polyatomic ion(s)
 balancing equations with, 294
 in ionic compounds, 173–174
 Lewis structures for, 212
 oxidation numbers in, 851
 polyatomic molecules, 277–278
 polycyclic aromatic hydrocarbons, 959
 polydentate ligands, 991, 992
 polyethylene, 527–528
 polymers, 527–529
 polymorphs, 517
 polyprotic acids, 720–724
 anions in weak solutions of, 723–724
 pH of, 721–723
 properties, 338
 titrations of, 766–767
 polyvinyl chloride (PVC), 528
 Popper, Karl, 319
 p orbitals, 100, 102, 122
 hybridization of, 255–263
 mixing of s and, 273
 porcelain, 523–524
 porphyrin, 1006
 Portland cement, 524
 position

of electrons, 91
of mass spectrum peaks, 56
and potential energy, 368
positive charge, in voltaic cells, 852
positron emission, 895, 898–899
positron emission tomography (PET), 923
positrons, 898–899
potassium
and bromine, 309, 612
and chlorine, 166–167
family of, 130
flame tests for, 87
and fluorine, 169
oxidation state, 350
and water, 308
potassium-40 isotope, 910
potassium bromide, 550, 718
potassium carbonate, 335
potassium chlorate, 818–819
potassium chloride, 171
potassium hexacyano-ferrate(III), 994
potassium hydroxide, 342, 343, 547, 688, 777–778
potassium iodide, 331–334, 776
potassium nitrate, 549
potassium nitrite, 718
potassium uranyl sulfate, 894–895
potential difference, 851
potential energy
changes in systems to lower, 16
defined, 15, 368
in endothermic and exothermic processes, 383
and entropy, 540–541
and intermolecular forces, 467
and standard electrode potential, 856
transformation of kinetic and, 369
power (for work)
ionizing, 897
nuclear, 912–914
penetrating, 897
power (mathematical), 22–23
ppb (parts per billion), 554
ppm (parts per million), 554
precipitate, 331
precipitation reactions, 331–336
aqueous ionic equilibrium in, 775–778
in molecular gastronomy, 319–320
selective precipitation, 777–778
and supersaturated solutions, 549
precision, 9–10
pre-exponential factor, 606, 609
prefixes, 174, 945
prefix multipliers, 6–7
pressure(s). See also vapor pressure
and area, 415, 417
and Avogadro's law, 424, 425
and Charles's law, 423
constant-pressure calorimetry, 385–387

equilibrium pressure, 667–669
 on container wall, 428–429
 critical, 487
 defined, 415–416
 equilibrium and change in, 667–669
 equilibrium concentration from, 657–661
 equilibrium constant in terms of, 647–650
 free energy vs., 827
 in gases, 417–419
 gauge, 427
 Gibbs free energy at constant, 811
 heat in reactions at constant, 381–385
 in ideal gas law, 426–430
 and Le Châtelier's principle, 667–669
 and number of moles of gases, 446
 osmotic, 566–568
 partial, 433–437
 and phase changes, 521
 on phase diagrams, 492
 and solubility, 550–552
 standard state, 815
 and states of matter, 466
 total, 427, 434–435
 and volume in gases, 420–422, 668
 and weather, 417
 pressure–volume work, 377–379
 primary valence, 990
 principal level (principal shell), 95, 124, 126
 principal quantum number (n), 94, 127
 principles, 40
 probability density, 99–101
 probability distribution maps, 92–93
 problem solving
 with equations, 24–25
 four-step procedure, 20–21
 order of magnitude estimations, 23–24
 unit conversion problems, 18–19, 21–23
 units in, 3–4
 with units raised to a power, 22–23
 products
 in chemical equations, 291
 of electrolysis, 875–878
 equilibrium concentrations of, 656–657
 gaseous, 444–445
 reaction rate and concentration of, 589
 and standard entropy change of reaction, 819
 states of, 290
 proof, of alcoholic beverages, 961
 propane
 carbon bonds in, 191
 catenation of carbon in, 937
 combustion of, 384–385, 810
 formation of, 955
 formula, 944
 state of, 466
 propanoic acid, 966, 967
 2-propanol, 965

2-propanone, 965
 propene, 939, 955
 properties. See also colligative properties of solutions; periodic property(-ies)
 chemical vs. physical, 289
 complementary, 91
 extensive, 14, 816
 intensive, 14
 magnetic, 136–137, 250–252, 1003–1004
 proportionality, 421
 propylene glycol, 564, 739
 propyne, 939
 protactinium-234 isotope, 903
 protein(s), 206, 969
 proton(s), 49
 in Brønsted–Lowry acids and bases, 689–690
 of elements, 50–52
 ionizable, 693
 and valley of stability, 901, 902
 proton acceptors, 689
 proton donors, 689
 Proust, Joseph, 43, 44
 PSCs (polar stratospheric clouds), 620
 p-type semiconductors, 527
 pure compounds, 393
 pure substances, 38, 39
 PVC (polyvinyl chloride), 528
 Pyrex®, 525

Q

Q. See reaction quotient
 quadratic equations, 658
 quantification, 3
 quantum (of light), 82–84
 quantum-mechanical model of atom, 75–106
 and atomic spectroscopy, 85–88, 96–98
 defined, 76
 and diffraction, 80, 81
 and electromagnetic spectrum, 78–80
 and interference, 80, 81
 nature of light, 76–85
 and periodic properties, 114
 Schrödinger equation for hydrogen atom, 94–96
 and Schrödinger's cat, 74–76
 shapes of atomic orbitals, 99–103
 wave nature of matter, 88–93
 quantum numbers, 94–96, 125
 quantum particles, behavior of, 76
 quarks, 918
 quartz, 523
 q_v (heat at constant volume), 380

R

racemic mixtures, 942

rad, 920

radial distribution function, 99–102, 120

radiation

- effects on life, 919–922
- electromagnetic, 76–77, 898
- and excitation, 96–97
- infrared, 79
- ultraviolet, 79

radiation detectors, 903

radiation exposure, measuring, 920–922

radicals. See free radicals

radioactive (term), 894

radioactive decay, 900, 904–907

- alpha, 895–897, 899
- beta, 897–900
- electron capture, 899
- positron emission, 898–899

radioactive decay series, 902–903

radioactivity, 48

- applications of, 922–924
- defined, 894
- detection of, 903
- in diagnosis of appendicitis, 892–894
- discovery of, 894–895
- effects of radiation on life, 919–922
- kinetics of radioactive decay, 904–907
- measuring age with, 907–910
- predicting type of, 900–903
- types of, 895–900
- and valley of stability, 900–903

radiocarbon dating, 907–908

radiometric dating, 907–910

radiotherapy, 923–924

radiotracers, 922–923

radio waves, 79

radium, 895

radium-228 isotope, 897–898

radon, 921

radon-220 isotope, 904–905

Rana sylvatica (wood frogs), 538–540

random error, 10

randomization of energy, 541

Raoult, François-Marie, 539

Raoult's law, 559–561, 563

rapture of the deep, 436

rate constant(s) (k), 593

- determining, 596–597
- and order of reaction, 594, 595
- and temperature dependence of reaction rate, 606

rate-determining step, 614–615

rate laws, 593–605

- defined, 593
- for elementary steps, 613–614
- first-order reaction, 594, 599–601, 603–604
- and half-life of reaction, 603–604

integrated, 598–605

for overall reaction, 614–615

and reaction order, 593–597

second-order reaction, 594, 601–602, 604

zero-order reaction, 593–594, 603, 604

rate-limiting step, 614–616

RBE (biological effectiveness factor), 921

reactant(s)

- in chemical equations, 291
- concentration of, at given time, 601
- equilibrium concentrations of, 656–657
- in excess, 300, 305–306
- gaseous, 444–445
- limiting, 299–304
- reaction order for multiple, 595–597
- reaction rate and concentration of, 586, 588–589. See also rate laws
- and standard entropy change of reaction, 819
- states of, 290

reaction(s), 189, 287–311

- acid–base, 337–345
- addition, 954–956
- of alcohols, 961–963
- of aldehydes and ketones, 965
- of alkali metals, 307–309
- of amines, 969
- aqueous. See aqueous reactions
- of aromatic compounds, 958–959
- of carboxylic acids and esters, 967–969
- chain, 911
- and chemical change, 289–290
- chemical equations for, 290–294
- climate change and combustion of fossil fuels, 286–288
- combustion. See combustion reactions (combustion)
- condensation, 967
- defined, 42
- dehydration, 962
- direction of change in, 653–656
- electron transfer in, 845
- elimination, 962
- endothermic, 382–384, 391, 401, 670–672, 813–814
- enthalpy of. See enthalpy of reaction (ΔH_{rxn})
- equilibrium constant for, 644
- exothermic, 167–168, 382–383, 391, 401, 670–672, 812, 813
- first-order, 594, 599–601, 603–604
- gases in, 444–446
- gas-evolution, 346–347
- half-life of, 603–604, 904–907
- of halogens, 308–309, 954–955
- heat evolved in, 381–385
- of hydrocarbons, 953–956
- internal energy change for, 379–381
- irreversible, 825
- limiting reactant of, 299–304
- mass and energy in, 914
- oxidation–reduction. See oxidation–reduction (redox) reactions
- precipitation, 331–336, 549, 775–778

reactant in excess, 300, 305–306
 reversible, 641, 806, 825
 second-order, 594, 595, 601–602, 604
 standard enthalpy change for, 394–395
 standard entropy change for, 815–821
 stepwise, 823–824
 stoichiometry of, 295–306, 444–446
 substitution, 954, 962–963
 theoretical limits on work done by, 825–826
 thermite, 396
 thermodynamics of, 815–826
 yield of, 299–304
 zero-order, 593–595, 603, 604
 reaction intermediates, 613
 reaction mechanisms, 613–618
 with fast initial step, 615–617
 rate-determining steps and overall reaction rate laws, 614–615
 rate laws for elementary steps, 613–614
 two-step, 614–615
 reaction order (n), 593–597
 defined, 593–594
 determining, 594–595
 for multiple reactants, 595–597
 reaction quotient (Q), 653–656, 775–776, 868
 reaction rate(s), 584–626
 Arrhenius equation, 606–611
 and catalysis, 618–622
 and collision model of temperature, 611–612
 and concentration, 593–605
 defined, 588–591
 in dynamic equilibrium, 641
 in ectotherms, 585–586
 and half-life of reaction, 603–604
 integrated rate law, 598–605
 measuring, 591–592
 and order of reaction, 593–597
 and particulate nature of matter, 586–587
 for radioactive decay, 904–907
 rate laws, 593–605
 and reaction mechanism, 613–618
 spontaneity of reaction vs., 798–799
 and temperature, 606–612
 reagents, unsymmetrical, 955
 real gases, 447–450
 rechargeable batteries, 871–872
 recrystallization, 550
 red blood cells, 571
 redox reactions. See oxidation–reduction reactions
 reducing agents, 352, 353, 859
 reduction, 349, 846
 of aldehydes and ketones, 965
 and oxidation number, 351–353
 of oxygen, 879–880
 standard electrode potentials for, 856
 refractory materials, 524
 regions, on phase diagrams, 491–492
 relative abundance of isotopes, 56

relative abundance of isotopes, 30
 relative solubility, 772–773
 relative standard entropies, 816–819
 reliability of measurements, 8–10
 rem, 921
 repulsion, 223, 225, 231, 901
 resonance, 212–214
 resonance hybrids, 213, 214
 resonance stabilization, 213
 resonance structures, 213–214, 216–217
 respiration, 1007
 reverse direction, spontaneous reactions in, 355
 reversible (term), 641
 reversible processes, 806, 825
 revolutions, scientific, 41
 rhodium, 619
 ritonavir, 517
 rock candy, 550
 rock salt structure, 519–520
 roentgen, 921
 Roosevelt, Franklin, 911–912
 root mean square velocity, 441–442
 rotation, of polarized light, 942–943
 R proportionality constant, 440
 rubbing alcohol, 464, 960, 961
 rubidium, 130, 309
 rubies, color of, 984–986
 rusting, 289, 347, 348, 798, 880–881
 ruthenium-112 isotope, 901
 Rutherford, Ernest, 48–50, 52, 895, 918
 rutherfordium, 52
 Rydberg, Johannes, 85
 Rydberg equation, 85, 97

S

S. See entropy
 ΔS . See entropy change
 sacrificial electrodes, 881
 salicylic acid, 967
 salt bridges, 852
 salts. See also table salt
 acid–base properties, 713–714, 718–720
 defined, 342, 713
 electrolysis of, 875
 freezing point depression with, 558
 in solutions, 326, 327, 540, 718–720, 876–877
 saturated hydrocarbons, 944–948. See also alkanes
 saturated solutions, 549, 775
 s block, 125, 126
 Schrödinger, Erwin, 75, 76
 Schrödinger equation, 93–96, 267
 Schrödinger's cat, 74–76
 science, 40–41
 scientific approach to knowledge, 39–41

scientific laws, 40

scientific revolution, 41

scintillation counters, 903

screening (shielding), 119, 121, 133–134

scuba diving, 421

seawater, 566–567, 777

second (s), 4, 5

secondary valence, 990

second ionization energy (IE_2), 140, 143–144

second law of thermodynamics, 374

- and biological systems, 810
- and entropy, 799–804
- and entropy changes of surroundings, 807–808
- and “heat tax,” 798

second-order reactions

- defined, 594
- half-life of, 604
- identifying, from experimental data, 595
- integrated rate law for, 601–602

second-period heteronuclear diatomic molecules, 276–277

second-period homonuclear diatomic molecules, 270–275

seesaw geometry, 229

selective oxidation, 861

selective precipitation, 777–778

selenium, 52, 127

semiconductors, 129, 526–527

semimetals, 129

semipermeable membranes, 566

SHE (standard hydrogen electrode), 854–856

shielding (screening), 119, 121, 133–134

SI. See International System of Units

sievert (Sv), 921

sigma (σ) bonds, 258–259

significant figures (significant digits), 10–14

- in calculations, 12–13
- counting, 10–11
- and exact numbers, 11–12

silica, 523–525

silicate ceramics, 523–524

silicate glass, 524–525

silicates, 523

silicon, 124, 129, 523, 526–527, 937

silicon dioxide, 518

silicon nitride, 524

silver, 56, 170, 354, 990

silver chloride, 770–771, 780–781

silver ions, 136, 778–779

silver nitrate, 330, 547, 776

silver plating, 873

simple cubic unit cell, 509–510

simple gas laws, 420–425

- Avogadro’s law, 424–425
- Boyle’s law, 420–422
- Charles’s law, 422–424
- defined, 420
- and ideal gas law, 426

single bonds, 175–176, 259–260

single-stage linear accelerators, 918
single-walled nanotubes (SWNTs), 522
skydiving, supersonic, 414–416
SLAC (Stanford Linear Accelerator), 918
snowflakes, 505
 S° (standard molar entropies), 815–819
Socrates, 687
soda-lime glass, 525
soda pop, 550–551, 555
sodium
 atomic radii, 138
 chemical symbol, 52
 and chlorine, 42, 208, 348
 from electrolysis of sodium chloride, 873
 electron affinity, 145
 electron configuration, 122, 128
 emission spectrum, 88
 family of, 130
 flame tests for, 87
 ionization energies, 140, 141, 143, 144
 as metallic atomic solid, 518
 and oxygen, 349
 and sulfur, 167
 and water, 308, 962
sodium acetate, 549, 741, 776
sodium alginate, 319–320
sodium benzoate, 745
sodium bicarbonate, 170, 714
 and hydrochloric acid, 346–347
 polyatomic ions in, 173
 uses, 688
 and vinegar, 319
sodium bromide, 776
sodium carbonate, 331, 347
sodium chloride, 39, 505
 Born–Haber cycle for production of, 398–400
 common name, 170
 consumption of, 183
 electrolysis of, 873, 875, 877
 enthalpy of solution for, 547
 formation of, 42, 307
 freezing point depression with, 569
 ion–dipole forces in solutions of, 475
 ionic bonding in, 166
 as ionic solid, 517
 lattice energy, 167–168
 neutral solutions of, 718
 and potassium iodide, 331, 333
 solubility, 326–328, 540
 in solution, 545, 548–549, 554–555, 558, 799–800
 structure, 519–520
 vapor pressure lowering with, 570
sodium fluoride, 547, 718
sodium hydroxide, 338, 688
 and hydrochloric acid, 340–341
 and hydrofluoric acid, 342

from metal and water reaction, 962
 and propanoic acid, 967
 titrations with, 756–764, 766
 in water, 554
 sodium hypochlorite, 173
 sodium ions, 54, 138, 330, 519–520, 875
 sodium methoxide, 962
 sodium nitrate, 335
 sodium nitrite, 173
 sodium oxide, 179, 298–299
 sodium propanoate, 967
 solid(s). See also crystalline solids
 amorphous, 465
 atomic, 518
 defined, 37
 entropy and state changes for, 804–806
 fusion of, 488–489
 on heating curves, 489–491
 in heterogeneous equilibria, 650–651
 intermolecular forces in, 466–478
 ionic, 168, 517, 519–520
 liquids and gases vs., 464–466
 metallic atomic, 518
 molecular, 517
 network covalent atomic, 518, 520–523
 nonbonding atomic, 518
 on phase diagrams, 491–494
 properties of, 465
 solubility of, 549–550
 standard molar entropies of, 816
 standard state for, 393, 815
 sublimation of, 487–488
 solubility, 540–544
 of amphoteric metal hydroxides, 782–783
 and common ion effect, 773–774
 and complex ion equilibria, 780–782
 of gases, 550–552
 of ionic compounds, 329–331, 769–775
 molar, 770–772
 and pH, 774–775
 and pressure, 550–552
 relative, 772–773
 of solids, 549–550
 and temperature, 549–550
 of vitamins, 543–544
 solubility equilibria, 769–775
 solubility-product constant (K_{sp}), 769–775
 and common ion effect, 773–774
 and molar solubility, 770–772
 and precipitation, 775–776
 and relative solubility, 772–773
 and selective precipitation, 777
 solubility rules, 330, 769
 soluble compounds, 329–331, 540, 775
 solutes, 320, 540
 interactions between, 542
 nonvolatile, 558–560

- solvent interactions with, 326, 542
- volatile, 560–563
- solution(s), 319–331, 539–575. See also acidic solutions; aqueous solutions; basic solutions
 - colligative properties of, 558–572
 - concentrated, 320, 552
 - concentration of, 320–324, 552–557
 - defined, 540
 - dilute, 320, 552
 - electrolyte, 327–329, 569–572
 - energetics for formation of, 544–548
 - enthalpy of, 545–547
 - equilibrium in, 548–552
 - hyperosmotic, 571
 - hyposmotic, 571
 - ideal, 560–561
 - isosmotic, 571, 572
 - isotonic, 571
 - medical, 571–572
 - in molecular gastronomy, 318–320
 - neutral, 696–698, 718–720
 - nonelectrolyte, 328, 329
 - nonideal, 561
 - saturated, 549, 775
 - and solubility, 540–544
 - standard state for, 393, 815
 - stock, 322, 323
 - stoichiometry of, 325–326
 - supersaturated, 549, 776
 - thirsty, 567
 - types of, 540
 - unsaturated, 549, 775
 - in voltaic cells, 852
 - in wood frog cells, 538–540
- solvent(s), 540. See also *specific solvents*
 - boiling point elevation in, 564
 - common laboratory, 542
 - defined, 320
 - freezing point depression in, 564
 - interactions between, 542
 - mole fraction for, 555
 - solute interactions with, 326, 542
- Solve step (in problem solving), 20
- s orbitals, 99–101, 122
 - hybridization of, 255–263
 - mixing of *p* and, 273
- Sort step (in problem solving), 20
- $\Delta S_{\text{rxn}}^{\circ}$. See standard entropy change for a reaction
- sp^2 hybridization, 257–260
- sp^3d^2 hybridization, 263
- sp^3d hybridization, 262
- sp^3 hybridization, 255–257
- space-filling molecular models, 164
- specific heat capacity (C_s), 374–375
- spectator ions, 336
- spectrochemical series, 1002
- spectrometers, 592

spectrometry, 55–57, 592

spectroscopy, 85–88, 96–98

speed, spontaneity of reaction vs., 798–799

spherification, 318–320

sp hybridization, 261–262

spin, of unpaired electrons, 274

spin quantum number (m_s), 94, 95

spontaneity

- conditions for, 831
- and entropy changes for surroundings, 808
- and free energy change, 812–815
- for redox reactions, 863
- and second law of thermodynamics, 801
- and standard change in free energy, 824

spontaneous processes

- electricity from, 849–853
- making, 824
- nonspontaneous vs., 798–799
- and predicting direction of redox reactions, 859–861, 863

spontaneous redox reactions, 354–356, 849, 850

square planar complexes, 1005

square planar geometry, 230

square pyramidal geometry, 230

ΔS_{surr} . See entropy change for surroundings

stability

- and nuclear binding energy, 915
- of nuclei, 896, 901
- and potential energy, 16
- valley of, 900–903

stalactites, 774

stalagmites, 774

standard atomic weight. See atomic mass

standard cell potential ($\Delta E_{\text{cell}}^\circ$), 852

- in concentration cells, 869
- and equilibrium constant, 864–865
- and free energy, 861–863
- and standard change in free energy, 862–863, 865

standard change in free energy ($\Delta G_{\text{rxn}}^\circ$), 820–826

- and equilibrium constant, 829–832
- from free energies of formation, 821–823
- free energy changes in nonstandard states vs., 826–829
- from $\Delta H_{\text{rxn}}^\circ$ and $\Delta S_{\text{rxn}}^\circ$, 820–821
- and Nernst equation, 866
- and spontaneity, 824
- and standard cell potential, 862–863, 865
- for stepwise reaction, 823–824
- theoretical limits on, 824–826

standard conditions, 820, 826, 861

standard electrode potentials, 854–861

- from potentials of half-reactions, 858
- predicting direction of redox reaction with, 859–861
- predicting dissolution of metals with, 861
- of selected substances, 857
- and standard hydrogen electrode, 854–856

standard emf. See standard cell potential (E_{cell}°)

standard enthalpy change (ΔH°), 392–395

standard enthalpy change for a reaction ($\Delta H_{\text{rxn}}^{\circ}$), 815, 820–821

standard enthalpy of formation (ΔH_f°), 392–398, 815, 819

standard entropy change, 815, 819

standard entropy change for a reaction ($\Delta S_{\text{rxn}}^{\circ}$), 815–821

- calculating, 819
- defined, 815
- standard change in free energy from, 820–821
- third law of thermodynamics and S° , 815–819

standard heat of formation. See standard enthalpy of formation (ΔH_f°)

standard hydrogen electrode (SHE), 854–856

standard molar entropies (S°), 815–819

standard state, 392, 393, 815, 826, 852

standard temperature and pressure (STP), molar volume at, 430

standard units of measurement, 4–8

Stanford Linear Accelerator (SLAC), 918

state functions, 370, 801

states of matter, 37–38. See also *specific states*

- changes between, 466
- in chemical equations, 290
- entropy and changes in, 804–807
- properties of, 465
- and standard molar entropies, 816

stationary states, 86

steam, 490, 491, 807–808

steam burn, 479

stepwise reactions, standard change in free energy for, 823–824

stereoisomerism, 941–943, 996–999

Stern–Gerlach experiment, 136

stock solutions, 322, 323

stoichiometry, 295–306

- defined, 287, 295
- for electrolysis, 878–879
- with ΔH , 384–385
- limiting reactant and yield, 299–303
- mass-to-mass conversions, 296–299
- mole-to-mole conversions, 295–296
- for pH changes in buffers, 746–747
- reactant in excess, 305–306
- for reactions with gases, 444–446
- for solutions, 325–326

STP (standard temperature and pressure), molar volume at, 430

Strassmann, Fritz, 910

Strategize step (in problem solving), 20

strong acid(s)

- acid–base reactions involving, 342
- and buffer solutions, 746–750
- defined, 688
- as electrolytes, 329
- hydronium ion concentration and pH of, 701, 705
- ionization constants, 693, 694
- mixtures of weak and, 707–708
- in titrations, 756–759, 765–766

strong base(s)

- and buffer solutions, 747–750
- counterions of, 717

defined, 689
hydroxide ion concentration and pH of, 710–712
in titrations, 756–766
strong electrolyte(s), 328, 329, 569–572, 688
strong-field complexes, 1001
strong-field ligands, 1002, 1003
strong force, 901
strontium, 88, 130
strontium chloride, 294
structural formulas, 162–164, 938–941
structural isomers, 938, 995–996
Structure of Scientific Revolutions, The (Kuhn), 41
styrene, 957
subatomic particles, 50–54
subjectivity, in science, 40–41
sublevels (subshells), 95, 117–121
sublimation, 487–488, 594
sublimation energy, 398
subscripts, in chemical equations, 291
substance(s)
 defined, 37
 pure, 38, 39
 standard state for, 815
substituents, 945
substituted benzenes, 957
substituted polyethylenes, 528
substitution reactions, 954, 962–963
substrates, enzyme, 622
successive approximations, method of, 662, 701
sucrase, 622
sucrose, 555
 combustion of, 380–381
 enzyme-catalyzed reaction of, 622
 freezing point depression by, 569
 hydrolysis of, 586, 591–592
 vapor pressure lowering by, 559–560
sugar(s)
 alcohol from, 961
 burning of, 289
 as organic compound, 191
 solubility of, 549
 in solutions, 326–328, 540
sulfate ions, 340
sulfides, 774
sulfite ions, 340
sulfur, 52
 and carbon, 351
 electron configuration, 123
 hybrid orbitals, 255, 263
 ion formation, 131
 and sodium, 167
sulfur hexafluoride, 219, 263
sulfuric acid, 686, 693
 formation of, 298
 ionization constant, 721
 ionization of, 338
 in lead–acid storage batteries, 871

- and lithium sulfide, 346
- pH of, 722–723
- and potassium hydroxide, 342
- sulfurous acid, 340, 720–721, 766
- sulfur oxides, 913
- sun, nuclear fusion on, 917
- supercritical fluids, 487
- supersaturated solutions, 549, 776
- supersonic skydiving, 414–416
- surface tension, 476–477
- surroundings
 - entropy changes for, 807–810
 - and systems, 17, 369, 372
 - transfer of energy to, 371–372
- Sv (sievert), 921
- sweating, 479
- SWNTs (single-walled nanotubes), 522
- systematic error, 10
- systematic names, 170
- Système International d'Unités*, 4
- systems
 - energy flow in, 369
 - entropy changes in surroundings and, 807–808, 825
 - internal energy change of, 370–372
 - and surroundings, 17, 369, 372

T

- $t_{1/2}$ (half-life) of reaction, 603–604, 904–907
- table salt, 164, 166, 170, 191, 517. See also sodium chloride
- T_c (critical temperature), 487
- technetium-99m isotope, 923
- tellurium, 115
- temperature
 - and Arrhenius equation, 606–611
 - and average kinetic energy, 416
 - and Avogadro's law, 424, 425
 - and boiling point, 483–486
 - and Boyle's law, 421
 - and change in entropy, 806, 808–809
 - collision model of, 611–612
 - critical, 487
 - and energy, 478–479
 - equilibrium and changes in, 670–672
 - and equilibrium constants, 651, 831–832
 - Gibbs free energy at constant, 811
 - global, 288
 - heat capacity and changes in, 374–376
 - in ideal gas law, 426–430
 - and kinetic molecular theory of gases, 416
 - and Le Châtelier's principle, 670–672
 - and melting, 488
 - and molecular velocity of gases, 440–442
 - on phase diagram, 492
 - and reaction rate, 587, 606–612

and reaction rate, 507, 508–512
and solubility, 549–550
and spontaneity, 812–815
and standard free energy change, 820–821
and state of matter, 37, 466
and thermal energy, 368
unit of measurement, 5–6
and vapor pressure, 438, 483–486
and viscosity, 477
and volume in gases, 422–424
temporary dipoles, 468
terminal atoms, 210
termolecular steps, 613
tetrachloromethane (carbon tetrachloride), 814, 954
tetrahedral complexes, 1004
tetrahedral geometry, 224–225
tetrahedral hole, 520
tetrahedron, 164, 224
tetraphosphorus decasulfide, 178
theoretical yield, 299–304
theories, 40, 41
therapeutic agents, 1007
therapeutic techniques, radioactivity in, 922–924
thermal energy
defined, 15, 368
dispersal of, 541
distribution of, 478, 608
in endothermic and exothermic processes, 383
and intermolecular forces, 464
transfer of, 376–377, 803
thermal equilibrium, 374
thermite reaction, 396
thermochemistry, 367–405
changes in enthalpy, 385–398
changes in internal energy, 379–381
defined, 368
enthalpy, 381–385, 391–398
first law of thermodynamics, 370–373
flaming ice demonstration, 366–368
heat, 373–377
lattice energies for ionic compounds, 398–401
and nature of energy, 368–369
work, 377–379
thermodynamics, 787–835
in chemical reactions, 815–826
defined, 370
entropy, 799–810, 815–819
and equilibrium, 829–832
first law of, 370–373, 797, 803
free energy, 811–815, 820–832
and heat tax on energy transactions, 797–798
heat transfer, 807–810
microstates and macrostates in, 800–801
in nonstandard states, 826–829
second law of. See second law of thermodynamics
spontaneous vs. nonspontaneous processes, 798–799
state changes, 804–807

third law of, 815–819
thermoluminescent dosimeters, 903
third ionization energy (IE_3), 140
third law of thermodynamics, 815–819
thirsty solutions, 567
Thomson, J. J., 45–46, 48
thorium-232 isotope, 904
3d orbitals, 100, 102, 120
3p orbitals, 120
3s orbitals, 120
threshold frequency, 82
time
 and concentration, 598–605
 unit of measurement, 5
tin, 52, 170, 918
titanium, 304–306
titration curves. See pH curves
titrations, 755–769
 as acid–base reactions, 343–345
 indicators for, 767–769
 of polyprotic acids, 766–767
 of strong acids, 756–759
 of weak acids, 760–765
 of weak bases, 765–766
Tokamak fusion reactor, 917
toluene, 517, 957
torr, 418
Torricelli, Evangelista, 418
total energy, 15
total force, 428–429
total pressure, 427, 434–435
trajectory, 92–93
trans isomers
 of alkenes, 952–953
 of coordination compounds, 996–997
 properties of, 260
transition metals (transition elements), 170. See also coordination compounds
 atomic radii, 134–135, 987–988
 and color of rubies and emeralds, 984–986
 electron configurations, 126–128, 986–987
 electronegativity, 988–989
 in human body, 1006
 ionization energy, 988
 oxidation states, 989
 on periodic table, 116
transition state, 607
transitions, electron, 86–87, 97–98
transmutation, 918–919
transuranium elements, 919
triads of elements, 114
trichloromethane, 954
trigonal bipyramidal geometry, 225
trigonal planar geometry, 224
trigonal pyramidal geometry, 227
trimethylamine, 969
triple bond(s), 176, 261–262, 936–937

- triple point, 492
- triprotic acids, 694
- tritium, 917
- truth, of theories, 41
- T-shaped geometry, 229
- turquoise, 986
- 2p orbitals, 100, 102, 103, 120
- 2s orbital, 100, 101, 120
- 3s orbital, 100, 101
- two-point forms of equations
 - Arrhenius equation, 610
 - Clausius–Clapeyron equation, 486
- two-step reaction mechanisms, 614–615

U

- ultraviolet (UV) radiation, 79
- uncertainty principle, 90–92
- unimolecular steps, 613
- unit cells, 508–514, 519–521
- unit conversion problems, 21–23
- United States, radiation exposure in, 921
- units of measurement
 - converting, 18–19, 21–23
 - defined, 3, 4
 - derived, 7
 - energy, 16–17
 - entropy, 806
 - equilibrium constant, 649–650
 - prefix multipliers for, 6–7
 - pressure, 418–419
 - in problem solving, 3–4
 - raising, to a power, 22–23
 - reaction rate, 588–589
 - SI base units, 3–6
 - standard, 4–8
 - volume, 7–8
- universe
 - age of, 910
 - entropy changes in, 807–808, 811, 825
 - entropy of, 801–802
- unpaired electrons, 252, 274
- unsaturated hydrocarbons, 948–953. See also alkenes; alkynes
 - cis–trans isomerism in, 952–953
 - naming, 950–952
- unsaturated solutions, 549, 775
- unsymmetrical alkenes, 955
- uranic rays, 895
- uranium, 52, 910–911, 913
- uranium-235 isotope, 911
- uranium-238 isotope, 911
 - alpha decay of, 896
 - radioactive decay series, 902–903
 - radiometric dating with, 909–910
 - transmutation of, 919

uranium/lead radiometric dating, 909–910
U.S. Department of Agriculture (USDA), 924
U.S. Department of Energy (DOE), 296
U.S. Food and Drug Administration (FDA), 183, 924
UV (ultraviolet) radiation, 79

V

V (volt), 851
valence, coordination compound, 990
valence band, 525
valence bond theory, 252–266
 for coordination compounds, 1000
 hybridization of atomic orbitals, 254–266
 orbital overlap in, 252–254
 sp^2 hybridization, 257–260
 sp^3d^2 hybridization, 263
 sp^3d hybridization, 262
 sp^3 hybridization, 255–257
 sp hybridization, 261–262
 writing hybridization and bonding schemes, 263–266
valence electrons, 124–128, 164–166
valence shell electron pair repulsion (VSEPR) theory, 205, 222–235
 five basic shapes of atoms, 223–226
 lone pairs in, 227–231
 predicting molecular geometries with, 231–235
valley of stability, 900–903
van der Waals, Johannes, 447, 448
van der Waals constants, 447–448
van der Waals equation, 449
van der Waals radius (nonbonding atomic radius), 131
vandium, 136
vandium ion, 136
vanillin, 964
van't Hoff factor (i), 539–540
vaporization (evaporation), 478–481
 energetics of, 479–481
 process of, 478–479
 of water, 478–479, 799, 813–814, 826–828
vaporization curve, 492
vapor pressure, 481–486
 and critical point, 487
 and dynamic equilibrium, 481–482
 lowering of, 558–563, 570–571
 and temperature, 483–486
 of water, 438, 481
variational principle, 267
vector quantities, 237–238
vegetable oil, 955
velocities
 of electrons, 91
 of gases, 440–442
 root mean square, 441–442
 and temperature, 416, 441
ventilation, 443

"Venus of Dolni," 523
vinegar, 319, 687. See also acetic acid
viscosity, 477
visible light, 78, 79
vitamin A, 543
vitamin B₅, 543, 544
vitamin C, 543
vitamin K₃, 543
vitamins, solubility of, 543–544
vitreous silica, 525
volatile liquids, 479
volatile solutes, 560–563
volcanoes, 297
volt (V), 851
Volta, Alessandro, 845
voltaic (galvanic) cells, 849–853, 873–874
volume
 and amount of gas in moles, 424–425
 constant-volume calorimetry, 380–381, 387
 equilibrium and change in, 667–669
 heat at constant volume, 380
 in ideal gas law, 426–430
 and Le Châtelier's principle, 667–669
 lung, 422, 425
 molar, 430, 446, 447
 parts by, 554–555
 and pressure, 420–422, 668
 of real gases, 447–448
 and temperature, 422–424
 unit cell, 512
 units of measurement, 7–8
 and work, 377–379
VSEPR theory. See valence shell electron pair repulsion theory

W

W (watt), 17
War Crimes 4: Judgement at Gotham (comic book series), 685
water, 37, 39, 57, 177. See also aqueous reactions; aqueous solutions
 in absence of gravity, 462–464
 from acid–base reactions, 342, 967
 and alkali metals, 307–308
 amphotericity, 696
 atoms in, 36
 autoionization of, 696–697
 boiling point elevation, 565
 boiling point of, 494–495
 and calcium, 846
 and carbon dioxide, 650, 726, 1007
 chemical formula, 162
 collecting gases over, 438–439
 from combustion, 307, 384, 953
 decomposition of, 43, 186, 872–873
 electrolysis of, 875–876
 electrostatic potential map, 326

elimination of, 962
evaporation/vaporization of, 478–479, 799, 813–814, 826–828
formation of, 446, 689
freezing of, 807–809, 813
freezing point depression, 564
from fuel cells, 872, 873
geometry, 228
heat capacity, 374, 376
heating curve, 489–491
heat of fusion, 488–489
hydrogen bonding in, 474
hydronium ion vs., 176
intermolecular forces in, 466
Lewis structure, 175
meniscus of, 478
and oil, 238
partial pressure, 828
and pentane, 471
phase diagram, 491–493
physical changes in, 289, 290
polarity, 236
properties, 35, 36, 158–160, 494–495
real gas behavior, 449
and rubidium, 309
and sodium, 962
solubility in, 540, 550–551
as solvent, 320, 542, 544–545, 548–549, 558
standard molar entropy, 816
states of, 464–465
structure, 35, 36, 164
from substitution reactions, 962
surface tension, 476–477
thermal energy transfer to, 376–377
vapor pressure, 438, 481, 483
waters of hydration, 174
Watson, James, 507
watt (W), 17
wave function, 93, 267
wavelength (λ), 84
 de Broglie, 89–90
 of light, 77, 78
wave nature
 of electrons, 88–89, 91
 of light, 76–78
 of matter, 88–93
wave–particle duality, 76, 84
wax, 937
weak acid(s)
 acid–base reactions involving, 343
 acid ionization constant, 694
 and buffer solutions, 740–741
 cations as, 717–718
 defined, 688
 diprotic, 723–724
 as electrolytes, 329
 equilibrium constant for ionization, 694–696

- in mixtures, 707–709
- percent ionization, 706–707
- pH of, 701–705
- titrations of, 760–765
- weak base(s)
 - anions as, 714–717
 - in buffer solutions, 750–751
 - cations as conjugate acids of, 717
 - defined, 689
 - pH of, 710–713
 - titrations of, 765–766
- weak electrolytes, 329, 688
- weak-field complexes, 1001
- weak-field ligands, 1002, 1003
- weather, pressure and, 417
- weighing, estimation in, 9
- weight, 5, 179. See also atomic mass
- weighted linear sum, 267
- Werner, Alfred, 985, 990, 993
- white light, 78, 85, 86
- Wilhelmy, Ludwig, 586, 591–592
- Wilkins, Maurice, 507
- window glass, 525
- Witt, Otto N., 739
- Wöhler, Friedrich, 935
- wood alcohol, 961. See also methanol
- wood frogs, 538–540
- work
 - defined, 15
 - and energy, 368
 - and internal energy, 372–373
 - quantification of, 377–379
 - theoretical limit on, 825–826
- World War II, 911–912

X

- xenon, 130, 448, 518
- x is small* approximation
 - and equilibrium concentration, 662–664
 - and Henderson–Hasselbalch equation, 744, 746
 - and pH in buffer solutions, 747
 - and pH of polyprotic acids, 724
 - and pH of weak acids, 701–703, 705
- X-ray crystallography, 506–508
- X-ray diffraction, 507–508
- X-rays, 79

Y

- yield
 - actual, 300
 - percent, 299, 300, 302, 304

theoretical, 299–304

Yucca Mountain, Nevada, 914

Z

Z. *See* atomic number

Z_{eff} (effective nuclear charge), 119, 133–134

zero-order reaction

defined, 593–594

half-life of, 604

identifying, from experimental data, 595

integrated rate law for, 603

zinc, 170, 518

and carbonic anhydrase, 1007

and copper, 849, 850, 852–853, 873–874

in dry-cell batteries, 870

galvanized nails coated with, 881

and hydrochloric acid, 338, 438, 439, 861

zinc blende structure, 520

zinc ion, 136–137

zinc sulfide, 520

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Not for Distribution

Loading [MathJax]/jax/output/HTML-CSS/jax.js

Not for Distribution