

Lab 02: [numerical and process-based models]

Maitreyi Chakrapani (820264599)

2026-07-31

Setup

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
```

Part A: [Tracer decay and step size (numerical)]

Part A looks at the concentration of a tracer in the environment over time.

```
def decay_numerical(C0, k, dt, t_end):
    """Return arrays of time and concentration for forward-Euler tracer decay."""
    n = int(t_end / dt)
    C = C0
    ts = [0.0]
    Cs = [C0]
    for i in range(n):
        C = C + (-k * C) * dt          # forward difference
        ts.append((i + 1) * dt)
        Cs.append(C)
    return np.array(ts), np.array(Cs)

# setting the paramaters
C0, k, dt, t_end = 100.0, 0.05, 1.0, 60
t_fine = np.linspace(0, t_end, 200)
exact = C0 * np.exp(-k * t_fine)

fig, ax = plt.subplots(figsize=(7, 4))
```


```

ax.plot(t_fine, exact, "k-", label="Exact")

for dt in [0.1, 1.0, 2.5]:
    ts, Cs = decay_numerical(C0, k, dt, t_end)
    ax.plot(ts, Cs, "o--", markersize=4, label=f"dt = {dt}")

ax.set_xlabel("Time")
ax.set_ylabel("Concentration C")
ax.set_title("Tracer decay: numerical vs exact")
ax.legend()
plt.show()

```



```

## Task 1: changing K
C0, k, dt, t_end = 100.0, 0.01, 1.0, 60
t_fine = np.linspace(0, t_end, 200)
exact = C0 * np.exp(-k * t_fine)

fig, ax = plt.subplots(figsize=(7, 4))
ax.plot(t_fine, exact, "k-", label="Exact")


```

```

for dt in [0.1, 1.0, 2.5]:
    ts, Cs = decay_numerical(C0, k, dt, t_end)
    ax.plot(ts, Cs, "o--", markersize=4, label=f"dt = {dt}")

ax.set_xlabel("Time")
ax.set_ylabel("Concentration C")
ax.set_title("Tracer decay: numerical vs exact")
ax.legend()
plt.show()

```



Answer to task A1: K controls the rate of decay. A smaller K value results in a slower decay, while a larger K value leads to a faster decay.

```

## Task 2: changing dt to 2.0 and 5.0
C0, k, dt, t_end = 100.0, 0.05, 2.0, 60
t_fine = np.linspace(0, t_end, 200)
exact = C0 * np.exp(-k * t_fine)

fig, ax = plt.subplots(figsize=(7, 4))
ax.plot(t_fine, exact, "k-", label="Exact")


```

```

for dt in [0.1, 1.0, 2.5]:
    ts, Cs = decay_numerical(C0, k, dt, t_end)
    ax.plot(ts, Cs, "o--", markersize=4, label=f"dt = {dt}")

ax.set_xlabel("Time")
ax.set_ylabel("Concentration C")
ax.set_title("Tracer decay: numerical vs exact")
ax.legend()
plt.show()

```



Answer to task A2: At value $dt = 2.0$, the curve is not as close to the Exact curve.

```

## Task 3: running code with 4 different dt values
C0, k, dt, t_end = 100.0, 1.0, 5.0, 6.0
t_fine = np.linspace(0, t_end, 200)
exact = C0 * np.exp(-k * t_fine)

fig, ax = plt.subplots(figsize=(7, 4))
ax.plot(t_fine, exact, "k-", label="Exact")


```

```

for dt in [0.5, 1.0, 2.0, 2.5]:
    ts, Cs = decay_numerical(C0, k, dt, t_end)
    ax.plot(ts, Cs, "o--", markersize=4, label=f"dt = {dt}")

ax.set_xlabel("Time")
ax.set_ylabel("Concentration C")
ax.set_title("Tracer decay: numerical vs exact")
ax.legend()
plt.show()

```



Answer to task A3: $dt = 1.0$. After time = 1, the curve reaches 0, and stays there.

Answer to task A4: If $k \cdot dt > 1$, the amount it tries to subtract is greater than C_{old} , which results in a negative concentration. Once it's negative, decay "in reverse" flips the sign again for the next time step, which is why the curve bounces back and forth.

Part B: [Reservoir box model (process-based)]

```

import numpy as np
import matplotlib.pyplot as plt

## Task 1: compute analytical steady state
# ---- Parameters ----
V = 1.0e6          # lake volume (m^3)
Q = 5.0e3          # river inflow (m^3 per day)
C_in = 10.0        # incoming concentration (mg/L)
k = 0.05           # in-lake decay rate (per day)

# ---- Time settings ----
dt = 1.0           # time step (days)
days = 200

# ---- Initial condition ----
C = 0.0            # clean lake

# ---- Storage ----
history = [C]


# ---- Time loop ----
for _ in range(days):
    dCdt = (Q * C_in - Q * C - k * V * C) / V  # the rate of change
    C = C + dCdt * dt                          # forward difference
    history.append(C)

# ---- Analytical steady state ----
C_star = (Q * C_in) / (Q + k * V)
print(f"Analytical steady state: {C_star:.2f} mg/L")
print(f"Numerical final value: {history[-1]:.2f} mg/L")
print(f"Difference: {abs(C_star - history[-1]):.4f} mg/L")

## Task 1
fig, ax = plt.subplots(figsize=(6, 4))
ax.plot(history, label="Numerical C(t)")
ax.axhline(C_star, color="k", linestyle="--", label=f"Steady state C* = {C_star:.2f}")
ax.set_xlabel("Day")
ax.set_ylabel("Lake concentration (mg/L)")
ax.set_title("Task 1: Lake concentration approaching steady state")
ax.legend()
plt.show()

```

Analytical steady state: 0.91 mg/L
Numerical final value: 0.91 mg/L
Difference: 0.0000 mg/L



Answer to task B1: Analytical steady state: 0.91 mg/L. Numerical final value: 0.91 mg/L.
Difference: 0.0000 mg/L.

```
## Task 2: C=20
# ---- Parameters ----
V = 1.0e6      # lake volume (m3)
Q = 5.0e3      # river inflow (m3 per day)
C_in = 10.0    # incoming concentration (mg/L)
k = 0.05       # in-lake decay rate (per day)

# ---- Time settings ----
dt = 1.0       # time step (days)
days = 200

# ---- Initial condition ----
C = 20.0       # polluted lake
```

```

# ---- Storage ----
history = [C]

# ---- Time loop ----
for _ in range(days):
    dCdt = (Q * C_in - Q * C - k * V * C) / V # the rate of change
    C = C + dCdt * dt # forward difference
    history.append(C)

# ---- A quick look at the numbers ----
print(f"Started at {history[0]:.2f} mg/L")
print(f"After 10 days: {history[10]:.2f} mg/L")
print(f"After 50 days: {history[50]:.2f} mg/L")
print(f"After {days} days: {history[-1]:.2f} mg/L")

# ---- Analytical steady state ----
C_star = (Q * C_in) / (Q + k * V)
print(f"Analytical steady state: {C_star:.2f} mg/L")
print(f"Numerical final value: {history[-1]:.2f} mg/L")
print(f"Difference: {abs(C_star - history[-1]):.4f} mg/L")

## Task 2 (same pattern, just plotting the C=20 history)
fig, ax = plt.subplots(figsize=(6, 4))
ax.plot(history, label="Numerical C(t), starting polluted")
ax.axhline(C_star, color="k", linestyle="--", label=f"Steady state C* = {C_star:.2f}")
ax.set_xlabel("Day")
ax.set_ylabel("Lake concentration (mg/L)")
ax.set_title("Task 2: Polluted lake relaxing to steady state")
ax.legend()
plt.show()


```

```

Started at 20.00 mg/L
After 10 days: 11.75 mg/L
After 50 days: 2.04 mg/L
After 200 days: 0.91 mg/L
Analytical steady state: 0.91 mg/L
Numerical final value: 0.91 mg/L
Difference: 0.0002 mg/L

```


Task 2: Polluted lake relaxing to steady state



Answer to task B2: *The lake concentration decays exponentially from 20 mg/L down to the same steady state of 0.91 mg/L that the clean lake reached*

```
## Task 3: Double inflow (Q=10,000 m3/day)
# ---- Parameters ----
V = 1.0e6          # lake volume (m3)
Q = 10.0e3         # river inflow (m3 per day)
C_in = 10.0        # incoming concentration (mg/L)
k = 0.05           # in-lake decay rate (per day)

# ---- Time settings ----
dt = 1.0           # time step (days)
days = 200

# ---- Initial condition ----
C = 0.0            # clean lake

# ---- Storage ----
history = [C]

# ---- Time loop ----
```

```

for _ in range(days):
    dCdt = (Q * C_in - Q * C - k * V * C) / V    # the rate of change
    C = C + dCdt * dt                             # forward difference
    history.append(C)

# ---- A quick look at the numbers ----
print(f"Started at {history[0]:.2f} mg/L")
print(f"After 10 days: {history[10]:.2f} mg/L")
print(f"After 50 days: {history[50]:.2f} mg/L")
print(f"After {days} days: {history[-1]:.2f} mg/L")

# ---- Analytical steady state ----
C_star = (Q * C_in) / (Q + k * V)
print(f"Analytical steady state: {C_star:.2f} mg/L")


## Task 3 (same pattern, with Q doubled)
fig, ax = plt.subplots(figsize=(6, 4))
ax.plot(history, label="Numerical C(t), Q=10,000")
ax.axhline(C_star, color="k", linestyle="--", label=f"Steady state C* = {C_star:.2f}")
ax.set_xlabel("Day")
ax.set_ylabel("Lake concentration (mg/L)")
ax.set_title("Task 3: Effect of doubling inflow Q")
ax.legend()
plt.show()

```

```

Started at 0.00 mg/L
After 10 days: 0.77 mg/L
After 50 days: 1.59 mg/L
After 200 days: 1.67 mg/L
Analytical steady state: 1.67 mg/L

```



Answer to task B3: *The steady state rises.* Because $C^* = Q \cdot C_{in} / (Q + k \cdot V)$, when Q (the numerator) is increased proportionally compared to the denominator ($Q + k \cdot V$), the difference between C^* and C_{in} decreases.

```
## Task 4: sweeping parameters
# ---- Parameters ----
V = 1.0e6          # lake volume (m^3)
Q = 10.0e3         # river inflow (m^3 per day)
C_in = 10.0        # incoming concentration (mg/L)
k_test = [0.02, 0.05, 0.1, 0.2]  # in-lake decay rate (per day)

# ---- Time settings ----
dt = 1.0           # time step (days)
days = 200

# ---- Initial condition ----
C = 0.0            # clean lake

# ---- Storage ----
history = [C]
```

```

# ---- Time loop ----
for _ in range(days):
    dCdt = (Q * C_in - Q * C - k * V * C) / V # the rate of change
    C = C + dCdt * dt # forward difference
    history.append(C)

# ---- A quick look at the numbers ----
print(f"Started at {history[0]:.2f} mg/L")
print(f"After 10 days: {history[10]:.2f} mg/L")
print(f"After 50 days: {history[50]:.2f} mg/L")
print(f"After {days} days: {history[-1]:.2f} mg/L")

# ---- Analytical steady state ----
C_star = (Q * C_in) / (Q + k * V)
print(f"Analytical steady state: {C_star:.2f} mg/L")

## Task 4: sweeping k - following the Chapter 2.2 pattern
fig, ax = plt.subplots(figsize=(7, 4))

for k_test in [0.02, 0.05, 0.1, 0.2]:
    C = 0.0
    history = [C]
    for _ in range(days):
        dCdt = (Q * C_in - Q * C - k_test * V * C) / V # use k_test, not k
        C = C + dCdt * dt
        history.append(C)
    ax.plot(history, label=f"k = {k_test}")

ax.set_xlabel("Day")
ax.set_ylabel("Lake concentration (mg/L)")
ax.set_title("Task 4: Effect of decay rate on the reservoir")
ax.legend()
plt.show()


```

```

Started at 0.00 mg/L
After 10 days: 0.77 mg/L
After 50 days: 1.59 mg/L
After 200 days: 1.67 mg/L
Analytical steady state: 1.67 mg/L

```

Task 4: Effect of decay rate on the reservoir



Answer to task B4: Increasing k lowers the steady state and makes the lake concentration steady faster compared to lower values of k , because a bigger decay rate removes pollutants more aggressively each day.

Reflection

The coding process was relatively straightforward, but I was confused about why the model oscillated when $k \cdot dt > 1$, but after looking at the equations, I realised that it flipped the sign in the next time step. One thing I would change in part B is graph the first 3 tasks onto one graph to compare the effects of different inflow rates and initial conditions on the lake concentration. This would make it easier to visualize how the system responds to changes in parameters. The thing I got stuck on was initially rendering the lab assignment in Quarto, but after some trial and error, as well as resetting the envsci704 folder and .venv folder, I was able to render the lab assignment successfully. Next time, I would make sure to check the Quarto documentation and ensure that my environment is set up correctly before starting the lab assignment.

Checklist before you push

- ☐ Every task has a code cell **and** a short prose answer

- ☐ Every figure has axis labels and a title
- ☐ Your name and student ID are in the YAML header
- ☐ The file renders cleanly (no red error boxes in the HTML output)
- ☐ Filename is `lab-XX-topic.qmd`, not `Untitled.qmd`