

1) Block - Level element + Semantic :

<html>

- semantic

<head>

- semantic

<body>

- semantic

<header>

- semantic

<nav>

- semantic

<main>

- semantic

<section>

- semantic

<article>

- semantic

<aside>

- semantic

<footer>

- semantic

<h1> - <h6>

- semantic

<p>

- semantic

- semantic

- semantic

- semantic

<blockquote>

- semantic

<figure>

- semantic

<form>

- semantic

<table>

- semantic

<address>

- semantic

2) In-line element + Semantic :

<code><a></code>	-	Semantic + Inline
<code></code>	-	Semantic + Inline
<code></code>	-	Semantic + Inline
<code><mark></code>	-	Semantic + Inline
<code><abbr></code>	-	Semantic + Inline
<code><cite></code>	-	Semantic + Inline
<code><q></code>	-	Semantic + Inline
<code><code></code>	-	Semantic + Inline
<code><time></code>	-	Semantic + Inline
<code><sub></code>	-	Semantic + Inline
<code><sup></code>	-	Semantic + Inline
<code></code>	-	Semantic + Inline
<code><ins></code>	-	Semantic + Inline
<code><small></code>	-	Semantic + Inline

3) non - semantic + Block - level :

<div> - non-semantic + Block-level

4) Non - semantic + inline :

 - ~~Non~~ non-semantic + inline .