

what is CSS?

CSS stands for cascading style sheets. CSS is a stylesheet language used to control the appearance and presentation of HTML elements.

HTML is used to create the structure of webpage, whereas CSS is used to using CSS, we can control,

- Colors
- Text size
- Borders
- width and Height
- Positioning
- Fonts
- Background colors
- Spacing
- Layout
- Animation
- Responsive Design

Ex ;

```
<h1> Hello world </h1>
```

without CSS, The HTML element display with the browser's default styling.

using CSS ;

```
h1 {
```

```
    color : blue ;
```

```
    font-size : 40px ;
```

```
}
```

CSS changes visual appearance of HTML element.

what does CSS stand for?

Cascading : → If applied 2 diff attributes in one same element or tag It will choose which one is first

Cascading means CSS follows a Priority system when multiple styles are applied to same HTML element.

- Importance
- Specificity
- Source order

Ex;
m

```
p {  
  color: red;  
}
```

```
y  
p {  
  color: blue;  
}
```

Both selectors have same priority, so later rule is applied.
Blue.

S-style :

CSS is used to style HTML elements.

Ex;
m

```
h1 {  
  color: red;  
  font-size: 40px;  
}
```


5-sheet :
mm

A collection of CSS rules is called a ~~stylesheet~~ stylesheet.

Ex:
m

h1 {

color : blue ;

}

p {

font-size : 18px ;

}

button {

background-color : green ;

}

This collection of CSS rules can be stored in a .css file .

Ex:
m

style.css

HTML VS CSS ;
mm mm

HTML

↓

Structure of website

CSS

↓

Design and Appearance of website.

Ex;
mm

HTML - skeleton of Human body

CSS - clothes and Appearance

Basic CSS Syntax ;
mm mm mm

1) Selector {

Property : value ;

}

h1 {

color : red ;

}

Explanation :
mmmm

h1

↓

Selector

color

↓

Property

red

↓

value

color : red ;

↓

Declaration

Types of CSS :
mm mm mm

1) In-line CSS

2) Internal CSS

3) External CSS

1) In-Line CSS :
mmmm m

In-line CSS is written directly inside an HTML element using the style attributes.

Ex;

```
<h1 style = "color: red;">
```

Hello world

```
</h1>
```

Pros ;
mm

- quick and easy for small changes
- useful for testing

cons ;
mm

- Difficult to maintain
- repeated code
- makes HTML code messy
- Not suitable for large projects.

2) Internal CSS ;
mmmm m

Internal CSS is written inside <style> tag in <head> section of an HTML document.

Ex ;

```
<!DOCTYPE html >
```

```
<html>
```

```
<head>
```

```
<style>
```

```
h1 {
```

```
color: blue;
```

```
}
```

P 2

font-size : 20px ;

3

</style>

</head>

<body>

<h1> Hello world </h1>

<p> Welcome to CSS </p>

</body>

</html>

Pros ;
mm

- Useful for single - page website
- CSS is kept separate from individual HTML element.

Cons ;
mm

- Cannot easily be viewed across multiple HTML pages.
- Not ideal for large project.

3) External CSS ;
mm mm

External CSS is written in a separate .css file and connected to HTML file .

Ex ;

<!DOCTYPE html>

<html>

<head>

<link rel = "stylesheet" href = "style.css">

</head>

<body>

<h1> Hello world </h1>

</body>

</html>

css file : (style.css)

h1 {

color : green;

}

Pros :

- clean and organized code
- Relatable across multiple HTML pages
- Easy to maintain
- Better for large projects.
- Recommended for real-world applications.

which is better :

External CSS.