

Course Name: Web and Internet Programming

Course Code: CSE4033

Section: 01

Submitted To:

Md. Mijanur Rahman

Assistant Professor

Submitted By:

Name: Md. Saifullah, **ID:** 2018100000041

Name: Md. Shafaet Hossain, **ID:** 2018100000042

Date: 06.02.22



Southeast University

Department of Computer Science and Engineering

Database Models:

Admin Model:

```
<?php
namespace App\Models;
use CodeIgniter\Model;
class AdminModel extends Model
   protected $DBGroup = 'default';
                          = 'admin';
   protected $table
   protected $primaryKey = 'aid';
   protected $useAutoIncrement = true;
   protected $insertID = 0;
   protected $returnType = 'array';
   protected $useSoftDeletes = false;
   protected $protectFields = true;
   protected $allowedFields = [
       'aid',
       'fname',
       'lname',
       'contact',
       'gender',
       'address',
       'age',
       'bloodgroup'
```

```
];
// Dates
protected $useTimestamps = false;
protected $dateFormat = 'datetime';
protected $createdField = 'created at';
protected $updatedField = 'updated_at';
protected $deletedField = 'deleted at';
// Validation
protected $validationRules
                           = [];
protected $validationMessages = [];
protected $skipValidation = false;
protected $cleanValidationRules = true;
// Callbacks
protected $allowCallbacks = true;
protected $beforeInsert
                         = [];
protected $afterInsert
                         = [];
protected $beforeUpdate
                         = [];
protected $afterUpdate
                         = [];
protected $beforeFind
                         = [];
protected $afterFind
                         = [];
protected $beforeDelete
                         = [];
protected $afterDelete
                         = [];
```

AllUserModel:

```
<?php
namespace App\Models;
use CodeIgniter\Model;
class AllUserModel extends Model
   protected $DBGroup = 'default';
                       = 'alluser';
   protected $table
   protected $primaryKey = 'id';
   protected $useAutoIncrement = true;
   protected $insertID
                        = 0;
   protected $returnType = 'array';
   protected $useSoftDeletes = false;
   protected $protectFields = true;
   protected $allowedFields = [
       "id",
       "email",
       "password",
       "type"
   ];
   // Dates
   protected $useTimestamps = false;
   protected $dateFormat = 'datetime';
```

```
protected $createdField = 'created_at';
protected $updatedField = 'updated_at';
protected $deletedField = 'deleted_at';
// Validation
protected $validationRules
                             = [];
protected $validationMessages = [];
protected $skipValidation = false;
protected $cleanValidationRules = true;
// Callbacks
protected $allowCallbacks = true;
protected $beforeInsert
                         = [];
protected $afterInsert
                         = [];
                         = [];
protected $beforeUpdate
protected $afterUpdate
                         = [];
protected $beforeFind
                         = [];
                         = [];
protected $afterFind
protected $beforeDelete
                         = [];
protected $afterDelete
                         = [];
```

AppointmentModel:

```
<?php
namespace App\Models;</pre>
```

```
use CodeIgniter\Model;
class AppointmentModel extends Model
   protected $DBGroup = 'default';
                          = 'appointment';
   protected $table
   protected $primaryKey = 'appid';
   protected $useAutoIncrement = true;
   protected $insertID
                         = 0;
   protected $returnType = 'array';
   protected $useSoftDeletes = false;
   protected $protectFields = true;
   protected $allowedFields = [
       "appid",
       "docid",
       "uid",
       "pname",
       "page",
       "pgender",
       "pbg",
       "status",
       "date"
   ];
   // Dates
   protected $useTimestamps = false;
   protected $dateFormat = 'datetime';
```

```
protected $createdField = 'created_at';
protected $updatedField = 'updated_at';
protected $deletedField = 'deleted_at';
// Validation
protected $validationRules
                             = [];
protected $validationMessages = [];
protected $skipValidation = false;
protected $cleanValidationRules = true;
// Callbacks
protected $allowCallbacks = true;
protected $beforeInsert
                         = [];
protected $afterInsert
                         = [];
                         = [];
protected $beforeUpdate
protected $afterUpdate
                         = [];
protected $beforeFind
                         = [];
protected $afterFind
                         = [];
protected $beforeDelete
                         = [];
protected $afterDelete
                         = [];
```

DoctorModel:

```
<?php
namespace App\Models;</pre>
```

```
use CodeIgniter\Model;
class DoctorModel extends Model
   protected $DBGroup = 'default';
                          = 'doctor';
   protected $table
   protected $primaryKey = 'docid';
   protected $useAutoIncrement = true;
   protected $insertID
                          = 0;
   protected $returnType = 'array';
   protected $useSoftDeletes = false;
   protected $protectFields = true;
   protected $allowedFields = [
       "docid",
       "title",
       "dfname",
       "dlname",
       "qualification",
       "expertise",
       "dgender",
       "dbloodgroup",
       "dcontact",
       "email",
       "dage",
       "designation",
       "organization",
       "daddress",
```

```
"schedule",
    "chamber",
    "fees"
];
// Dates
protected $useTimestamps = false;
protected $dateFormat = 'datetime';
protected $createdField = 'created at';
protected $updatedField = 'updated at';
protected $deletedField = 'deleted_at';
// Validation
protected $validationRules
                           = [];
protected $validationMessages = [];
protected $skipValidation = false;
protected $cleanValidationRules = true;
// Callbacks
protected $allowCallbacks = true;
protected $beforeInsert
                         = [];
protected $afterInsert
                         = [];
protected $beforeUpdate
                         = [];
protected $afterUpdate
                         = [];
protected $beforeFind
                         = [];
protected $afterFind
                         = [];
protected $beforeDelete
                         = [];
protected $afterDelete
                         = [];
```

```
}
```


UserModel:

```
<?php
namespace App\Models;
use CodeIgniter\Model;
class UserModel extends Model
   protected $DBGroup = 'default';
                          = 'user';
   protected $table
   protected $primaryKey = 'uid';
   protected $useAutoIncrement = true;
   protected $insertID = 0;
   protected $returnType = 'array';
   protected $useSoftDeletes = false;
   protected $protectFields = true;
   protected $allowedFields
                              = [
       'uid',
       'ufname',
       'ulname',
       'ucontact',
       'ugender',
       'uaddress',
```


```
'uage',
    'ubloodgroup'
];
// Dates
protected $useTimestamps = false;
protected $dateFormat = 'datetime';
protected $createdField = 'created at';
protected $updatedField = 'updated_at';
protected $deletedField = 'deleted at';
// Validation
protected $validationRules
                               = [];
protected $validationMessages = [];
protected $skipValidation = false;
protected $cleanValidationRules = true;
// Callbacks
protected $allowCallbacks = true;
protected $beforeInsert
                          = [];
protected $afterInsert
                          = [];
protected $beforeUpdate
                          = [];
protected $afterUpdate
                          = [];
protected $beforeFind
                          = [];
protected $afterFind
                         = [];
protected $beforeDelete
                         = [];
protected $afterDelete
                          = [];
```

Home Page:


Home Page for Admin:



Home Page for User:



Home Page for Doctor:



Home Controller:

```
<?php

namespace App\Controllers;

use PhpParser\Node\Expr\ArrayItem;
use App\Controllers\DoctorInfoController;

class Home extends BaseController
{
    public function index()
    {
}</pre>
```

```
session_start();
   // echo $_SESSION['email'];
  $_SESSION['cat']="all";
   $doc=new DoctorInfoController;
   $data['allDoc']=$doc->getAllDoctorInfo();
   //echo "";
   // print_r($data);
    //return view('welcome_message');
    //return view('scrapView',$data);
    return view('homeView',$data);
    //return view("docSignupView");
}
// public function getAllDoctor():array
// $da=array();
// return $da;
// }
```

Home View:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible"</pre>
content="IE=edge">
    <meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0">
    <!--
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/
dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65Vo
hhpuuCOmLASjC" crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/d
ist/js/bootstrap.bundle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+J
cXn/tWtIaxVXM" crossorigin="anonymous"></script> --
```

```
<link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/bootstrap.css")</pre>
?>" />
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/mannual.css")</pre>
?>" />
    <link rel="icon" type="image/png" href="<?=</pre>
base_url("/favicon.ico") ?>" />
    <title>Home</title>
</head>
<body>
        <div class="header fixed-height">
             <a href="<?= base url("/Home") ?>"
class="logo ms-5 mb-3">
                 <img height="60" width="140"</pre>
src="<?= base_url("/images/j2.png") ?>" alt=""
class="rounded">
                 <!--<label>DoctorLagbe</label>-->
             </a>
             <div class="header-right">
                 <div class="row-5 float-right">
                     <a class="active" href="<?=</pre>
base_url("/Home") ?>">Home</a>
                     <?php
```

```
if (isset($_SESSION['email']))
                         /**type check
                          * assign button according
to type
                          * for admin :
doctorsignup, manageuser, manageappointment
                          * for user :
appointmentHistory
                          * for doctor : see
appointment list
                          * logout, profile and
change password are common for all
                         if ($_SESSION['type'] ==
"user") { ?>
                             <a class="" href="<?=</pre>
base url("/AppointmentController/getHistory")
?>">Appointment History</a>
                             <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                         <?php } else if</pre>
($_SESSION['type'] == "doctor") { ?>
                             <a class="" href="<?=</pre>
base url("/AppointmentController/getAppointmentList
") ?>">Appointment List</a>
```

```
<a class=""
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                          <?php } else { ?>
                              <a class="me-2"
href="<?= base url("/AllUserInfoController")</pre>
?>">Manage User</a>
                              <a class="" href="<?=</pre>
base url("/SignupController/doctorSignup")
?>">SignUp a Doctor</a>
                              <a class="me-2"
href="<?= base_url("/SignupController") ?>">SignUp
a User</a>
                              <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $ SESSION['uid']</pre>
?>">Profile</a>
                          <?php } ?>
                          <a class="" href="<?=</pre>
base_url("/LogoutController") ?>">Logout</a>
                     <?php
                     } else { ?>
                          <a class="" href="<?=</pre>
base url("/LoginController") ?>">Login</a>
```

```
<a class="me-2" href="<?=</pre>
base_url("/SignupController") ?>">Signup</a>
                      <?php
                      }
                      ?>
                  </div>
                 <div class="search-container row</pre>
clear-align">
                      <form
action="/DoctorInfoController/doctorInfoByCategory"
method="POST">
                          <div class="col float-left</pre>
text-bold me-2 mt-2">
                               <label for="">Choose
filter </label>
                          </div>
                          <div class="col float-left</pre>
mt-2">
                               <select</pre>
name="expertise" id="expertise" class="form-
control">
                                   <option value="all"</pre>
<?php if ($_SESSION['cat'] == "all") echo</pre>
"selected"; ?>>Show all</option>
                                    <option
value="allergists" <?php if ($_SESSION['cat'] ==</pre>
"allergists") echo "selected";
?>>Allergists</option>
```

```
<option
value="dermatologists" <?php if ($_SESSION['cat']</pre>
== "dermatologists") echo "selected";
?>>Dermatologists</option>
                                  <option
value="ophthalmologists" <?php if ($_SESSION['cat']</pre>
== "ophthalmologists") echo "selected";
?>>Ophthalmologists</option>
                                  <option</pre>
value="gynecologists" <?php if ($_SESSION['cat'] ==</pre>
"gynecologists") echo "selected";
?>>Gynecologists</option>
                                  <option</pre>
value="cardiologists" <?php if ($_SESSION['cat'] ==</pre>
"cardiologists") echo "selected";
?>>Cardiologists
                                  <option
value="endocrinologists" <?php if ($_SESSION['cat']</pre>
== "endocrinologists") echo "selected";
?>>Endocrinologists
                                  <option
value="gastroenterologists" <?php if</pre>
($_SESSION['cat'] == "gastroenterologists") echo
"selected"; ?>>Gastroenterologists</option>
                                  <option</pre>
value="nephrologists" <?php if ($_SESSION['cat'] ==</pre>
"nephrologists") echo "selected";
?>>Nephrologists</option>
```


```
<option</pre>
value="neurologists" <?php if ($_SESSION['cat'] ==</pre>
"neurologists") echo "selected";
?>>Neurologists</option>
                                   <option</pre>
value="psychiatrists" <?php if ($_SESSION['cat'] ==</pre>
"psychiatrists") echo "selected";
?>>Psychiatrists</option>
                               </select>
                          </div>
                          <div class="col float-
left">
                               <button type="submit">
<i class="fa fa-filter"></i></button>
                          </div>
                      </form>
                  </div>
             </div>
         </div>
         <div class="container bg-dark p-4 mb-8">
             <?php
             scnt = 3;
             foreach ($allDoc as $doc) {
                 if ($cnt == 3) {
                      $cnt = 0;
             ?>
                      <div class="row h5 bg-light ps-</pre>
3 \text{ pv-3"}
```

```
<?php }
                   ?>
                   <div class="col">
                       <div class="card bg-light"</pre>
style="width: 18rem;">
                           <div class="card-body">
                              <h3 class="card-
title"> <?= $doc['title'] . " " . $doc['dfname'] .</pre>
" " . $doc['dlname'] ?> </h3>
                              text" style="font-size:18px;"> <?=</pre>
"Designation : " . $doc['designation'] ?> 
                              text" style="font-size:18px;"> <?=</pre>
"Qualification : " . $doc['qualification'] ?>
text" style="font-size:18px;"> <?= "Expertise :</pre>
. $doc['expertise'] ?> 
                              text" style="font-size:18px;"> <?=</pre>
"Organization : " . $doc['organization'] ?> 
href="http://localhost/DoctorLagbe/public/DoctorInf
oController/doctorDetailsInfo?
                                  &docid= <?php</pre>
echo $doc["docid"] ?>" class="btn btn-
primary">Details</a>
```


```
</div>
                        </div>
                    </div>
                    <?php
                    if ($cnt == 2) { ?>
                    </div>
            <?php
                    $cnt++;
            ?>
        </div>
    <div class="footer footer-color me-4">
         All rights reserved ©
HalfCircle
   </div>
</body>
</html>
```

SignUp Page:

SignUp as Doctor:



SignUp as User:



SignUpController:

```
<?php

namespace App\Controllers;

use App\Controllers\BaseController;
use App\Models\AllUserModel;
use App\Models\DoctorModel;
use App\Models\UserModel;
use App\Models\UserModel;
class SignupController extends BaseController
{
    public function index()</pre>
```

```
{
        session_start();
        return view("userSignUpView");
    function saveUserSignup()
    {
        $user = new UserModel();
        $alluser = new AllUserModel();
        /* Collecting Data For User table & model
        $fname = $this->request->getPost('fname');
        $lname = $this->request->getPost('lname');
        $contact = $this->request-
>getPost('contact');
        $gender = $this->request-
>getPost('gender');
        $address = $this->request-
>getPost('address');
        $age = $this->request->getPost('age');
        $bloodgroup = $this->request-
>getPost('bloodgroup');
        /* Collecting Data For AllUser table &
model */
        $email = $this->request->getPost('email');
```

```
$password = md5("" . $this->request-
>getPost('password'));
        // $confirmPassword=$this->request-
>getPost('confirmPassword');
        /* Alluser data is inserted into Array */
        $alluserdata = array(
            'type' => 'user',
            'email' => $email,
            'password' => $password
        );
        $alluser->insert($alluserdata); /* Insert
the AllUser array in alluser database so can we get
the id*/
        $uid = $alluser->where('email', $email)-
>findColumn('id'); /* Retrieve id from alluser
database */
        /* User data is inserted into Array */
        $userdata = array(
            'uid' => $uid,
            'ufname' => $fname,
            'ulname' => $lname,
            'ucontact' => $contact,
```

```
'ugender' => $gender,
            'uaddress' => $address,
            'uage' => $age,
            'ubloodgroup' => $bloodgroup
        );
        $user->insert($userdata); /* Insert the
User array in user database */
        return redirect()->to('/Home');
        // echo "";
        // print_r($userdata);
        // print_r($alluserdata);
    }
    function doctorSignup()
    {
        session_start();
        return view("doctorSignupView");
    }
   function saveDoctorSignup()
    {
        $doctor = new doctorModel();
        $alluser = new AllUserModel();
        /* Collecting Data For Doctor table & model
```

```
$title = $this->request->getPost("title");
        $fname = $this->request->getPost('fname');
        $lname = $this->request->getPost('lname');
        $qualification = $this->request-
>getPost("qualification");
        $expertise = $this->request-
>getPost("expertise");
        $gender = $this->request-
>getPost("gender");
        $bloodgroup = $this->request-
>getPost('bloodgroup');
        $contact = $this->request-
>getPost("contact");
        $email = $this->request->getPost('email');
        $age = $this->request->getPost('age');
        $designation = $this->request-
>getPost("designation");
        $organization = $this->request-
>getPost("organization");
        $address = $this->request-
>getPost("address");
        $schedule = $this->request-
>getPost("schedule");
        $chamber = $this->request-
>getPost("chamber");
        $fees = $this->request->getPost("fees");
```

```
/* Collecting Data For AllUser table &
model */
        $email = $this->request->getPost('email');
        $password = md5("" . $this->request-
>getPost('password'));
        //$confirmPassword=$this->request-
>getPost('confirmPassword');
        /* Alluser data is inserted into Array */
        $alluserdata = array(
            'type' => 'doctor',
            'email' => $email,
            'password' => $password
        );
        $alluser->insert($alluserdata); /* Insert
the AllUser array in alluser database so can we get
the id*/
        $docid = $alluser->where('email', $email)-
>findColumn('id'); /* Retrieve id from alluser
database */
        /* Doctor data is inserted into Array */
        $doctordata = array(
```

```
"docid" => $docid,
            "title" => $title,
            "dfname" => $fname,
            "dlname" => $lname,
            "qualification" => $qualification,
            "expertise" => $expertise,
            "dgender" => $gender,
            "dbloodgroup" => $bloodgroup,
            "dcontact" => $contact,
            "email" => $email,
            "dage" => $age,
            "designation" => $designation,
            "organization" => $organization,
            "daddress" => $address,
            "schedule" => $schedule,
            "chamber" => $chamber,
            "fees" => $fees
        );
        $doctor->insert($doctordata); /* Insert
the User array in user database */
        return redirect()->to('/Home');
        // echo "";
        // print_r($alluserdata);
        // print r($doctordata);
```

DoctorSignUpView:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible"</pre>
content="IE=edge">
    <meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0">
    k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/
dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65Vo
hhpuuCOmLASjC" crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/d
ist/js/bootstrap.bundle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+J
cXn/tWtIaxVXM" crossorigin="anonymous"></script>
```

```
<link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/bootstrap.css")</pre>
?>" />
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/mannual.css")</pre>
?>" />
    <link rel="icon" type="image/png" href="<?=</pre>
base_url("/favicon.ico") ?>" />
    <title>Home</title>
</head>
<body>
    <div class="header fixed-height">
         <a href="<?= base_url("/Home") ?>"
class="logo ms-5 mb-3">
             <img height="60" width="140" src="<?=</pre>
base_url("/images/j2.png") ?>" alt=""
class="rounded">
             <!--<label>DoctorLagbe</label>-->
         </a>
         <div class="header-right">
             <div class="row-5 float-right">
                 <a class="" href="<?=</pre>
base url("/Home") ?>">Home</a>
```

```
<?php
                if (isset($_SESSION['email'])) {
                     /**type check
                      * assign button according to
type
                      * for admin : doctorsignup,
manageuser, manageappointment
                      * for user:
appointmentHistory
                      * for doctor : see appointment
list
                      * logout, profile and change
password are common for all
                     if ($_SESSION['type'] ==
"user") { ?>
                         <a class="" href="<?=</pre>
base url("/AppointmentController/getHistory")
?>">Appointment History</a>
                         <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                    <?php } else if</pre>
($_SESSION['type'] == "doctor") { ?>
                         <a class="" href="<?=</pre>
base url("/AppointmentController/getAppointmentList
") ?>">Appointment List</a>
```

```
<a class=""
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else { ?>
                          <a class="me-2" href="<?=</pre>
base url("/AllUserInfoController") ?>">Manage
User</a>
                          <a class="active" href="<?=</pre>
base url("/SignupController/doctorSignup")
?>">SignUp a Doctor</a>
                          <a class="me-2" href="<?=</pre>
base_url("/SignupController") ?>">SignUp a User</a>
                          <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $ SESSION['uid']</pre>
?>">Profile</a>
                     <?php } ?>
                     <a class="" href="<?=</pre>
base_url("/LogoutController") ?>">Logout</a>
                 <?php
                 } else { ?>
                     <a class="" href="<?=</pre>
base url("/LoginController") ?>">Login</a>
```

```
<a class="me-2" href="<?=</pre>
base url("/SignupController") ?>">Signup</a>
                  <?php
                  }
                  ?>
             </div>
             <div class="search-container row clear-</pre>
align">
                  <form
action="/DoctorInfoController/doctorInfoByCategory"
method="POST">
                      <div class="col float-left</pre>
text-bold me-2 mt-2">
                           <label for="">Choose filter
</label>
                      </div>
                      <div class="col float-left mt-</pre>
2">
                           <select name="expertise"</pre>
id="expertise" class="form-control">
                               <option value="all"</pre>
<?php if ($_SESSION['cat'] == "all") echo</pre>
"selected"; ?>>Show all</option>
                               <option</pre>
value="allergists" <?php if ($_SESSION['cat'] ==</pre>
"allergists") echo "selected";
?>>Allergists</option>
```

```
<option</pre>
value="dermatologists" <?php if ($_SESSION['cat']</pre>
== "dermatologists") echo "selected";
?>>Dermatologists
                              <option</pre>
value="ophthalmologists" <?php if ($_SESSION['cat']</pre>
== "ophthalmologists") echo "selected";
?>>Ophthalmologists</option>
                              <option</pre>
value="gynecologists" <?php if ($_SESSION['cat'] ==</pre>
"gynecologists") echo "selected";
?>>Gynecologists</option>
                              <option</pre>
value="cardiologists" <?php if ($_SESSION['cat'] ==</pre>
"cardiologists") echo "selected";
?>>Cardiologists
                              <option</pre>
value="endocrinologists" <?php if ($_SESSION['cat']</pre>
== "endocrinologists") echo "selected";
?>>Endocrinologists
                              <option
value="gastroenterologists" <?php if</pre>
($_SESSION['cat'] == "gastroenterologists") echo
"selected"; ?>>Gastroenterologists</option>
                              <option</pre>
value="nephrologists" <?php if ($_SESSION['cat'] ==</pre>
"nephrologists") echo "selected";
?>>Nephrologists</option>
```

```
<option
value="neurologists" <?php if ($_SESSION['cat'] ==</pre>
"neurologists") echo "selected";
?>>Neurologists
                             <option
value="psychiatrists" <?php if ($_SESSION['cat'] ==</pre>
"psychiatrists") echo "selected";
?>>Psychiatrists</option>
                         </select>
                     </div>
                     <div class="col float-left">
                         <button type="submit"> <i</pre>
class="fa fa-filter"></i></button>
                     </div>
                </form>
            </div>
        </div>
    </div>
    <div class="container">
        <div class="col-10 px-7 pb-8 bg-light">
            <div class="label h1 p-2">
                Doctor Signup Page
            </div>
            <form name="form" onsubmit="return</pre>
check()" action="<?=</pre>
base_url("/SignupController/saveDoctorSignup") ?>"
class="form-group" method="POST">
```

```
<div class="row pt-5">
                     <div class="col-3 text-bold">
                          <label class="form-label</pre>
">Name</label>
                     </div>
                     <div class="col-1 for-colon">
                          <label class="form-label</pre>
">:</label>
                     </div>
                     <div class="col">
                          <input type="text"</pre>
class="form-control" name="title"
placeholder="Title">
                     </div>
                     <div class="col">
                          <input type="text"</pre>
class="form-control" name="fname"
placeholder="first name">
                     </div>
                     <div class="col">
                          <input type="text"</pre>
class="form-control" name="lname" placeholder="last
name">
```

```
</div>
                 </div>
                 <div class="row pt-2">
                      <div class="col-3 text-bold">
                          <label class="form-label</pre>
">Qualification</label>
                      </div>
                      <div class="col-1 for-colon">
                          <label class="form-label</pre>
">:</label>
                      </div>
                      <div class="col">
                          <input name="qualification"</pre>
class="form-control">
                      </div>
                 </div>
                 <div class="row pt-2">
                      <div class="col-3 text-bold">
                          <label class="form-label</pre>
">Expertise</label>
                      </div>
                      <div class="col-1 for-colon">
                          <label class="form-label</pre>
">:</label>
                     </div>
```

```
<div class="col">
                        <select name="expertise"</pre>
id="expertise" class="form-control">
                            <option
value="allergists">Allergists
                            <option
value="dermatologists">Dermatologists</option>
                            <option
value="ophthalmologists">Ophthalmologists
                            <option
value="gynecologists">Gynecologists</option>
                            <option
value="cardiologists">Cardiologists</option>
                            <option</pre>
value="endocrinologists">Endocrinologists</option>
                            <option</pre>
value="gastroenterologists">Gastroenterologists
tion>
                            <option
value="nephrologists">Nephrologists</option>
                            <option
value="neurologists">Neurologists</option>
                            <option
value="psychiatrists">Psychiatrists</option>
                        </select>
                    </div>
                </div>
```

```
<div class="row pt-2">
                      <div class="col-3 text-bold">
                          <label class="form-label</pre>
">Gender</label>
                      </div>
                      <div class="col-1 for-colon">
                          <label class="form-label</pre>
">:</label>
                      </div>
                      <div class="col">
                          <div class="form-check</pre>
form-check-inline ms-2 mt-2">
                               <input class="form-</pre>
check-input" type="radio" name="gender"
id="inlineRadio1" value="Male">
                               <label class="form-</pre>
check-label" for="inlineRadio1">Male</label>
                          </div>
                          <div class="form-check</pre>
form-check-inline">
                               <input class="form-</pre>
check-input" type="radio" name="gender"
id="inlineRadio2" value="Female">
                               <label class="form-</pre>
check-label" for="inlineRadio2">Female</label>
                          </div>
```

```
<div class="form-check
form-check-inline">
                              <input class="form-</pre>
check-input" type="radio" name="gender"
id="inlineRadio3" value="Moda">
                              <label class="form-</pre>
check-label" for="inlineRadio3">Others</label>
                          </div>
                      </div>
                 </div>
                 <div class="row pt-2">
                      <div class="col-3 text-bold">
                          <label class="form-label</pre>
">Blood Group</label>
                      </div>
                      <div class="col-1 for-colon">
                          <label class="form-label</pre>
">:</label>
                      </div>
                      <div class="col-1">
                          <select name="bloodgroup"</pre>
id="bloodgroup" class="form-control">
```

```
<option
value="A+">A+</option>
                              <option value="A-">A-
</option>
                              <option</pre>
value="B+">B+</option>
                              <option value="B-">B-
</option>
                              <option</pre>
value="AB+">AB+</option>
                              <option value="AB-">AB-
</option>
                              <option
value="0+">0+</option>
                              <option value="0-">0-
</option>
                          </select>
                     </div>
                 </div>
                 <div class="row pt-2">
                     <div class="col-3 text-bold">
                          <label class="form-label</pre>
">Contact No.</label>
                     </div>
                     <div class="col-1 for-colon">
```

```
<label class="form-label</pre>
">:</label>
                      </div>
                      <div class="col">
                          <input type="text"</pre>
class="form-control" name="contact"
placeholder="Contact No.">
                      </div>
                 </div>
                 <div class="row pt-2">
                      <div class="col-3 text-bold">
                          <label class="form-label</pre>
">Email</label>
                      </div>
                      <div class="col-1 for-colon">
                          <label class="form-label</pre>
">:</label>
                      </div>
                      <div class="col">
                          <input type="email"</pre>
class="form-control" name="email"
placeholder="example@mail.com">
                      </div>
                 </div>
                 <div class="row pt-2">
                      <div class="col-3 text-bold">
```

```
<label class="form-label</pre>
">Password</label>
                      </div>
                      <div class="col-1 for-colon">
                          <label class="form-label</pre>
">:</label>
                      </div>
                      <div class="col">
                          <input type="password"</pre>
class="form-control" name="password" minlength="5"
placeholder="Enter password">
                      </div>
                 </div>
                 <div class="row pt-2">
                      <div class="col-3 text-bold">
                          <label class="form-label</pre>
">Age</label>
                      </div>
                      <div class="col-1 for-colon">
                          <label class="form-label</pre>
">:</label>
                      </div>
                      <div class="col-2">
                          <input type="number"</pre>
class="form-control" name="age" placeholder="Enter
Age">
                      </div>
```

```
</div>
                 <div class="row pt-2">
                     <div class="col-3 text-bold">
                          <label class="form-label</pre>
">Designation</label>
                     </div>
                     <div class="col-1 for-colon">
                          <label class="form-label</pre>
">:</label>
                     </div>
                     <div class="col">
                          <input type="text"</pre>
class="form-control" name="designation"
placeholder="Enter Dessignation">
                     </div>
                 </div>
                 <div class="row pt-2">
                      <div class="col-3 text-bold">
                          <label class="form-label</pre>
">Organization</label>
                     </div>
                      <div class="col-1 for-colon">
                          <label class="form-label</pre>
">:</label>
                     </div>
                     <div class="col">
```

```
<input type="text"</pre>
class="form-control" name="organization"
placeholder="Enter Organization">
                     </div>
                 </div>
                 <div class="row pt-2">
                     <div class="col-3 text-bold">
                          <label class="form-label</pre>
">Address</label>
                     </div>
                     <div class="col-1 for-colon">
                          <label class="form-label</pre>
">:</label>
                     </div>
                     <div class="col">
                          <input type="text"</pre>
class="form-control" name="address"
placeholder="Enter Address">
                     </div>
                 </div>
                 <div class="row pt-2">
                     <div class="col-3 text-bold">
                          <label class="form-label</pre>
">Schedule</label>
                     </div>
                     <div class="col-1 for-colon">
```

```
<label class="form-label</pre>
">:</label>
                     </div>
                     <div class="col">
                          <input type="text"</pre>
class="form-control" name="schedule"
placeholder="Enter Schedule">
                     </div>
                 </div>
                 <div class="row pt-2">
                     <div class="col-3 text-bold">
                          <label class="form-label</pre>
">Chamber</label>
                     </div>
                     <div class="col-1 for-colon">
                          <label class="form-label</pre>
">:</label>
                     </div>
                     <div class="col">
                          <input type="text"</pre>
class="form-control" name="chamber"
placeholder="Enter Chamber">
                     </div>
                 </div>
                 <div class="row pt-2">
                     <div class="col-3 text-bold">
```

```
<label class="form-label</pre>
">Visit Fees</label>
                     </div>
                     <div class="col-1 for-colon">
                         <label class="form-label</pre>
">:</label>
                     </div>
                     <div class="col-2">
                         <input type="number"</pre>
class="form-control" name="fees" placeholder="Enter
Fees">
                     </div>
                 </div>
                 <div class="col-2 float-right mb-5</pre>
mt-3 me-5">
                     <input type="submit"</pre>
value="SignUp" class="py-2 for-colon form-control
sign-btn">
                 </div>
             </form>
        </div>
    </div>
    <div class="footer footer-color">
         All rights reserved ©
HalfCircle
    </div>
```

```
<script>
        function check() {
            var title = document.form.title.value;
            var fname = document.form.fname.value;
            var lname = document.form.lname.value;
            var qualification =
document.form.qualification.value;
            var expertise =
document.form.expertise.value;
            var gender =
document.form.gender.value;
            var bloodgroup =
document.form.bloodgroup.value;
            var contact =
document.form.contact.value;
            var email = document.form.email.value;
            var password =
document.form.password.value;
            var age = document.form.age.value;
            var designation =
document.form.designation.value;
            var organization =
document.form.organization.value;
            var address =
document.form.address.value;
            var schedule =
document.form.schedule.value;
```

```
var chamber =
document.form.chamber.value;
            var fees = document.form.fees.value;
            if (title == "") {
                alert("Title field can not be
empty");
                return false;
            }
            if (fname == "") {
                alert("First Name field can not be
empty");
                return false;
            }
            if (lname == "") {
                alert("Last Name field can not be
empty");
                return false;
            }
            if (qualification == "") {
                alert("Qualification field can not
be empty");
                return false;
            }
            if (expertise == "") {
                alert("Expertise field can not be
empty");
                return false;
```

```
if (gender == "") {
                alert("Gender field can not be
empty");
                return false;
            }
            if (bloodgroup == "") {
                alert("Blood Group field can not be
empty");
                return false;
            }
            if (contact == "") {
                alert("Contact field can not be
empty");
                return false;
            }
            if (email == "") {
                alert("Email field can not be
empty");
                return false;
            }
            if (password == "") {
                alert("Password field can not be
empty");
                return false;
            }
            if (age == "") {
                alert("Age field can not be
empty");
```

```
return false;
            }
            if (designation == "") {
                alert("Designation field can not be
empty");
                return false;
            }
            if (organization == "") {
                alert("Organization field can not
be empty");
                return false;
            }
            if (address == "") {
                alert("Address field can not be
empty");
                return false;
            }
            if (schedule == "") {
                alert("Schedule field can not be
empty");
                return false;
            }
            if (chamber == "") {
                alert("Chamber field can not be
empty");
                return false;
            }
            if (fees == "") {
```

UserSignUpView:

```
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65Vo
hhpuuCOmLASjC" crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/d
ist/js/bootstrap.bundle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+J
cXn/tWtIaxVXM" crossorigin="anonymous"></script>
  <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <link rel="stylesheet" type="text/css" href="<?=</pre>
base_url("/bootstrap/css/bootstrap.css") ?>" />
  <link rel="stylesheet" type="text/css" href="<?=</pre>
base url("/bootstrap/css/mannual.css") ?>" />
  <link rel="icon" type="image/png" href="<?=</pre>
base_url("/favicon.ico") ?>" />
  <title>Home</title>
</head>
<body>
  <div class="header fixed-height">
    <a href="<?= base_url("/Home") ?>" class="logo"
ms-5 mb-3">
      <img height="60" width="140" src="<?=</pre>
base url("/images/j2.png") ?>" alt=""
class="rounded">
```

```
<!--<label>DoctorLagbe</label>-->
    </a>
    <div class="header-right">
      <div class="row-5 float-right">
        <a class="" href="<?= base url("/Home")</pre>
?>">Home</a>
        <?php
        if (isset($ SESSION['email'])) {
          /**type check
           * assign button according to type
           * for admin : doctorsignup, manageuser,
manageappointment
           * for user : appointmentHistory
           * for doctor : see appointment list
           * logout, profile and change password
are common for all
          if ($_SESSION['type'] == "user") { ?>
            <a class="" href="<?=</pre>
base_url("/AppointmentController/getHistory")
?>">Appointment History</a>
            <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
          <?php } else if ($_SESSION['type'] ==</pre>
"doctor") { ?>
```

```
<a class="" href="<?=</pre>
base_url("/AppointmentController/getAppointmentList
") ?>">Appointment List</a>
             <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
          <?php } else { ?>
             <a class="me-2" href="<?=</pre>
base url("/AllUserInfoController") ?>">Manage
User</a>
             <a class="" href="<?=</pre>
base url("/SignupController/doctorSignup")
?>">SignUp a Doctor</a>
             <a class="active me-2" href="<?=</pre>
base_url("/SignupController") ?>">SignUp a User</a>
            <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $ SESSION['uid']</pre>
?>">Profile</a>
          <?php } ?>
           <a class="" href="<?=</pre>
base_url("/LogoutController") ?>">Logout</a>
        <?php
        } else { ?>
```

```
<a class="" href="<?=</pre>
base_url("/LoginController") ?>">Login</a>
           <a class="active me-2" href="<?=</pre>
base url("/SignupController") ?>">Signup</a>
        <?php
        }
         ?>
      </div>
      <div class="search-container row clear-</pre>
align">
        <form
action="/DoctorInfoController/doctorInfoByCategory"
method="POST">
          <div class="col float-left text-bold me-2</pre>
mt-2">
             <label for="">Choose filter </label>
           </div>
           <div class="col float-left mt-2">
             <select name="expertise" id="expertise"</pre>
class="form-control">
               <option value="all" <?php if</pre>
($_SESSION['cat'] == "all") echo "selected";
?>>Show all</option>
               <option value="allergists" <?php if</pre>
($_SESSION['cat'] == "allergists") echo "selected";
?>>Allergists</option>
```

```
<option value="dermatologists" <?php</pre>
if ($_SESSION['cat'] == "dermatologists") echo
"selected"; ?>>Dermatologists</option>
               <option value="ophthalmologists"</pre>
<?php if ($_SESSION['cat'] == "ophthalmologists")</pre>
echo "selected"; ?>>Ophthalmologists</option>
               <option value="gynecologists" <?php</pre>
if ($_SESSION['cat'] == "gynecologists") echo
"selected"; ?>>Gynecologists</option>
               <option value="cardiologists" <?php</pre>
if ($_SESSION['cat'] == "cardiologists") echo
"selected"; ?>>Cardiologists</option>
               <option value="endocrinologists"</pre>
<?php if ($_SESSION['cat'] == "endocrinologists")</pre>
echo "selected"; ?>>Endocrinologists</option>
               <option value="gastroenterologists"</pre>
<?php if ($_SESSION['cat'] ==</pre>
"gastroenterologists") echo "selected";
?>>Gastroenterologists</option>
               <option value="nephrologists" <?php</pre>
if ($_SESSION['cat'] == "nephrologists") echo
"selected"; ?>>Nephrologists</option>
               <option value="neurologists" <?php if</pre>
($ SESSION['cat'] == "neurologists") echo
"selected"; ?>>Neurologists</option>
               <option value="psychiatrists" <?php</pre>
if ($ SESSION['cat'] == "psychiatrists") echo
"selected"; ?>>Psychiatrists</option>
```

```
</select>
          </div>
          <div class="col float-left">
            <button type="submit"> <i class="fa fa-</pre>
filter"></i></button>
          </div>
        </form>
      </div>
    </div>
  </div>
  <div class="container col-8 pt-2 ps-5 bg-light">
    <div class="label h1 p-2">
      Signup Page
    </div>
    <form name="form" onsubmit="return check()"</pre>
action="<?=
base_url("/SignupController/saveUserSignup") ?>"
class="form-group p-3 mb-5" method="POST">
      <div class="row py-2">
        <div class="col">
          Name <input type="text" class="form-
control mt-2" name="fname" placeholder="First Name"
        </div>
        <div class="col">
          <label for=""> </label>
```

```
<input type="text" class="form-control</pre>
mt-2" name="lname" placeholder="Last Name" />
        </div>
      </div>
      Contact No. <input type="text" class="form-
control my-2" name="contact" placeholder="Enter
Contact No." />
      Email <input type="email" class="form-control</pre>
my-2" name="email" placeholder="Enter Email" />
      Address <input type="text" class="form-
control my-2" name="address" placeholder="Enter
Address" />
      <div class="row py-2">
        <div class="col-2">
          Age <input type="number" class="form-
control my-2" name="age" placeholder="Enter Age" />
        </div>
        <div class="col-2">
          <div class="row ps-2 pb-2">
            Blood Group
          </div>
```

```
<div class="col-6">
             <select name="bloodgroup"</pre>
id="bloodgroup" class="form-control">
               <option value="A+">A+</option>
               <option value="A-">A-</option>
               <option value="B+">B+</option>
               <option value="B-">B-</option>
               <option value="AB+">AB+</option>
               <option value="AB-">AB-</option>
               <option value="0+">0+</option>
               <option value="0-">0-</option>
             </select>
          </div>
        </div>
        <div class="col">
          <div class=" row ps-3 pb-3">
            Gender:
          </div>
          <div class="row-2">
            <input type="radio" name="gender"</pre>
value="Male" class="ms-2" /> Male
            <input type="radio" name="gender"</pre>
value="Female" class="ms-2" /> Female
             <input type="radio" name="gender"</pre>
value="Others" class="ms-2" /> Others
```


```
</div>
        </div>
      </div>
      Password <input type="password" class="form-
control my-2" name="password" minlength="5"
placeholder="Enter Password" />
      Confirm Password <input type="password"</pre>
class="form-control my-2" name="confirmpassword"
minlength="5" placeholder="Confirm Password" />
      <div class=" my-5 col-2 float-right">
        <input type="submit" value="Signup"</pre>
class="form-control sign-btn">
      </div>
    </form>
  </div>
  <div class="footer footer-color">
     All rights reserved © HalfCircle
  </div>
  <script>
    function check() {
      var fname = document.form.fname.value;
      var lname = document.form.lname.value;
      var email = document.form.email.value;
      var contact = document.form.contact.value;
```

```
var gender = document.form.gender.value;
      var age = document.form.age.value;
      var address = document.form.address.value;
      var bloodgroup =
document.form.bloodgroup.value;
      var password = document.form.password.value;
      var confirmpassword =
document.form.confirmpassword.value;
      if (fname == "") {
        alert("First Name field can not be empty");
        return false;
      }
      if (lname == "") {
        alert("Last Name field can not be empty");
        return false;
      if (contact == "") {
        alert("Contact field can not be empty");
        return false;
      }
      if (email == "") {
        alert("Email field can not be empty");
        return false;
      if (address == "") {
        alert("Address field can not be empty");
        return false;
```

```
if (age == "") {
        alert("Age field can not be empty");
        return false;
      }
      if (bloodgroup == "") {
        alert("Blood Group field can not be
empty");
        return false;
      if (gender == "") {
        alert("Gender field can not be empty");
        return false;
      }
      if (password == "") {
        alert("Password field can not be empty");
        return false;
      if (confirmpassword == "") {
        alert("Confirm Password field can not be
empty");
        return false;
      if (password != confirmpassword) {
        alert("Password & Confirm Password are not
same");
        return false;
```


```
}
  </script>
  </body>
  </html>
```

LoginPage:





Incorrect LoginPage:





Login Controller:

```
<?php
namespace App\Controllers;</pre>
```

```
use App\Controllers\BaseController;
use App\Models\AllUserModel;
class LoginController extends BaseController
    public function index()
        //return view("scrapView");
        //session_start();
        return view("loginView");
   function checkLogin()
    {
        $alluser = new AllUserModel();
        $email = $this->request->getPost("email");
        $password = $this->request-
>getPost("password");
        $users = $alluser->where('email', $email)-
>findAll(); // Get the user information
        $cnt = count($users);
        if ($cnt == 1) {
            if ($users[0]['password'] == md5("" .
$password)) {
                echo "Login Successful";
```

```
session_start();
                $_SESSION["uid"]=$users[0]['id'];
                $_SESSION["email"] = $email;
                $_SESSION["password"] = $password;
                $_SESSION['type']=$users[0]['type']
                //return view("scrapView");
                return redirect()-
>to(base_url("/Home"));
            } else {
                echo "Incorrect Password";
                return redirect()-
>to(base_url("/LoginController"))->with('status',
'Incorrect Email or Password!');
        } else {
            echo "Incorrect Email";
            echo "<br>>";
            return redirect()-
>to(base_url("/LoginController"))->with('status',
'Incorrect Email or Password!');
        //return view("scrapView");
```

LoginView:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible"</pre>
content="IE=edge">
  <meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0">
  <!--
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/
dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65Vo
hhpuuCOmLASjC" crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/d
ist/js/bootstrap.bundle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+J
cXn/tWtIaxVXM" crossorigin="anonymous"></script>
```

```
<link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <link rel="stylesheet" type="text/css" href="<?=</pre>
base_url("/bootstrap/css/bootstrap.css") ?>" />
  <link rel="stylesheet" type="text/css" href="<?=</pre>
base_url("/bootstrap/css/mannual.css") ?>" />
  <link rel="icon" type="image/png" href="<?=</pre>
base url("/favicon.ico") ?>" />
  <title>Home</title>
</head>
<body>
  <div class="header fixed-height">
    <a href="<?= base_url("/Home") ?>" class="logo
ms-5 mb-3">
      <img height="60" width="140" src="<?=</pre>
base_url("/images/j2.png") ?>" alt=""
class="rounded">
      <!--<label>DoctorLagbe</label>-->
    </a>
    <div class="header-right">
      <div class="row-5 float-right">
        <a class="" href="<?= base_url("/Home")</pre>
?>">Home</a>
        <?php
        if (isset($_SESSION['email'])) {
```

```
/**type check
           * assign button according to type
           * for admin : doctorsignup, manageuser,
manageappointment
           * for user : appointmentHistory
           * for doctor : see appointment list
           * logout, profile and change password
are common for all
          if ($_SESSION['type'] == "user") { ?>
            <a class="" href="<?=</pre>
base_url("/AppointmentController/getHistory")
?>">Appointment History</a>
            <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $ SESSION['uid']</pre>
?>">Profile
          <?php } else if ($_SESSION['type'] ==</pre>
"doctor") { ?>
            <a class="" href="<?=</pre>
base url("/AppointmentController/getAppointmentList
") ?>">Appointment List</a>
            <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
          <?php } else { ?>
```

```
<a class="me-2" href="<?=
base_url("/AllUserInfoController") ?>">Manage
User</a>
             <a class="" href="<?=</pre>
base_url("/SignupController/doctorSignup")
?>">SignUp a Doctor</a>
             <a class="me-2" href="<?=</pre>
base_url("/SignupController") ?>">SignUp a User</a>
             <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
           <?php } ?>
           <a class="" href="<?=</pre>
base url("/LogoutController") ?>">Logout</a>
        <?php
        } else { ?>
           <a class="active" href="<?=</pre>
base_url("/LoginController") ?>">Login</a>
           <a class="me-2" href="<?=</pre>
base_url("/SignupController") ?>">Signup</a>
        <?php
         ?>
      </div>
```

```
</div>
  </div>
  <div class="container col-4 pt-2 pb-7 ps-5 bg-</pre>
light">
    <div class="label h1 p-2">
      Login Page
    </div>
    <form name="form" onsubmit="return check()"</pre>
action="<?= base_url("/LoginController/checkLogin")</pre>
?>" class="form-group p-3" method="POST">
      Email <input type="email" class="form-control</pre>
my-2" name="email" placeholder="example@mail.com"
/>
      Password <input type="password" class="form-
control my-2" name="password" placeholder="Enter
Password" />
      <div class="mt-3 col-3 float-right">
        <input type="submit" value="Login"</pre>
class="form-control sign-btn">
      </div>
    </form>
    <?php
    if (session()->getFlashdata('status')) {
```

```
?>
      <div class="mt-6 container for-warning clear-</pre>
align">
        <?= (session()->getFlashdata('status')) ?>
      </div>
    <?php
    ?>
  </div>
  <div class="footer footer-color">
     All rights reserved © HalfCircle
  </div>
  <script>
   function check() {
     var email = document.form.email.value;
      var password = document.form.password.value;
     if (email == "") {
        alert("Email field can not be empty");
        return false;
      if (password == "") {
        alert("Password field can not be empty");
        return false;
```

```
}

</script>

</body>

</html>
```

Logout Controller:

```
<?php

namespace App\Controllers;


use App\Controllers\BaseController;

class LogoutController extends BaseController
{
    public function index()
    {
        session_start();
        // unset($_SESSION['email'],
        // $_SESSION['password'],
        // $_SESSION['type']
        // );
        session_destroy();
        return redirect()->to('/Home');
```

```
}
```


Doctor Details Page:

While Loggedin:





Without Login:





DoctorInfoController:

```
<?php

namespace App\Controllers;

use App\Controllers\BaseController;
use App\Models\DoctorModel;

class DoctorInfoController extends BaseController
{
    public function index()
    {</pre>
```

```
function getAllDoctorInfo()
    {
        $docModel = new DoctorModel();
        $allDoctor = $docModel->findAll();
        return $allDoctor;
    function doctorDetailsInfo()
        session_start();
        $doc = new DoctorModel();
        $docid = $this->request->getGet('docid');
        // echo $docid;
        $docInfo['doc'] = $doc->where('docid',
$docid)->findAll();
        return view("doctorInfoView", $docInfo);
        //return view("scrapView", $docInfo);
    public function doctorInfoByCategory()
        $doc = new DoctorModel();
        $docCategory = $this->request-
>getPost('expertise');
        if ($docCategory == "all")
            return redirect()->to("/Home");
```

```
//echo $docCategory;
       $docInfo['allDoc'] = $doc-
>where('expertise', $docCategory)->findAll();
       // if(count($docInfo['allDoc'])==0 )
       // {echo "empty";
                 echo"";
                 print_r($docInfo);
       // else{
       // echo"";
       // print_r($docInfo);
       session_start();
       $_SESSION['cat']=$docCategory;
       return view("homeView", $docInfo);
```

DoctorInfoView:

```
<meta http-equiv="X-UA-Compatible"</pre>
content="IE=edge">
    <meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0">
    <!--
    k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/
dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65Vo
hhpuuCOmLASjC" crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/d
ist/js/bootstrap.bundle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+J
cXn/tWtIaxVXM" crossorigin="anonymous"></script>
 -->
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/bootstrap.css")</pre>
?>" />
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base url("/bootstrap/css/mannual.css")</pre>
?>" />
```

```
<link rel="icon" type="image/png" href="<?=</pre>
base_url("/favicon.ico") ?>" />
    <title>Home</title>
</head>
<body>
    <div class="header fixed-height">
        <a href="<?= base_url("/Home") ?>"
class="logo ms-5 mb-3">
            <img height="60" width="140" src="<?=</pre>
base_url("/images/j2.png") ?>" alt=""
class="rounded">
            <!--<label>DoctorLagbe</label>-->
        </a>
        <div class="header-right">
            <div class="row-5 float-right">
                 <a class="" href="<?=</pre>
base_url("/Home") ?>">Home</a>
                <?php
                if (isset($ SESSION['email'])) {
                     /**type check
                      * assign button according to
type
                      * for admin : doctorsignup,
manageuser, manageappointment
                      * for user:
appointmentHistory
```

```
* for doctor : see appointment
list
                      * logout, profile and change
password are common for all
                     if ($_SESSION['type'] ==
"user") { ?>
                         <a class="" href="<?=
base_url("/AppointmentController/getHistory")
?>">Appointment History</a>
                         <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else if</pre>
($ SESSION['type'] == "doctor") { ?>
                         <a class="" href="<?=</pre>
base_url("/AppointmentController/getAppointmentList
") ?>">Appointment List</a>
                         <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else { ?>
                         <a class="me-2" href="<?=</pre>
base url("/AllUserInfoController") ?>">Manage
User</a>
```

```
<a class="" href="<?=</pre>
base_url("/SignupController/doctorSignup")
?>">SignUp a Doctor</a>
                          <a class="me-2" href="<?=</pre>
base url("/SignupController") ?>">SignUp a User</a>
                          <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $ SESSION['uid']</pre>
?>">Profile</a>
                     <?php } ?>
                     <a class="" href="<?=
base_url("/LogoutController") ?>">Logout</a>
                 <?php
                 } else { ?>
                     <a class="" href="<?=
base_url("/LoginController") ?>">Login</a>
                     <a class="me-2" href="<?=</pre>
base_url("/SignupController") ?>">Signup</a>
                 <?php
                 }
                 ?>
             </div>
             <div class="search-container row clear-</pre>
align">
```

```
<form
action="/DoctorInfoController/doctorInfoByCategory"
method="POST">
                      <div class="col float-left</pre>
text-bold me-2 mt-2">
                          <label for="">Choose filter
</label>
                      </div>
                      <div class="col float-left mt-</pre>
2">
                          <select name="expertise"</pre>
id="expertise" class="form-control">
                              <option value="all"</pre>
<?php if ($_SESSION['cat'] == "all") echo</pre>
"selected"; ?>>Show all</option>
                              <option
value="allergists" <?php if ($_SESSION['cat'] ==</pre>
"allergists") echo "selected";
?>>Allergists
                              <option</pre>
value="dermatologists" <?php if ($_SESSION['cat']</pre>
== "dermatologists") echo "selected";
?>>Dermatologists</option>
                              <option</pre>
value="ophthalmologists" <?php if ($_SESSION['cat']</pre>
== "ophthalmologists") echo "selected";
?>>Ophthalmologists</option>
```


```
<option
value="gynecologists" <?php if ($_SESSION['cat'] ==</pre>
"gynecologists") echo "selected";
?>>Gynecologists/option>
                              <option</pre>
value="cardiologists" <?php if ($_SESSION['cat'] ==</pre>
"cardiologists") echo "selected";
?>>Cardiologists
                              <option</pre>
value="endocrinologists" <?php if ($_SESSION['cat']</pre>
== "endocrinologists") echo "selected";
?>>Endocrinologists</option>
                              <option
value="gastroenterologists" <?php if</pre>
($ SESSION['cat'] == "gastroenterologists") echo
"selected"; ?>>Gastroenterologists</option>
                              <option</pre>
value="nephrologists" <?php if ($_SESSION['cat'] ==</pre>
"nephrologists") echo "selected";
?>>Nephrologists</option>
                              <option</pre>
value="neurologists" <?php if ($_SESSION['cat'] ==</pre>
"neurologists") echo "selected";
?>>Neurologists</option>
                              <option</pre>
value="psychiatrists" <?php if ($_SESSION['cat'] ==</pre>
"psychiatrists") echo "selected";
?>>Psychiatrists</option>
```

```
</select>
                    </div>
                    <div class="col float-left">
                        <button type="submit"> <i</pre>
class="fa fa-filter"></i></button>
                    </div>
                </form>
            </div>
        </div>
    </div>
    <div class="container bg-dark p-5 mb-5">
        <?php
        foreach ($doc as $doc) {
            //echo "";
            //print_r($doc);
        ?>
            <div class="row h5 bg-light ps-3 py-3">
                <div class="col">
                    <?php
                    echo ("Name : "
$doc['title'] . " " . $doc['dfname'] . " " .
$doc['dlname'] . "<br><br>");
                    echo ("Designation : ".
$doc['designation'] . "<br><br>");
                    echo ("Qualification : " .
$doc['qualification'] . "<br><br>");
```

```
echo ("Expertise : " .
$doc['expertise'] . "<br><br>");
                    echo ("Organization : ".
$doc['organization'] . "<br><br>");
                    echo ("Date and Time : ".
$doc['schedule'] . "<br><br>");
                    ?>
                </div>
                <?php
                if (isset($_SESSION['email'])) {
                    if ($_SESSION['type'] ==
"user") { ?>
                        <div class="col-2">
                             <a
href="http://localhost:8080/AppointmentController/?
&docid= <?php echo $doc["docid"] ?>">
                                 <button>
Appointment </button>
                             </a>
                        </div>
                    <?php }
                } else { ?>
                    <div class="col-2">
                        <label style="color:red;</pre>
font-size:15px">Please Login for <br> taking
Appointment</label>
```

```
</div>
               <?php } ?>
           </div>
           <br>
       <?php
       ?>
    </div>
    <div class="footer footer-color">
        All rights reserved ©
HalfCircle
   </div>
</body>
</html>
```

Manage User Page:



AllUserInfoController:

```
<?php
namespace App\Controllers;
use App\Controllers\BaseController;
use App\Models\UserModel;
use App\Models\DoctorModel;
use App\Models\AllUserModel;
use App\Models\AdminModel;
class AllUserInfoController extends BaseController
    public function index()
    {
        session_start();
        $db
                 = \Config\Database::connect();
        $user = $db->table('alluser');
        $user->select('*');
        $user->join('user','user.uid=alluser.id');
        $queryu=$user->get();
        $allUser['user']=$queryu->getResult();
        $doctor = $db->table('alluser');
        $doctor->select('*');
        $doctor-
>join('doctor','doctor.docid=alluser.id');
```

```
$queryd=$doctor->get();
        $allUser['doctor']=$queryd->getResult();
        $admin = $db->table('alluser');
        $admin->select('*');
        $admin-
>join('admin','admin.aid=alluser.id');
        $querya=$admin->get();
        $allUser['admin']=$querya->getResult();
        // echo "";
        // print_r($allUser);
        /**"SELECT * FROM (((doctorlagbe.alluser
        left join doctorlagbe.doctor on alluser.id
= doctor.docid)
        left join doctorlagbe.user on
alluser.id=user.uid)
        left join doctorlagbe.admin on
alluser.id=admin.aid);";*/
        return view('allUserInfoView',$allUser);
        //return view('scrapView',$allUser);
    }
    public function editUserInfo(){
        session_start();
        $user = new UserModel();
        $uid = $this->request->getGet('uid');
        $userInfo['user'] = $user-
>where('uid',$uid)->findAll();
```

```
return view("userUpdateView", $userInfo);
    public function updateUserInfo($uid){
        $ufname = $this->request-
>getPost('ufname');
        $ulname = $this->request-
>getPost('ulname');
        $ucontact = $this->request-
>getPost('ucontact');
        $uaddress = $this->request-
>getPost('uaddress');
        $uage = $this->request->getPost('uage');
        $ubloodgroup = $this->request-
>getPost('ubloodgroup');
        $ugender = $this->request-
>getPost('ugender');
        $data = array(
            'ufname' => $ufname,
            'ulname' => $ulname,
            'ucontact' => $ucontact,
            'uaddress' => $uaddress,
            'uage' => $uage,
            'ubloodgroup' => $ubloodgroup,
            'ugender' => $ugender
        );
        $user = new UserModel();
```

```
$user->update($uid,$data);
        return redirect()-
>to(base_url('/AllUserInfoController'));
    public function editDoctorInfo(){
        session_start();
        $doc = new DoctorModel();
        $docid = $this->request->getGet('docid');
        $docInfo['doctor'] = $doc-
>where('docid',$docid)->findAll();
        return view("doctorUpdateView",$docInfo);
    public function updateDoctorInfo($docid){
        $title = $this->request->getPost('title');
        $dfname = $this->request-
>getPost('dfname');
        $dlname = $this->request-
>getPost('dlname');
        $qualification = $this->request-
>getPost('qualification');
        $expertise = $this->request-
>getPost('expertise');
        $dgender = $this->request-
>getPost('dgender');
        $dbloodgroup = $this->request-
>getPost('dbloodgroup');
```

```
$dcontact = $this->request-
>getPost('dcontact');
        $dage = $this->request->getPost('dage');
        $designation = $this->request-
>getPost('designation');
        $organization = $this->request-
>getPost('organization');
        $daddress = $this->request-
>getPost('daddress');
        $schedule = $this->request-
>getPost('schedule');
        $chamber = $this->request-
>getPost('chamber');
        $fees = $this->request->getPost('fees');
        $data = array(
            'title' => $title,
            'dfname' => $dfname,
            'dlname' => $dlname,
            'qualification' => $qualification,
            'expertise' => $expertise,
            'dgender' => $dgender,
            'dbloodgroup' => $dbloodgroup,
            'dcontact' => $dcontact,
            'dage' => $dage,
            'designation' => $designation,
            'organization' => $organization,
            'daddress' => $daddress,
```

```
'schedule' => $schedule,
            'chamber' => $chamber,
            'fees' => $fees
        );
        $doctor = new DoctorModel();
        $doctor->update($docid,$data);
        return redirect()-
>to(base url('/AllUserInfoController'));
    public function editAdminInfo(){
        session_start();
        $user = new AdminModel();
        $aid = $this->request->getGet('aid');
        $adminInfo['admin'] = $user-
>where('aid',$aid)->findAll();
        return view("adminUpdateView", $adminInfo);
    public function updateAdminInfo($aid){
        $fname = $this->request->getPost('fname');
        $lname = $this->request->getPost('lname');
        $contact = $this->request-
>getPost('contact');
        $address = $this->request-
>getPost('address');
        $age = $this->request->getPost('age');
```

```
$bloodgroup = $this->request-
>getPost('bloodgroup');
        $gender = $this->request-
>getPost('gender');
        $data = array(
            'fname' => $fname,
            'lname' => $lname,
            'contact' => $contact,
            'address' => $address,
            'age' => $age,
            'bloodgroup' => $bloodgroup,
            'gender' => $gender
        );
        $user = new AdminModel();
        $user->update($aid,$data);
        return redirect()-
>to(base_url('/AllUserInfoController'));
    }
    public function deleteUser(){
        $alluser = new DoctorModel();
        $id = $this->request->getGet('id');
        $alluser->delete($id);
        return redirect()-
>to(base_url('/AllUserInfoController'));
```

}

AllUserInfoView:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible"</pre>
content="IE=edge">
    <meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0">
    <!--
    ink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/
dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65Vo
hhpuuCOmLASjC" crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/d
ist/js/bootstrap.bundle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+J
```

```
cXn/tWtIaxVXM" crossorigin="anonymous"></script> --
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/bootstrap.css")</pre>
?>" />
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/mannual.css")</pre>
?>" />
    <link rel="icon" type="image/png" href="<?=</pre>
base_url("/favicon.ico") ?>" />
    <title>Home</title>
</head>
<body>
    <div class="header fixed-height">
        <a href="<?= base_url("/Home") ?>"
class="logo ms-5 mb-3">
             <img height="60" width="140" src="<?=</pre>
base_url("/images/j2.png") ?>" alt=""
class="rounded">
             <!--<label>DoctorLagbe</label>-->
        </a>
        <div class="header-right">
```

```
<div class="row-5 float-right">
                 <a class="" href="<?=
base_url("/Home") ?>">Home</a>
                 <?php
                if (isset($ SESSION['email'])) {
                     /**type check
                      * assign button according to
type
                      * for admin : doctorsignup,
manageuser, manageappointment
                      * for user:
appointmentHistory
                      * for doctor : see appointment
list
                      * logout, profile and change
password are common for all
                     if ($ SESSION['type'] ==
"user") { ?>
                         <a class="" href="<?=</pre>
base url("/AppointmentController/getHistory")
?>">Appointment History</a>
                         <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else if</pre>
($ SESSION['type'] == "doctor") { ?>
```

```
<a class="" href="<?=</pre>
base_url("/AppointmentController/getAppointmentList
") ?>">Appointment List</a>
                          <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else { ?>
                          <a class="active me-2"
href="<?= base url("/AllUserInfoController")</pre>
?>">Manage User</a>
                          <a class="" href="<?=</pre>
base_url("/SignupController/doctorSignup")
?>">SignUp a Doctor</a>
                          <a class="me-2" href="<?=</pre>
base url("/SignupController") ?>">SignUp a User</a>
                          <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $ SESSION['uid']</pre>
?>">Profile</a>
                     <?php } ?>
                     <a class="" href="<?=</pre>
base_url("/LogoutController") ?>">Logout</a>
                 <?php
                 } else { ?>
```

```
<a class="" href="<?=</pre>
base_url("/LoginController") ?>">Login</a>
                      <a class="me-2" href="<?=</pre>
base url("/SignupController") ?>">Signup</a>
                  <?php
                  }
                  ?>
             </div>
             <div class="search-container row clear-</pre>
align">
                  <form
action="/DoctorInfoController/doctorInfoByCategory"
method="POST">
                      <div class="col float-left</pre>
text-bold me-2 mt-2">
                           <label for="">Choose filter
</label>
                      </div>
                      <div class="col float-left mt-</pre>
2">
                           <select name="expertise"</pre>
id="expertise" class="form-control">
                               <option value="all"</pre>
<?php if ($_SESSION['cat'] == "all") echo</pre>
"selected"; ?>>Show all</option>
                               <option</pre>
value="allergists" <?php if ($_SESSION['cat'] ==</pre>
```

```
"allergists") echo "selected";
?>>Allergists</option>
                               <option</pre>
value="dermatologists" <?php if ($ SESSION['cat']</pre>
== "dermatologists") echo "selected";
?>>Dermatologists</option>
                               <option</pre>
value="ophthalmologists" <?php if ($_SESSION['cat']</pre>
== "ophthalmologists") echo "selected";
?>>Ophthalmologists</option>
                               <option</pre>
value="gynecologists" <?php if ($_SESSION['cat'] ==</pre>
"gynecologists") echo "selected";
?>>Gynecologists</option>
                               <option</pre>
value="cardiologists" <?php if ($_SESSION['cat'] ==</pre>
"cardiologists") echo "selected";
?>>Cardiologists</option>
                               <option
value="endocrinologists" <?php if ($_SESSION['cat']</pre>
== "endocrinologists") echo "selected";
?>>Endocrinologists</option>
                               <option
value="gastroenterologists" <?php if</pre>
($_SESSION['cat'] == "gastroenterologists") echo
"selected"; ?>>Gastroenterologists</option>
                               <option</pre>
value="nephrologists" <?php if ($ SESSION['cat'] ==</pre>
```

```
"nephrologists") echo "selected";
?>>Nephrologists</option>
                            <option</pre>
value="neurologists" <?php if ($_SESSION['cat'] ==</pre>
"neurologists") echo "selected";
?>>Neurologists</option>
                            <option</pre>
value="psychiatrists" <?php if ($_SESSION['cat'] ==</pre>
"psychiatrists") echo "selected";
?>>Psychiatrists</option>
                        </select>
                    </div>
                    <div class="col float-left">
                        <button type="submit"> <i</pre>
class="fa fa-filter"></i></button>
                    </div>
                </form>
            </div>
        </div>
    </div>
    <div class="">
        <h2 style="color:red; text-align:center">
Doctor List </h2>
        <thead class="table-dark">
```

```
 Doctor No. 
          Title 
          First Name 
          Last Name 
          Blood Group 
          Age 
          Qualification 
          Designation 
          Expertise 
          Organization 
          Chamber 
          Schedule 
          Address 
          Contact 
          Gender 
          Fees 
         align:center"> Action 
       </thead>
       <?php
       $i = 1;
       foreach ($doctor as $d) { ?>
         <?= $i ?>
            <?= $d->title ?>
            <?= $d->dfname ?>
```

```
<?= $d->dlname ?>
                <?= $d->dbloodgroup ?>
                <?= $d->dage ?>
                <?= $d->qualification
?>
                <?= $d->designation ?>
                <?= $d->expertise ?>
                <?= $d->organization
?>
                <?= $d->chamber ?>
                <?= $d->schedule ?>
                <?= $d->daddress ?>
                <?= $d->dcontact ?>
                <?= $d->dgender ?>
                <?= $d->fees ?>
                 <a class="btn btn-primary"
btn-sm"
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $d->docid ?>">
Update </a> 
                 <a class="btn btn-danger"
btn-sm"
href="http://localhost:8080/AllUserInfoController/d
eleteUser? &id= <?php echo $d->docid ?>"> Delete
</a> 
             <?php $i++;
          } ?>
```

```
<h2 style="color:red; text-align:center">
User List </h2>
     <thead class="table-dark">
           User No. 
           First Name 
           Last Name 
           Contact 
           Gender 
           Address 
           Age 
           Bloodgroup 
          align:center"> Action 
       </thead>
       <?php
       $i = 1;
        //echo "<b>User List</b><br>>";
       foreach ($user as $u) { ?>
          >
             <!-- $i ?>
             <?= $u->ufname ?>
             <?= $u->ulname ?>
             <?= $u->ucontact ?>
             <?= $u->ugender ?>
             <?= $u->uaddress ?>
             <?= $u->uage ?>
```


```
<?= $u->ubloodgroup ?>
                <a class="btn btn-primary"
btn-sm"
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $u->uid ?>"> Update
</a> 
                <a class="btn btn-danger"
btn-sm"
href="http://localhost:8080/AllUserInfoController/d
eleteUser? &id= <?php echo $u->uid ?>"> Delete </a>
<?php $i++;
         } ?>
      <h2 style="color:red; text-align:center">
Admin List </h2>
      <thead class="table-dark">
             Admin No. 
             First Name 
             Last Name 
             Contact 
             Gender 
             Address 
             Age
```

```
 Bloodgroup 
             align:center"> Action 
         </thead>
         <?php
         $i = 1;
         //echo "<b>User List</b><br>>";
         foreach ($admin as $a) { ?>
             <?= $i ?>
                <?= $a->fname ?>
                <?= $a->lname ?>
                <?= $a->contact ?>
                <?= $a->gender ?>
                <?= $a->address ?>
                <?= $a->age ?>
                <?= $a->bloodgroup ?>
                 <a class="btn btn-primary"
btn-sm"
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $a->aid ?>"> Update
</a> 
                <?php
                if ($a->aid ==
$_SESSION['uid']) {;
                <?
                    <a class="btn btn-
danger btn-sm"
```

```
href="http://localhost:8080/AllUserInfoController/d
eleteUser? &id= <?php echo $a->aid ?>"> Delete </a>
<?php
                  }
                  ?>
              <?php $i++;
          } ?>
       </div>
   <div class="footer footer-color">
        All rights reserved ©
HalfCircle
   </div>
</body>
</html>
```

UpdateUserPage:

UserUpdate Page:



UserUpdateView:

```
<!--
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/
dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65Vo
hhpuuCOmLASjC" crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/d
ist/js/bootstrap.bundle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+J
cXn/tWtIaxVXM" crossorigin="anonymous"></script>
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base url("/bootstrap/css/bootstrap.css")</pre>
?>" />
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/mannual.css")</pre>
?>" />
    <link rel="icon" type="image/png" href="<?=</pre>
base_url("/favicon.ico") ?>" />
    <title>Home</title>
</head>
<body>
```

```
<div class="header fixed-height">
        <a href="<?= base_url("/Home") ?>"
class="logo ms-5 mb-3">
            <img height="60" width="140" src="<?=</pre>
base_url("/images/j2.png") ?>" alt=""
class="rounded">
            <!--<label>DoctorLagbe</label>-->
        </a>
        <div class="header-right">
            <div class="row-5 float-right">
                <a class="" href="<?=</pre>
base_url("/Home") ?>">Home</a>
                <?php
                if (isset($_SESSION['email'])) {
                    /**type check
                      * assign button according to
type
                      * for admin : doctorsignup,
manageuser, manageappointment
                      * for user:
appointmentHistory
                      * for doctor : see appointment
list
                      * logout, profile and change
password are common for all
```

```
if ($_SESSION['type'] ==
"user") { ?>
                          <a class="" href="<?=</pre>
base url("/AppointmentController/getHistory")
?>">Appointment History</a>
                          <a class="active"
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $ SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else if</pre>
($_SESSION['type'] == "doctor") { ?>
                          <a class="" href="<?=</pre>
base_url("/AppointmentController/getAppointmentList
") ?>">Appointment List</a>
                          <a class="active"
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $ SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else { ?>
                          <a class="me-2" href="<?=</pre>
base url("/AllUserInfoController") ?>">Manage
User</a>
                          <a class="" href="<?=</pre>
base_url("/SignupController/doctorSignup")
?>">SignUp a Doctor</a>
                          <a class="me-2" href="<?=</pre>
base url("/SignupController") ?>">SignUp a User</a>
```

```
<a class="active"
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } ?>
                     <a class="" href="<?=</pre>
base_url("/LogoutController") ?>">Logout</a>
                 <?php
                 } else { ?>
                     <a class="" href="<?=</pre>
base_url("/LoginController") ?>">Login</a>
                     <a class="me-2" href="<?=</pre>
base url("/SignupController") ?>">Signup</a>
                 <?php
                 ?>
             </div>
             <div class="search-container row clear-</pre>
align">
                 <form
action="/DoctorInfoController/doctorInfoByCategory"
method="POST">
                     <div class="col float-left"
text-bold me-2 mt-2">
```

```
<label for="">Choose filter
</label>
                      </div>
                      <div class="col float-left mt-</pre>
2">
                           <select name="expertise"</pre>
id="expertise" class="form-control">
                               <option value="all"</pre>
<?php if ($_SESSION['cat'] == "all") echo</pre>
"selected"; ?>>Show all</option>
                               <option</pre>
value="allergists" <?php if ($_SESSION['cat'] ==</pre>
"allergists") echo "selected";
?>>Allergists</option>
                               <option</pre>
value="dermatologists" <?php if ($_SESSION['cat']</pre>
== "dermatologists") echo "selected";
?>>Dermatologists</option>
                               <option</pre>
value="ophthalmologists" <?php if ($_SESSION['cat']</pre>
== "ophthalmologists") echo "selected";
?>>Ophthalmologists</option>
                               <option
value="gynecologists" <?php if ($_SESSION['cat'] ==</pre>
"gynecologists") echo "selected";
?>>Gynecologists</option>
                               <option
value="cardiologists" <?php if ($ SESSION['cat'] ==</pre>
```

```
"cardiologists") echo "selected";
?>>Cardiologists</option>
                             <option</pre>
value="endocrinologists" <?php if ($ SESSION['cat']</pre>
== "endocrinologists") echo "selected";
?>>Endocrinologists
                             <option</pre>
value="gastroenterologists" <?php if</pre>
($_SESSION['cat'] == "gastroenterologists") echo
"selected"; ?>>Gastroenterologists</option>
                             <option
value="nephrologists" <?php if ($_SESSION['cat'] ==</pre>
"nephrologists") echo "selected";
?>>Nephrologists</option>
                             <option
value="neurologists" <?php if ($_SESSION['cat'] ==</pre>
"neurologists") echo "selected";
?>>Neurologists
                             <option
value="psychiatrists" <?php if ($_SESSION['cat'] ==</pre>
"psychiatrists") echo "selected";
?>>Psychiatrists</option>
                         </select>
                     </div>
                     <div class="col float-left">
                         <button type="submit"> <i</pre>
class="fa fa-filter"></i></button>
                     </div>
```

```
</form>
             </div>
        </div>
    </div>
    <div class="container col-8 pt-2 ps-5 bg-</pre>
light">
         <div class="label h1 p-2">
             Update Page
         </div>
         <?php foreach ($user as $u) { ?>
             <form name="form" onsubmit="return</pre>
check()" action="<?=</pre>
base_url("/AllUserInfoController/updateUserInfo/" .
$u['uid']) ?>" class="form-group p-3 mb-5"
method="POST">
                 <div class="row py-2">
                      <div class="col">
                          Name <input type="text"</pre>
class="form-control mt-2" name="ufname" value="<?=</pre>
$u['ufname'] ?>" placeholder="First Name" />
                      </div>
                      <div class="col">
                          <label for=""> </label>
                          <input type="text"</pre>
class="form-control mt-2" name="ulname" value="<?=</pre>
$u['ulname'] ?>" placeholder="Last Name" />
```

```
</div>
                </div>
                Contact No. <input type="text"</pre>
class="form-control my-2" name="ucontact"
value="<?= $u['ucontact'] ?>" placeholder="Enter
Contact No." />
                <!-- Email <input type="email"
class="form-control my-2" name="email"
placeholder="Enter Email" /> -->
                Address <input type="text"
class="form-control my-2" name="uaddress"
value="<?= $u['uaddress'] ?>" placeholder="Enter
Address" />
                <div class="row py-2">
                     <div class="col-2">
                         Age <input type="number"
class="form-control my-2" name="uage" value="<?=</pre>
$u['uage'] ?>" placeholder="Enter Age" />
                     </div>
                     <div class="col-2">
                         <div class="row ps-2 pb-2">
                             Blood Group
                         </div>
                         <div class="col-6">
                             <select</pre>
name="ubloodgroup" id="bloodgroup" class="form-
control">
```

```
<option value="A+"</pre>
<?php if ($u['ubloodgroup'] == "A+")</pre>
    echo "selected";
?>>A+</option>
                                     <option value="A-"</pre>
<?php if ($u['ubloodgroup'] == "A+")</pre>
    echo "selected";
?>>A-</option>
                                    <option value="B+"</pre>
<?php if ($u['ubloodgroup'] == "B+")</pre>
    echo "selected";
?>>B+</option>
                                     <option value="B-"</pre>
<?php if ($u['ubloodgroup'] == "B-")</pre>
    echo "selected";
?>>B-</option>
                                    <option value="AB+"</pre>
<?php if ($u['ubloodgroup'] == "AB+")</pre>
    echo "selected";
```

```
?>>AB+</option>
                                    <option value="AB-"</pre>
<?php if ($u['ubloodgroup'] == "AB-")</pre>
    echo "selected";
?>>AB-</option>
                                    <option value="0+"</pre>
<?php if ($u['ubloodgroup'] == "0+")</pre>
    echo "selected";
?>>0+</option>
                                    <option value="0-"</pre>
<?php if ($u['ubloodgroup'] == "0-")</pre>
    echo "selected";
?>>0-</option>
                                </select>
                           </div>
                       </div>
                       <div class="col">
                           <div class=" row ps-3 pb-</pre>
3">
                                Gender:
                           </div>
```

```
<div class="row-2">
                              <input type="radio"</pre>
name="ugender" value="Male" class="ms-2" <?php if</pre>
($u['ugender'] == "Male") echo "checked"; ?> />
Male
                              <input type="radio"</pre>
name="ugender" value="Female" class="ms-2" <?php if</pre>
($u['ugender'] == "Female") echo "checked"; ?> />
Female
                              <input type="radio"</pre>
name="ugender" value="Others" class="ms-2" <?php if</pre>
($u['ugender'] == "Others") echo "checked"; ?> />
Others
                          </div>
                     </div>
                 </div>
                 <!-- Password <input
type="password" class="form-control my-2"
name="password" minlength="5" placeholder="Enter
Password"/>
      Confirm Password <input type="password"</pre>
class="form-control my-2" name="confirmpassword"
minlength="5" placeholder="Confirm Password" /> -->
                 <div class=" my-5 col-2 float-
right">
                     <input type="submit"</pre>
value="Update" class="form-control sign-btn">
                </div>
```

```
<?php } ?>
            </form>
    </div>
    <div class="footer footer-color">
         All rights reserved ©
HalfCircle
    </div>
    <script>
        function check() {
            var fname = document.form.ufname.value;
            var lname = document.form.ulname.value;
            // var email=
document.form.email.value;
            var contact =
document.form.ucontact.value;
            var gender =
document.form.ugender.value;
            var age = document.form.uage.value;
            var address =
document.form.uaddress.value;
            var bloodgroup =
document.form.ubloodgroup.value;
            // var password=
document.form.password.value;
            // var confirmpassword=
document.form.confirmpassword.value;
```

```
if (fname == "") {
                alert("First Name field can not be
empty");
                return false;
            }
            if (lname == "") {
                alert("Last Name field can not be
empty");
                return false;
            }
            if (contact == "") {
                alert("Contact field can not be
empty");
                return false;
            }
            // if(email==""){
            // alert("Email field can not be
empty");
            // return false;
            // }
            if (address == "") {
                alert("Address field can not be
empty");
                return false;
            if (age == "") {
```

```
alert("Age field can not be
empty");
                return false;
            }
            if (bloodgroup == "") {
                alert("Blood Group field can not be
empty");
                return false;
            }
            if (gender == "") {
                alert("Gender field can not be
empty");
                return false;
            }
            // if(password==""){
            // alert("Password field can not be
empty");
            // return false;
            // }
            // if(confirmpassword==""){
                 alert("Confirm Password field can
not be empty");
            // return false;
            // if(password != confirmpassword){
                 alert("Password & Confirm Password
are not same");
            // return false;
```

<u>UserUpdateController:</u>

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/d
ist/js/bootstrap.bundle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+J
cXn/tWtIaxVXM" crossorigin="anonymous"></script> --
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/bootstrap.css")</pre>
?>" />
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base url("/bootstrap/css/mannual.css")</pre>
?>" />
    <link rel="icon" type="image/png" href="<?=</pre>
base url("/favicon.ico") ?>" />
    <title>Home</title>
</head>
<body>
    <div class="header fixed-height">
        <a href="<?= base_url("/Home") ?>"
class="logo ms-5 mb-3">
```

```
<img height="60" width="140" src="<?=</pre>
base_url("/images/j2.png") ?>" alt=""
class="rounded">
            <!--<label>DoctorLagbe</label>-->
        </a>
        <div class="header-right">
            <div class="row-5 float-right">
                <a class="" href="<?=
base url("/Home") ?>">Home</a>
                <?php
                if (isset($_SESSION['email'])) {
                     /**type check
                      * assign button according to
type
                      * for admin : doctorsignup,
manageuser, manageappointment
                      * for user:
appointmentHistory
                      * for doctor : see appointment
list
                      * logout, profile and change
password are common for all
                     if ($_SESSION['type'] ==
"user") { ?>
                         <a class="" href="<?=</pre>
base_url("/AppointmentController/getHistory")
?>">Appointment History</a>
```

```
<a class=""
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else if</pre>
($ SESSION['type'] == "doctor") { ?>
                          <a class="" href="<?=</pre>
base url("/AppointmentController/getAppointmentList
") ?>">Appointment List</a>
                          <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else { ?>
                          <a class="active me-2"</pre>
href="<?= base url("/AllUserInfoController")</pre>
?>">Manage User</a>
                          <a class="" href="<?=</pre>
base url("/SignupController/doctorSignup")
?>">SignUp a Doctor</a>
                          <a class="me-2" href="<?=</pre>
base url("/SignupController") ?>">SignUp a User</a>
                          <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } ?>
```

```
<a class="" href="<?=</pre>
base url("/LogoutController") ?>">Logout</a>
                 <?php
                 } else { ?>
                      <a class="" href="<?=
base_url("/LoginController") ?>">Login</a>
                      <a class="me-2" href="<?=</pre>
base_url("/SignupController") ?>">Signup</a>
                 <?php
                 }
                  ?>
             </div>
             <div class="search-container row clear-</pre>
align">
                 <form
action="/DoctorInfoController/doctorInfoByCategory"
method="POST">
                      <div class="col float-left</pre>
text-bold me-2 mt-2">
                          <label for="">Choose filter
</label>
                      </div>
                      <div class="col float-left mt-</pre>
2">
                          <select name="expertise"</pre>
id="expertise" class="form-control">
```

```
<option value="all"</pre>
<?php if ($_SESSION['cat'] == "all") echo</pre>
"selected"; ?>>Show all</option>
                              <option
value="allergists" <?php if ($_SESSION['cat'] ==</pre>
"allergists") echo "selected";
?>>Allergists</option>
                              <option</pre>
value="dermatologists" <?php if ($_SESSION['cat']</pre>
== "dermatologists") echo "selected";
?>>Dermatologists</option>
                              <option
value="ophthalmologists" <?php if ($_SESSION['cat']</pre>
== "ophthalmologists") echo "selected";
?>>Ophthalmologists
                              <option</pre>
value="gynecologists" <?php if ($_SESSION['cat'] ==</pre>
"gynecologists") echo "selected";
?>>Gynecologists</option>
                              <option
value="cardiologists" <?php if ($_SESSION['cat'] ==</pre>
"cardiologists") echo "selected";
?>>Cardiologists</option>
                              <option
value="endocrinologists" <?php if ($_SESSION['cat']</pre>
== "endocrinologists") echo "selected";
?>>Endocrinologists</option>
```

```
<option</pre>
value="gastroenterologists" <?php if</pre>
($_SESSION['cat'] == "gastroenterologists") echo
"selected"; ?>>Gastroenterologists</option>
                               <option</pre>
value="nephrologists" <?php if ($_SESSION['cat'] ==</pre>
"nephrologists") echo "selected";
?>>Nephrologists</option>
                               <option</pre>
value="neurologists" <?php if ($_SESSION['cat'] ==</pre>
"neurologists") echo "selected";
?>>Neurologists</option>
                               <option</pre>
value="psychiatrists" <?php if ($_SESSION['cat'] ==</pre>
"psychiatrists") echo "selected";
?>>Psychiatrists</option>
                          </select>
                      </div>
                      <div class="col float-left">
                          <button type="submit"> <i</pre>
class="fa fa-filter"></i></button>
                      </div>
                 </form>
             </div>
        </div>
    </div>
    <div class="">
```

```
<h2 style="color:red; text-align:center">
Doctor List </h2>
    <thead class="table-dark">
          Doctor No. 
          Title 
          First Name 
          Last Name 
          Blood Group 
          Age 
          Qualification 
          Designation 
          Expertise 
          Organization 
          Chamber 
          Schedule 
          Address 
          Contact 
          Gender 
          Fees 
         align:center"> Action 
       </thead>
       <?php
```

```
$i = 1;
         foreach ($doctor as $d) { ?>
            <!-- $i ?>
               <?= $d->title ?>
               <?= $d->dfname ?>
               <?= $d->dlname ?>
               <?= $d->dbloodgroup ?>
               <?= $d->dage ?>
               <?= $d->qualification
?>
               <?= $d->designation ?>
               <?= $d->expertise ?>
               <?= $d->organization
?>
               <?= $d->chamber ?>
               <?= $d->schedule ?>
               <?= $d->daddress ?>
               <?= $d->dcontact ?>
               <?= $d->dgender ?>
               <?= $d->fees ?>
                <a class="btn btn-primary"
btn-sm"
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $d->docid ?>">
Update </a> 
                <a class="btn btn-danger"
btn-sm"
```


```
href="http://localhost:8080/AllUserInfoController/d
eleteUser? &id= <?php echo $d->docid ?>"> Delete
</a> 
           <?php $i++;
        } ?>
     <h2 style="color:red; text-align:center">
User List </h2>
     <thead class="table-dark">
            User No. 
            First Name 
            Last Name 
            Contact 
            Gender 
            Address 
            Age 
            Bloodgroup 
           align:center"> Action 
        </thead>
        <?php
        $i = 1;
        //echo "<b>User List</b><br>>";
        foreach ($user as $u) { ?>
           >
             <;= $i ?>
```

```
<?= $u->ufname ?>
                <?= $u->ulname ?>
                <?= $u->ucontact ?>
                <?= $u->ugender ?>
                <?= $u->uaddress ?>
                <?= $u->uage ?>
                <?= $u->ubloodgroup ?>
                 <a class="btn btn-primary"
btn-sm"
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $u->uid ?>"> Update
</a> 
                 <a class="btn btn-danger"
btn-sm"
href="http://localhost:8080/AllUserInfoController/d
eleteUser? &id= <?php echo $u->uid ?>"> Delete </a>
<?php $i++;
         } ?>
      <h2 style="color:red; text-align:center">
Admin List </h2>
      <thead class="table-dark">
             Admin No.
```

```
 First Name 
            Last Name 
            Contact 
            Gender 
            Address 
            Age 
            Bloodgroup 
           align:center"> Action 
        </thead>
        <?php
        $i = 1;
        //echo "<b>User List</b><br>>";
        foreach ($admin as $a) { ?>
           <!-- $i ?>
              <?= $a->fname ?>
              <?= $a->lname ?>
              <?= $a->contact ?>
              <?= $a->gender ?>
              <?= $a->address ?>
              <?= $a->age ?>
              <?= $a->bloodgroup ?>
               <a class="btn btn-primary
btn-sm"
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $a->aid ?>"> Update
</a>
```

```
<?php
                  if ($a->aid ==
$_SESSION['uid']) {;
                  ?>
                       <a class="btn btn-
danger btn-sm"
href="http://localhost:8080/AllUserInfoController/d
eleteUser? &id= <?php echo $a->aid ?>"> Delete </a>
<?php
                  }
                  ?>
               <?php $i++;
           } ?>
       </div>
   <div class="footer footer-color">
        All rights reserved ©
HalfCircle
   </div>
</body>
</html>
```

Doctor Update Page:



DoctorUpdateView:

```
ink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/
dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65Vo
hhpuuCOmLASjC" crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/d
ist/js/bootstrap.bundle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+J
cXn/tWtIaxVXM" crossorigin="anonymous"></script>
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base url("/bootstrap/css/bootstrap.css")</pre>
?>" />
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/mannual.css")</pre>
?>" />
    <link rel="icon" type="image/png" href="<?=</pre>
base_url("/favicon.ico") ?>" />
    <title>Home</title>
</head>
<body>
```

```
<div class="header fixed-height">
        <a href="<?= base_url("/Home") ?>"
class="logo ms-5 mb-3">
            <img height="60" width="140" src="<?=</pre>
base url("/images/j2.png") ?>" alt=""
class="rounded">
            <!--<label>DoctorLagbe</label>-->
        </a>
        <div class="header-right">
            <div class="row-5 float-right">
                <a class="" href="<?=</pre>
base_url("/Home") ?>">Home</a>
                <?php
                if (isset($_SESSION['email'])) {
                    /**type check
                      * assign button according to
type
                      * for admin : doctorsignup,
manageuser, manageappointment
                      * for user:
appointmentHistory
                      * for doctor : see appointment
list
                      * logout, profile and change
password are common for all
                    if ($_SESSION['type'] ==
"user") { ?>
```

```
<a class="" href="<?=</pre>
base_url("/AppointmentController/getHistory")
?>">Appointment History</a>
                          <a class="active"
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $ SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else if</pre>
($_SESSION['type'] == "doctor") { ?>
                          <a class="" href="<?=</pre>
base_url("/AppointmentController/getAppointmentList
") ?>">Appointment List</a>
                          <a class="active"
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $ SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else { ?>
                          <a class="me-2" href="<?=</pre>
base url("/AllUserInfoController") ?>">Manage
User</a>
                          <a class="" href="<?=</pre>
base_url("/SignupController/doctorSignup")
?>">SignUp a Doctor</a>
                          <a class="me-2" href="<?=</pre>
base_url("/SignupController") ?>">SignUp a User</a>
                          <a class="active"
href="http://localhost:8080/AllUserInfoController/e
```

```
ditAdminInfo? &aid= <?php echo $_SESSION['uid']</pre>
?>">Profile
                     <?php } ?>
                     <a class="" href="<?=</pre>
base url("/LogoutController") ?>">Logout</a>
                 <?php
                 } else { ?>
                     <a class="" href="<?=
base_url("/LoginController") ?>">Login</a>
                     <a class="me-2" href="<?=</pre>
base_url("/SignupController") ?>">Signup</a>
                 <?php
                 }
                 ?>
            </div>
            <div class="search-container row clear-</pre>
align">
                 <form
action="/DoctorInfoController/doctorInfoByCategory"
method="POST">
                     <div class="col float-left"
text-bold me-2 mt-2">
                         <label for="">Choose filter
</label>
                     </div>
```

```
<div class="col float-left mt-</pre>
2">
                          <select name="expertise"</pre>
id="expertise" class="form-control">
                               <option value="all"</pre>
<?php if ($ SESSION['cat'] == "all") echo</pre>
"selected"; ?>>Show all</option>
                               <option</pre>
value="allergists" <?php if ($_SESSION['cat'] ==</pre>
"allergists") echo "selected";
?>>Allergists</option>
                               <option</pre>
value="dermatologists" <?php if ($_SESSION['cat']</pre>
== "dermatologists") echo "selected";
?>>Dermatologists
                               <option</pre>
value="ophthalmologists" <?php if ($_SESSION['cat']</pre>
== "ophthalmologists") echo "selected";
?>>Ophthalmologists</option>
                               <option
value="gynecologists" <?php if ($_SESSION['cat'] ==</pre>
"gynecologists") echo "selected";
?>>Gynecologists</option>
                               <option</pre>
value="cardiologists" <?php if ($_SESSION['cat'] ==</pre>
"cardiologists") echo "selected";
?>>Cardiologists</option>
```

```
<option
value="endocrinologists" <?php if ($_SESSION['cat']</pre>
== "endocrinologists") echo "selected";
?>>Endocrinologists
                              <option</pre>
value="gastroenterologists" <?php if</pre>
($_SESSION['cat'] == "gastroenterologists") echo
"selected"; ?>>Gastroenterologists</option>
                              <option</pre>
value="nephrologists" <?php if ($_SESSION['cat'] ==</pre>
"nephrologists") echo "selected";
?>>Nephrologists</option>
                              <option</pre>
value="neurologists" <?php if ($_SESSION['cat'] ==</pre>
"neurologists") echo "selected";
?>>Neurologists
                              <option</pre>
value="psychiatrists" <?php if ($_SESSION['cat'] ==</pre>
"psychiatrists") echo "selected";
?>>Psychiatrists
                         </select>
                     </div>
                     <div class="col float-left">
                         <button type="submit"> <i</pre>
class="fa fa-filter"></i></button>
                     </div>
                 </form>
            </div>
```

```
</div>
    </div>
    <div class="container">
        <div class="col-10 px-7 pb-8 bg-light">
             <div class="label h1 p-2">
                 Update Page
             </div>
             <?php foreach ($doctor as $d) { ?>
                 <form name="form" onsubmit="return</pre>
check()" action="<?=</pre>
base_url("/AllUserInfoController/updateDoctorInfo/"
. $d['docid']) ?>" class="form-group"
method="POST">
                     <div class="row pt-5">
                          <div class="col-3 text-bold
                              <label class="form-</pre>
label ">Name</label>
                          </div>
                          <div class="col-1 for-colon</pre>
                              <label class="form-</pre>
label ">:</label>
                          </div>
                          <div class="col">
```

```
<input type="text"</pre>
class="form-control" name="title" value="<?=</pre>
$d['title'] ?>" placeholder="Title">
                          </div>
                          <div class="col">
                               <input type="text"</pre>
class="form-control" name="dfname" value="<?=</pre>
$d['dfname'] ?>" placeholder="first name">
                          </div>
                          <div class="col">
                               <input type="text"</pre>
class="form-control" name="dlname" value="<?=</pre>
$d['dlname'] ?>" placeholder="last name">
                          </div>
                      </div>
                      <div class="row pt-2">
                          <div class="col-3 text-
bold">
                               <label class="form-</pre>
label ">Qualification</label>
                          </div>
                          <div class="col-1 for-
colon">
```

```
<label class="form-</pre>
label ">:</label>
                           </div>
                           <div class="col">
                               <input</pre>
name="qualification" class="form-control"
value="<?= $d['qualification'] ?>">
                           </div>
                      </div>
                      <div class="row pt-2">
                           <div class="col-3 text-
bold">
                               <label class="form-</pre>
label ">Expertise</label>
                           </div>
                           <div class="col-1 for-
colon">
                               <label class="form-</pre>
label ">:</label>
                           </div>
                           <div class="col">
                               <select</pre>
name="expertise" id="expertise" class="form-
control">
                                    <option</pre>
value="allergists" <?php if ($d['expertise'] ==</pre>
"allergists")
```

```
echo "selected";
        ?>>Allergists</option>
                                   <option</pre>
value="dermatologists" <?php if ($d['expertise'] ==</pre>
"dermatologists")
                 echo "selected";
             ?>>Dermatologists</option>
                                   <option</pre>
value="ophthalmologists" <?php if ($d['expertise']</pre>
== "ophthalmologists")
                      echo "selected";
                 ?>>Ophthalmologists
                                   <option</pre>
value="gynecologists" <?php if ($d['expertise'] ==</pre>
"gynecologists")
                 echo "selected";
             ?>>Gynecologists</option>
                                   <option
value="cardiologists" <?php if ($d['expertise'] ==</pre>
"cardiologists")
```

```
echo "selected";
            ?>>Cardiologists
                                 <option
value="endocrinologists" <?php if ($d['expertise']</pre>
== "endocrinologists")
                    echo "selected";
                ?>>Endocrinologists
                                 <option
value="gastroenterologists" <?php if</pre>
($d['expertise'] == "gastroenterologists")
                    echo "selected";
                ?>>Gastroenterologists
                                 <option</pre>
value="nephrologists" <?php if ($d['expertise'] ==</pre>
"nephrologists")
                echo "selected";
            ?>>Nephrologists</option>
                                 <option
value="neurologists" <?php if ($d['expertise'] ==</pre>
"neurologists")
```

```
echo "selected";
             ?>>Neurologists</option>
                                   <option
value="psychiatrists" <?php if ($d['expertise'] ==</pre>
"psychiatrists")
                 echo "selected";
             ?>>Psychiatrists</option>
                              </select>
                          </div>
                     </div>
                     <div class="row pt-2">
                          <div class="col-3 text-
bold">
                              <label class="form-</pre>
label">Gender</label>
                          </div>
                          <div class="col-1 for-
colon">
                              <label class="form-</pre>
label">:</label>
                          </div>
                          <div class="col">
```

```
<div class="form-check</pre>
form-check-inline ms-2 mt-2">
                                   <input type="radio"</pre>
name="dgender" value="Male" class="form-check-
input" <?php if ($d['dgender'] == "Male") echo</pre>
"checked"; ?> /> Male
                               </div>
                               <div class="form-check</pre>
form-check-inline">
                                   <input type="radio"</pre>
name="dgender" value="Female" class="form-check-
input" <?php if ($d['dgender'] == "Female") echo</pre>
"checked"; ?> /> Female
                               </div>
                               <div class="form-check</pre>
form-check-inline">
                                   <input type="radio"</pre>
name="dgender" value="Others" class="form-check-
input" <?php if ($d['dgender'] == "Others") echo</pre>
"checked"; ?> /> Others
                               </div>
                          </div>
                      </div>
                      <div class="row pt-2">
```

```
<div class="col-3 text-
bold">
                               <label class="form-</pre>
label ">Blood Group</label>
                           </div>
                           <div class="col-1 for-
colon">
                               <label class="form-</pre>
label ">:</label>
                           </div>
                           <div class="col-1">
                               <select
name="dbloodgroup" id="bloodgroup" class="form-
control">
                                    <option value="A+"</pre>
<?php if ($d['dbloodgroup'] == "A+")</pre>
    echo "selected";
?>>A+</option>
                                    <option value="A-"</pre>
<?php if ($d['dbloodgroup'] == "A-")</pre>
    echo "selected";
?>>A-</option>
```

```
<option value="B+"</pre>
<?php if ($d['dbloodgroup'] == "B+")</pre>
    echo "selected";
?>>B+</option>
                                     <option value="B-"</pre>
<?php if ($d['dbloodgroup'] == "B-")</pre>
    echo "selected";
?>>B-</option>
                                    <option value="AB+"</pre>
<?php if ($d['dbloodgroup'] == "AB+")</pre>
    echo "selected";
?>>AB+</option>
                                     <option value="AB-"</pre>
<?php if ($d['dbloodgroup'] == "AB-")</pre>
    echo "selected";
?>>AB-</option>
                                    <option value="0+"</pre>
<?php if ($d['dbloodgroup'] == "0+")</pre>
    echo "selected";
```

```
?>>0+</option>
                                    <option value="0-"</pre>
<?php if ($d['dbloodgroup'] == "0-")</pre>
    echo "selected";
?>>0-</option>
                               </select>
                           </div>
                      </div>
                      <div class="row pt-2">
                           <div class="col-3 text-
bold">
                               <label class="form-</pre>
label">Contact No.</label>
                           </div>
                           <div class="col-1 for-
colon">
                               <label class="form-</pre>
label ">:</label>
                           </div>
                           <div class="col">
                               <input type="text"</pre>
class="form-control" name="dcontact" value="<?=</pre>
$d['dcontact'] ?>" placeholder="Contact No.">
```

```
</div>
                      </div>
                      <!-- <div class="row pt-2">
                           <div class="col-3 text-</pre>
bold">
                               <label class="form-</pre>
label ">Email</label>
                           </div>
                           <div class="col-1 for-</pre>
colon">
                               <label class="form-</pre>
label ">:</label>
                           </div>
                           <div class="col">
                               <input type="email"</pre>
class="form-control" name="email"
placeholder="example@mail.com">
                           </div>
                      </div> -->
                      <!-- <div class="row pt-2">
                           <div class="col-3 text-
bold">
                               <label class="form-</pre>
label ">Password</label>
                           </div>
```

```
<div class="col-1 for-</pre>
colon">
                               <label class="form-</pre>
label ">:</label>
                           </div>
                           <div class="col">
                               <input type="password"</pre>
class="form-control" name="password" minlength="5"
placeholder="Enter password">
                           </div>
                      </div> -->
                      <div class="row pt-2">
                           <div class="col-3 text-</pre>
bold">
                               <label class="form-</pre>
label ">Age</label>
                           </div>
                           <div class="col-1 for-
colon">
                               <label class="form-</pre>
label ">:</label>
                           </div>
                           <div class="col-2">
                               <input type="number"</pre>
class="form-control" name="dage" value="<?=</pre>
$d['dage'] ?>" placeholder="Enter Age">
                           </div>
```

```
</div>
                      <div class="row pt-2">
                           <div class="col-3 text-
bold">
                               <label class="form-</pre>
label ">Designation</label>
                           </div>
                           <div class="col-1 for-
colon">
                               <label class="form-</pre>
label ">:</label>
                           </div>
                           <div class="col">
                               <input type="text"</pre>
class="form-control" name="designation" value="<?=</pre>
$d['designation'] ?>" placeholder="Enter
Dessignation">
                           </div>
                      </div>
                      <div class="row pt-2">
                           <div class="col-3 text-</pre>
bold">
                               <label class="form-</pre>
label ">Organization</label>
                           </div>
```

```
<div class="col-1 for-
colon">
                               <label class="form-</pre>
label ">:</label>
                          </div>
                          <div class="col">
                               <input type="text"</pre>
class="form-control" name="organization" value="<?=</pre>
$d['organization'] ?>" placeholder="Enter
Organization">
                          </div>
                      </div>
                      <div class="row pt-2">
                          <div class="col-3 text-
bold">
                               <label class="form-</pre>
label ">Address</label>
                          </div>
                          <div class="col-1 for-
colon">
                               <label class="form-</pre>
label ">:</label>
                          </div>
                          <div class="col">
                               <input type="text"</pre>
class="form-control" name="daddress" value="<?=
$d['daddress'] ?>" placeholder="Enter Address">
```

```
</div>
                      </div>
                      <div class="row pt-2">
                          <div class="col-3 text-
bold">
                               <label class="form-</pre>
label ">Schedule</label>
                          </div>
                          <div class="col-1 for-
colon">
                               <label class="form-</pre>
label ">:</label>
                          </div>
                          <div class="col">
                               <input type="text"</pre>
class="form-control" name="schedule" value="<?=</pre>
$d['schedule'] ?>" placeholder="Enter Schedule">
                          </div>
                      </div>
                      <div class="row pt-2">
                          <div class="col-3 text-
bold">
                               <label class="form-</pre>
label ">Chamber</label>
                          </div>
```

```
<div class="col-1 for-
colon">
                               <label class="form-</pre>
label ">:</label>
                          </div>
                          <div class="col">
                               <input type="text"</pre>
class="form-control" name="chamber" value="<?=</pre>
$d['chamber'] ?>" placeholder="Enter Chamber">
                          </div>
                      </div>
                      <div class="row pt-2">
                          <div class="col-3 text-
bold">
                               <label class="form-</pre>
label ">Visit Fees</label>
                          </div>
                          <div class="col-1 for-
colon">
                               <label class="form-</pre>
label ">:</label>
                          </div>
                          <div class="col-2">
                               <input type="number"</pre>
class="form-control" name="fees" value="<?=</pre>
$d['fees'] ?>" placeholder="Enter Fees">
                          </div>
```

```
</div>
                    <div class="col-2 float-right</pre>
mb-5 mt-3 me-5">
                        <input type="submit"</pre>
value="SignUp" class="py-2 for-colon form-control
sign-btn">
                    </div>
                </form>
            <?php } ?>
        </div>
    </div>
    <div class="footer footer-color">
         All rights reserved ©
HalfCircle
    </div>
    <script>
        function check() {
            var title = document.form.title.value;
            var fname = document.form.dfname.value;
            var lname = document.form.dlname.value;
            var qualification =
document.form.qualification.value;
            var expertise =
document.form.expertise.value;
```

```
var gender =
document.form.dgender.value;
            var bloodgroup =
document.form.dbloodgroup.value;
            var contact =
document.form.dcontact.value;
            // var email =
document.form.email.value;
            // var password =
document.form.password.value;
            var age = document.form.dage.value;
            var designation =
document.form.designation.value;
            var organization =
document.form.organization.value;
            var address =
document.form.daddress.value;
            var schedule =
document.form.schedule.value;
            var chamber =
document.form.chamber.value;
            var fees = document.form.fees.value;
            if (title == "") {
                alert("Title field can not be
empty");
                return false;
            if (fname == "") {
```


```
alert("First Name field can not be
empty");
                return false;
            }
            if (lname == "") {
                alert("Last Name field can not be
empty");
                return false;
            }
            if (qualification == "") {
                alert("Qualification field can not
be empty");
                return false;
            }
            if (expertise == "") {
                alert("Expertise field can not be
empty");
                return false;
            }
            if (gender == "") {
                alert("Gender field can not be
empty");
                return false;
            }
            if (bloodgroup == "") {
                alert("Blood Group field can not be
empty");
                return false;
```

```
}
            if (contact == "") {
                alert("Contact field can not be
empty");
                return false;
            }
            // if (email == "") {
            // alert("Email field can not be
empty");
            // return false;
            // }
            // if (password == "") {
            // alert("Password field can not be
empty");
            // return false;
            // }
            if (age == "") {
                alert("Age field can not be
empty");
                return false;
            }
            if (designation == "") {
                alert("Designation field can not be
empty");
                return false;
            if (organization == "") {
```

```
alert("Organization field can not
be empty");
                return false;
            }
            if (address == "") {
                alert("Address field can not be
empty");
                return false;
            }
            if (schedule == "") {
                alert("Schedule field can not be
empty");
                return false;
            }
            if (chamber == "") {
                alert("Chamber field can not be
empty");
                return false;
            }
            if (fees == "") {
                alert("Fees field can not be
empty");
                return false;
            }
    </script>
</body>
```

```
</html>
```

AdminUpdatePage:



AdminUpdateView:

```
<meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0">
    <!--
    k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/
dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65Vo
hhpuuCOmLASjC" crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/d
ist/js/bootstrap.bundle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+J
cXn/tWtIaxVXM" crossorigin="anonymous"></script>
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/bootstrap.css")</pre>
?>" />
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/mannual.css")</pre>
?>" />
    <link rel="icon" type="image/png" href="<?=</pre>
base_url("/favicon.ico") ?>" />
  <title>Home</title>
```

```
</head>
<body>
    <div class="header fixed-height">
        <a href="<?= base_url("/Home") ?>"
class="logo ms-5 mb-3">
            <img height="60" width="140" src="<?=</pre>
base_url("/images/j2.png") ?>" alt=""
class="rounded">
            <!--<label>DoctorLagbe</label>-->
        </a>
        <div class="header-right">
            <div class="row-5 float-right">
                <a class="" href="<?=
base_url("/Home") ?>">Home</a>
                <?php
                if (isset($_SESSION['email'])) {
                    /**type check
                      * assign button according to
type
                      * for admin : doctorsignup,
manageuser, manageappointment
                      * for user :
appointmentHistory
                      * for doctor : see appointment
list
```

```
* logout, profile and change
password are common for all
                     if ($_SESSION['type'] ==
"user") { ?>
                          <a class="" href="<?=</pre>
base_url("/AppointmentController/getHistory")
?>">Appointment History</a>
                          <a class="active"
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else if</pre>
($_SESSION['type'] == "doctor") { ?>
                          <a class="" href="<?=</pre>
base url("/AppointmentController/getAppointmentList
") ?>">Appointment List</a>
                          <a class="active"
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else { ?>
                          <a class="me-2" href="<?=</pre>
base_url("/AllUserInfoController") ?>">Manage
User</a>
                          <a class="" href="<?=</pre>
base url("/SignupController/doctorSignup")
?>">SignUp a Doctor</a>
```

```
<a class="me-2" href="<?=</pre>
base_url("/SignupController") ?>">SignUp a User</a>
                          <a class="active"
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $ SESSION['uid']</pre>
?>">Profile</a>
                     <?php } ?>
                     <a class="" href="<?=</pre>
base_url("/LogoutController") ?>">Logout</a>
                 <?php
                 } else { ?>
                     <a class="" href="<?=
base url("/LoginController") ?>">Login</a>
                     <a class="me-2" href="<?=</pre>
base_url("/SignupController") ?>">Signup</a>
                 <?php
                 }
                 ?>
             </div>
             <div class="search-container row clear-</pre>
align">
                 <form
action="/DoctorInfoController/doctorInfoByCategory"
method="POST">
```

```
<div class="col float-left
text-bold me-2 mt-2">
                          <label for="">Choose filter
</label>
                      </div>
                      <div class="col float-left mt-</pre>
2">
                          <select name="expertise"</pre>
id="expertise" class="form-control">
                               <option value="all"</pre>
<?php if ($_SESSION['cat'] == "all") echo</pre>
"selected"; ?>>Show all</option>
                               <option</pre>
value="allergists" <?php if ($_SESSION['cat'] ==</pre>
"allergists") echo "selected";
?>>Allergists
                               <option</pre>
value="dermatologists" <?php if ($_SESSION['cat']</pre>
== "dermatologists") echo "selected";
?>>Dermatologists</option>
                               <option</pre>
value="ophthalmologists" <?php if ($_SESSION['cat']</pre>
== "ophthalmologists") echo "selected";
?>>Ophthalmologists</option>
                               <option</pre>
value="gynecologists" <?php if ($_SESSION['cat'] ==</pre>
"gynecologists") echo "selected";
?>>Gynecologists</option>
```

```
<option
value="cardiologists" <?php if ($_SESSION['cat'] ==</pre>
"cardiologists") echo "selected";
?>>Cardiologists
                              <option</pre>
value="endocrinologists" <?php if ($_SESSION['cat']</pre>
== "endocrinologists") echo "selected";
?>>Endocrinologists
                              <option</pre>
value="gastroenterologists" <?php if</pre>
($_SESSION['cat'] == "gastroenterologists") echo
"selected"; ?>>Gastroenterologists</option>
                              <option</pre>
value="nephrologists" <?php if ($_SESSION['cat'] ==</pre>
"nephrologists") echo "selected";
?>>Nephrologists</option>
                              <option</pre>
value="neurologists" <?php if ($_SESSION['cat'] ==</pre>
"neurologists") echo "selected";
?>>Neurologists
                              <option</pre>
value="psychiatrists" <?php if ($_SESSION['cat'] ==</pre>
"psychiatrists") echo "selected";
?>>Psychiatrists</option>
                          </select>
                     </div>
                     <div class="col float-left">
```

```
<button type="submit"> <i</pre>
class="fa fa-filter"></i></button>
                     </div>
                 </form>
             </div>
        </div>
    </div>
    <div class="container col-8 pt-2 ps-5 bg-</pre>
light">
        <div class="label h1 p-2">
            Update Page
        </div>
        <?php foreach ($admin as $a) { ?>
             <form name="form" onsubmit="return</pre>
check()" action="<?=</pre>
base_url("/AllUserInfoController/updateAdminInfo/"
. $a['aid']) ?>" class="form-group p-3 mb-5"
method="POST">
                 <div class="row py-2">
                     <div class="col">
                         Name <input type="text"
class="form-control mt-2" name="fname" value="<?=</pre>
$a['fname'] ?>" placeholder="First Name" />
                     </div>
                     <div class="col">
                         <label for=""> </label>
```

```
<input type="text"</pre>
class="form-control mt-2" name="lname" value="<?=</pre>
$a['lname'] ?>" placeholder="Last Name" />
                     </div>
                 </div>
                 Contact No. <input type="text"</pre>
class="form-control my-2" name="contact" value="<?=</pre>
$a['contact'] ?>" placeholder="Enter Contact No."
/>
                 <!-- Email <input type="email"
class="form-control my-2" name="email"
placeholder="Enter Email" /> -->
                 Address <input type="text"
class="form-control my-2" name="address" value="<?=</pre>
$a['address'] ?>" placeholder="Enter Address" />
                 <div class="row py-2">
                     <div class="col-2">
                         Age <input type="number"
class="form-control my-2" name="age" value="<?=</pre>
$a['age'] ?>" placeholder="Enter Age" />
                     </div>
                     <div class="col-2">
```

```
<div class="row ps-2 pb-2">
                                Blood Group
                           </div>
                           <div class="col-6">
                                <select
name="bloodgroup" id="bloodgroup" class="form-
control">
                                    <option value="A+"</pre>
<?php if ($a['bloodgroup'] == "A+")</pre>
    echo "selected";
?>>A+</option>
                                    <option value="A-"</pre>
<?php if ($a['bloodgroup'] == "A+")</pre>
    echo "selected";
?>>A-</option>
                                    <option value="B+"</pre>
<?php if ($a['bloodgroup'] == "B+")</pre>
    echo "selected";
?>>B+</option>
                                    <option value="B-"</pre>
<?php if ($a['bloodgroup'] == "B-")</pre>
```

```
echo "selected";
?>>B-</option>
                                     <option value="AB+"</pre>
<?php if ($a['bloodgroup'] == "AB+")</pre>
    echo "selected";
?>>AB+</option>
                                    <option value="AB-"</pre>
<?php if ($a['bloodgroup'] == "AB-")</pre>
    echo "selected";
?>>AB-</option>
                                     <option value="0+"</pre>
<?php if ($a['bloodgroup'] == "O+")</pre>
    echo "selected";
?>>0+</option>
                                     <option value="0-"</pre>
<?php if ($a['bloodgroup'] == "0-")</pre>
    echo "selected";
?>>0-</option>
```

```
</select>
                          </div>
                      </div>
                      <div class="col">
                          <div class=" row ps-3 pb-</pre>
3">
                               Gender:
                          </div>
                          <div class="row-2">
                               <input type="radio"</pre>
name="gender" value="Male" class="ms-2" <?php if</pre>
($a['gender'] == "Male") echo "checked"; ?> /> Male
                               <input type="radio"</pre>
name="gender" value="Female" class="ms-2" <?php if</pre>
($a['gender'] == "Female") echo "checked"; ?> />
Female
                               <input type="radio"</pre>
name="gender" value="Others" class="ms-2" <?php if</pre>
($a['gender'] == "Others") echo "checked"; ?> />
Others
                          </div>
                      </div>
                 </div>
```


```
<!-- Password <input
type="password" class="form-control my-2"
name="password" minlength="5" placeholder="Enter
Password"/>
      Confirm Password <input type="password"</pre>
class="form-control my-2" name="confirmpassword"
minlength="5" placeholder="Confirm Password" /> -->
                <div class=" my-5 col-2 float-</pre>
right">
                    <input type="submit"</pre>
value="Update" class="form-control sign-btn">
                </div>
            <?php } ?>
            </form>
    </div>
    <div class="footer footer-color">
         All rights reserved ©
HalfCircle
    </div>
    <script>
        function check() {
            var fname = document.form.fname.value;
            var lname = document.form.lname.value;
            // var email=
document.form.email.value;
```


```
var contact =
document.form.contact.value;
            var gender =
document.form.gender.value;
            var age = document.form.age.value;
            var address =
document.form.address.value;
            var bloodgroup =
document.form.bloodgroup.value;
            // var password=
document.form.password.value;
            // var confirmpassword=
document.form.confirmpassword.value;
            if (fname == "") {
                alert("First Name field can not be
empty");
                return false;
            }
            if (lname == "") {
                alert("Last Name field can not be
empty");
                return false;
            }
            if (contact == "") {
                alert("Contact field can not be
empty");
                return false;
```

```
}
            // if(email==""){
            // alert("Email field can not be
empty");
            // return false;
            // }
            if (address == "") {
                alert("Address field can not be
empty");
                return false;
            }
            if (age == "") {
                alert("Age field can not be
empty");
                return false;
            }
            if (bloodgroup == "") {
                alert("Blood Group field can not be
empty");
                return false;
            }
            if (gender == "") {
                alert("Gender field can not be
empty");
                return false;
            }
            // if(password==""){
```

```
// alert("Password field can not be
empty");
            // return false;
            // }
            // if(confirmpassword==""){
            // alert("Confirm Password field can
not be empty");
            // return false;
            // if(password != confirmpassword){
                 alert("Password & Confirm Password
are not same");
            // return false;
    </script>
</body>
</html>
```

Create Appointment Page:





CreateAppointmentView:

```
<!--
    ink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/
dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65Vo
hhpuuCOmLASjC" crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/d
ist/js/bootstrap.bundle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+J
cXn/tWtIaxVXM" crossorigin="anonymous"></script>
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base url("/bootstrap/css/bootstrap.css")</pre>
?>" />
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/mannual.css")</pre>
?>" />
    <link rel="icon" type="image/png" href="<?=</pre>
base_url("/favicon.ico") ?>" />
    <title>Home</title>
</head>
<body>
```

```
<div class="header fixed-height">
        <a href="<?= base_url("/Home") ?>"
class="logo ms-5 mb-3">
            <img height="60" width="140" src="<?=</pre>
base_url("/images/j2.png") ?>" alt=""
class="rounded">
            <!--<label>DoctorLagbe</label>-->
        </a>
        <div class="header-right">
            <div class="row-5 float-right">
                <a class="" href="<?=</pre>
base_url("/Home") ?>">Home</a>
                <?php
                if (isset($_SESSION['email'])) {
                    /**type check
                      * assign button according to
type
                      * for admin : doctorsignup,
manageuser, manageappointment
                      * for user:
appointmentHistory
                      * for doctor : see appointment
list
                      * logout, profile and change
password are common for all
```

```
if ($_SESSION['type'] ==
"user") { ?>
                          <a class="" href="<?=</pre>
base url("/AppointmentController/getHistory")
?>">Appointment History</a>
                          <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $ SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else if</pre>
($_SESSION['type'] == "doctor") { ?>
                          <a class="" href="<?=</pre>
base_url("/AppointmentController/getAppointmentList
") ?>">Appointment List</a>
                          <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else { ?>
                          <a class="me-2" href="<?=</pre>
base url("/AllUserInfoController") ?>">Manage
User</a>
                          <a class="" href="<?=</pre>
base_url("/SignupController/doctorSignup")
?>">SignUp a Doctor</a>
                          <a class="me-2" href="<?=</pre>
base url("/SignupController") ?>">SignUp a User</a>
```

```
<a class=""
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } ?>
                      <a class="" href="<?=</pre>
base_url("/LogoutController") ?>">Logout</a>
                 <?php
                 } else { ?>
                     <a class="" href="<?=</pre>
base_url("/LoginController") ?>">Login</a>
                     <a class="me-2" href="<?=</pre>
base url("/SignupController") ?>">Signup</a>
                 <?php
                 ?>
             </div>
             <div class="search-container row clear-</pre>
align">
                 <form
action="/DoctorInfoController/doctorInfoByCategory"
method="POST">
                     <div class="col float-left"
text-bold me-2 mt-2">
```

```
<label for="">Choose filter
</label>
                      </div>
                      <div class="col float-left mt-</pre>
2">
                           <select name="expertise"</pre>
id="expertise" class="form-control">
                               <option value="all"</pre>
<?php if ($_SESSION['cat'] == "all") echo</pre>
"selected"; ?>>Show all</option>
                               <option</pre>
value="allergists" <?php if ($_SESSION['cat'] ==</pre>
"allergists") echo "selected";
?>>Allergists</option>
                               <option</pre>
value="dermatologists" <?php if ($_SESSION['cat']</pre>
== "dermatologists") echo "selected";
?>>Dermatologists</option>
                               <option</pre>
value="ophthalmologists" <?php if ($_SESSION['cat']</pre>
== "ophthalmologists") echo "selected";
?>>Ophthalmologists</option>
                               <option
value="gynecologists" <?php if ($_SESSION['cat'] ==</pre>
"gynecologists") echo "selected";
?>>Gynecologists</option>
                               <option
value="cardiologists" <?php if ($ SESSION['cat'] ==</pre>
```

```
"cardiologists") echo "selected";
?>>Cardiologists</option>
                             <option</pre>
value="endocrinologists" <?php if ($ SESSION['cat']</pre>
== "endocrinologists") echo "selected";
?>>Endocrinologists
                             <option</pre>
value="gastroenterologists" <?php if</pre>
($_SESSION['cat'] == "gastroenterologists") echo
"selected"; ?>>Gastroenterologists</option>
                             <option
value="nephrologists" <?php if ($_SESSION['cat'] ==</pre>
"nephrologists") echo "selected";
?>>Nephrologists</option>
                             <option
value="neurologists" <?php if ($_SESSION['cat'] ==</pre>
"neurologists") echo "selected";
?>>Neurologists
                             <option
value="psychiatrists" <?php if ($_SESSION['cat'] ==</pre>
"psychiatrists") echo "selected";
?>>Psychiatrists</option>
                         </select>
                     </div>
                     <div class="col float-left">
                         <button type="submit"> <i</pre>
class="fa fa-filter"></i></button>
                     </div>
```

```
</form>
            </div>
        </div>
    </div>
    <div class="container col-5 pt-2 pb-7 ps-5 bg-</pre>
light">
        <div class="label h1 p-2">
            Appointment Page
        </div>
        <form name="form" onsubmit="return check()"</pre>
action="<?=
base_url("/AppointmentController/saveAppointment/"
. $docid) ?>" class="form-group p-3" method="POST">
            Patient Name <input type="text"
class="form-control my-2" name="pname"
placeholder="Enter Name" />
            <div class="row py-2">
                <div class="col-3">
                     Age <input type="number"
class="form-control my-2" name="page"
placeholder="Enter Age" />
                </div>
                <div class="col-3">
                     <div class="row ps-2 pb-2">
                         Blood Group
```


```
</div>
                     <div class="col-6">
                         <select name="pbg"</pre>
id="bloodgroup" class="form-control">
                             <option
value="A+">A+</option>
                             <option value="A-">A-
</option>
                             <option
value="B+">B+</option>
                             <option value="B-">B-
</option>
                             <option
value="AB+">AB+</option>
                             <option value="AB-">AB-
</option>
                             <option
value="0+">0+</option>
                             <option value="0-">0-
</option>
                         </select>
                     </div>
                 </div>
```

```
<div class="col">
                     <div class=" row ps-3 pb-3">
                         Gender:
                     </div>
                     <div class="row-2">
                         <input type="radio"</pre>
name="pgender" value="Male" class="ms-2" /> Male
                         <input type="radio"</pre>
name="pgender" value="Female" class="ms-2" />
Female
                         <input type="radio"</pre>
name="pgender" value="Others" class="ms-2" />
Others
                     </div>
                 </div>
            </div>
            <div class="col-5">
                 Appointment Date <input type="date"
class="form-control my-2" name="date"
placeholder="Enter Date" />
            </div>
             <div class="mt-3 col-3 float-right">
                 <input type="submit" value="Submit"</pre>
class="form-control sign-btn">
            </div>
        </form>
```

```
</div>
    <div class="footer footer-color">
         All rights reserved ©
HalfCircle
    </div>
    <script>
        function check() {
            var name = document.form.pname.value;
            var age = document.form.page.value;
            var bloodgroup =
document.form.pbg.value;
            var gender =
document.form.pgender.value;
            var date = document.form.date.value;
            if (name == "") {
                alert("Name field can not be
empty");
                return false;
            }
            if (age == "") {
                alert("Age field can not be
empty");
```

```
return false;
            }
            if (bloodgroup == "") {
                alert("Blood Group field can not be
empty");
                return false;
            }
            if (gender == "") {
                alert("Gender field can not be
empty");
                return false;
            }
            if (date == "") {
                alert("Date field can not be
empty");
                return false;
            }
    </script>
</body>
</html>
```

Appointment History Page





AppointmentHistoryView:

```
ink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/
dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65Vo
hhpuuCOmLASjC" crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/d
ist/js/bootstrap.bundle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+J
cXn/tWtIaxVXM" crossorigin="anonymous"></script>
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base url("/bootstrap/css/bootstrap.css")</pre>
?>" />
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/mannual.css")</pre>
?>" />
    <link rel="icon" type="image/png" href="<?=</pre>
base_url("/favicon.ico") ?>" />
    <title>Appointment</title>
</head>
<body>
```

```
<div class="header fixed-height">
        <a href="<?= base_url("/Home") ?>"
class="logo ms-5 mb-3">
            <img height="60" width="140" src="<?=</pre>
base_url("/images/j2.png") ?>" alt=""
class="rounded">
            <!--<label>DoctorLagbe</label>-->
        </a>
        <div class="header-right">
            <div class="row-5 float-right">
                <a class="" href="<?=</pre>
base_url("/Home") ?>">Home</a>
                <?php
                if (isset($_SESSION['email'])) {
                    /**type check
                      * assign button according to
type
                      * for admin : doctorsignup,
manageuser, manageappointment
                      * for user:
appointmentHistory
                      * for doctor : see appointment
list
                      * logout, profile and change
password are common for all
```

```
if ($_SESSION['type'] ==
"user") { ?>
                          <a class="active" href="<?=</pre>
base url("/AppointmentController/getHistory")
?>">Appointment History</a>
                          <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $ SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else if</pre>
($_SESSION['type'] == "doctor") { ?>
                          <a class="" href="<?=</pre>
base url("/AppointmentController/getAppointmentList
") ?>">Appointment List</a>
                          <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else { ?>
                          <a class="me-2" href="<?=</pre>
base url("/AllUserInfoController") ?>">Manage
User</a>
                          <a class="" href="<?=</pre>
base_url("/SignupController/doctorSignup")
?>">SignUp a Doctor</a>
                          <a class="me-2" href="<?=</pre>
base url("/SignupController") ?>">SignUp a User</a>
```

```
<a class=""
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } ?>
                      <a class="" href="<?=</pre>
base_url("/LogoutController") ?>">Logout</a>
                 <?php
                 } else { ?>
                     <a class="" href="<?=</pre>
base_url("/LoginController") ?>">Login</a>
                     <a class="me-2" href="<?=</pre>
base url("/SignupController") ?>">Signup</a>
                 <?php
                 ?>
             </div>
             <div class="search-container row clear-</pre>
align">
                 <form
action="/DoctorInfoController/doctorInfoByCategory"
method="POST">
                     <div class="col float-left"
text-bold me-2 mt-2">
```

```
<label for="">Choose filter
</label>
                      </div>
                      <div class="col float-left mt-</pre>
2">
                           <select name="expertise"</pre>
id="expertise" class="form-control">
                               <option value="all"</pre>
<?php if ($_SESSION['cat'] == "all") echo</pre>
"selected"; ?>>Show all</option>
                               <option</pre>
value="allergists" <?php if ($_SESSION['cat'] ==</pre>
"allergists") echo "selected";
?>>Allergists</option>
                               <option</pre>
value="dermatologists" <?php if ($_SESSION['cat']</pre>
== "dermatologists") echo "selected";
?>>Dermatologists</option>
                               <option</pre>
value="ophthalmologists" <?php if ($_SESSION['cat']</pre>
== "ophthalmologists") echo "selected";
?>>Ophthalmologists</option>
                               <option
value="gynecologists" <?php if ($_SESSION['cat'] ==</pre>
"gynecologists") echo "selected";
?>>Gynecologists</option>
                               <option
value="cardiologists" <?php if ($ SESSION['cat'] ==</pre>
```


```
"cardiologists") echo "selected";
?>>Cardiologists</option>
                             <option</pre>
value="endocrinologists" <?php if ($ SESSION['cat']</pre>
== "endocrinologists") echo "selected";
?>>Endocrinologists
                             <option</pre>
value="gastroenterologists" <?php if</pre>
($_SESSION['cat'] == "gastroenterologists") echo
"selected"; ?>>Gastroenterologists</option>
                             <option
value="nephrologists" <?php if ($_SESSION['cat'] ==</pre>
"nephrologists") echo "selected";
?>>Nephrologists</option>
                             <option
value="neurologists" <?php if ($_SESSION['cat'] ==</pre>
"neurologists") echo "selected";
?>>Neurologists
                             <option
value="psychiatrists" <?php if ($_SESSION['cat'] ==</pre>
"psychiatrists") echo "selected";
?>>Psychiatrists</option>
                         </select>
                     </div>
                     <div class="col float-left">
                         <button type="submit"> <i</pre>
class="fa fa-filter"></i></button>
                     </div>
```


```
</form>
        </div>
     </div>
  </div>
  <h2 style="color:red; text-align:center">
Appointment History </h2>
  <thead class="table-dark">
         Appointment <br> Number
         Appointment ID
         Doctor Name
        User Name
        Patient Name
         Age
        Gender
        Blood Group
        Status
         Date 
        </thead>
     <?php
     $i = 1;
     foreach ($appointment as $a) { ?>
```

```
<?=</pre>
$i ?>
            <?=
$a["appid"] ?>
            <?= $a["title"] . " " .
$a["dfname"] . " " . $a["dlname"] ?>
            <?= $a["ufname"] . " " .
$a["ulname"] ?>
            <?= $a["pname"] ?>
            <?= $a["page"] ?>
            <?= $a["pgender"] ?>
            <?= $a["pbg"] ?>
            <?= $a["status"] ?>
            <?= $a["date"] ?>
            <?php $i++;
            if ($a["status"] == "Served") {
            ?>
               <a class="btn btn-primary"
btn-sm" href=<?= base url('ReviewController')</pre>
?>>Review</a>
         <?php
         } ?>
   <div class="footer footer-color">
       All rights reserved ©
HalfCircle
 </div>
```

```
</body>
</html>
```

Appointment List Page:





AppointmentListView:

```
<meta http-equiv="X-UA-Compatible"</pre>
content="IE=edge">
    <meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0">
    <!--
    k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/
dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65Vo
hhpuuCOmLASjC" crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/d
ist/js/bootstrap.bundle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+J
cXn/tWtIaxVXM" crossorigin="anonymous"></script>
 -->
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base_url("/bootstrap/css/bootstrap.css")</pre>
?>" />
    <link rel="stylesheet" type="text/css"</pre>
href="<?= base url("/bootstrap/css/mannual.css")</pre>
?>" />
```

```
<link rel="icon" type="image/png" href="<?=</pre>
base_url("/favicon.ico") ?>" />
    <title>Appointment</title>
</head>
<body>
    <div class="header fixed-height">
        <a href="<?= base_url("/Home") ?>"
class="logo ms-5 mb-3">
            <img height="60" width="140" src="<?=</pre>
base_url("/images/j2.png") ?>" alt=""
class="rounded">
            <!--<label>DoctorLagbe</label>-->
        </a>
        <div class="header-right">
            <div class="row-5 float-right">
                <a class="" href="<?=</pre>
base_url("/Home") ?>">Home</a>
                <?php
                if (isset($_SESSION['email'])) {
                     /**type check
                      * assign button according to
type
                      * for admin : doctorsignup,
manageuser, manageappointment
```

```
* for user :
appointmentHistory
                      * for doctor : see appointment
list
                      * logout, profile and change
password are common for all
                     if ($ SESSION['type'] ==
"user") { ?>
                         <a class="" href="<?=</pre>
base_url("/AppointmentController/getHistory")
?>">Appointment History</a>
                         <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditUserInfo? &uid= <?php echo $ SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else if</pre>
($ SESSION['type'] == "doctor") { ?>
                         <a class="active" href="<?=</pre>
base url("/AppointmentController/getAppointmentList
") ?>">Appointment List</a>
                         <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditDoctorInfo? &docid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } else { ?>
```

```
<a class="me-2" href="<?=</pre>
base_url("/AllUserInfoController") ?>">Manage
User</a>
                          <a class="" href="<?=</pre>
base url("/SignupController/doctorSignup")
?>">SignUp a Doctor</a>
                          <a class="me-2" href="<?=
base_url("/SignupController") ?>">SignUp a User</a>
                          <a class=""
href="http://localhost:8080/AllUserInfoController/e
ditAdminInfo? &aid= <?php echo $_SESSION['uid']</pre>
?>">Profile</a>
                     <?php } ?>
                     <a class="" href="<?=</pre>
base url("/LogoutController") ?>">Logout</a>
                 <?php
                 } else { ?>
                     <a class="" href="<?=</pre>
base_url("/LoginController") ?>">Login</a>
                     <a class="me-2" href="<?=</pre>
base_url("/SignupController") ?>">Signup</a>
                 <?php
             </div>
```

```
<div class="search-container row clear-</pre>
align">
                  <form
action="/DoctorInfoController/doctorInfoByCategory"
method="POST">
                      <div class="col float-left"</pre>
text-bold me-2 mt-2">
                           <label for="">Choose filter
</label>
                      </div>
                      <div class="col float-left mt-</pre>
2">
                           <select name="expertise"</pre>
id="expertise" class="form-control">
                               <option value="all"</pre>
<?php if ($ SESSION['cat'] == "all") echo</pre>
"selected"; ?>>Show all</option>
                               <option</pre>
value="allergists" <?php if ($_SESSION['cat'] ==</pre>
"allergists") echo "selected";
?>>Allergists</option>
                               <option</pre>
value="dermatologists" <?php if ($_SESSION['cat']</pre>
== "dermatologists") echo "selected";
?>>Dermatologists</option>
                               <option</pre>
value="ophthalmologists" <?php if ($_SESSION['cat']</pre>
```

```
== "ophthalmologists") echo "selected";
?>>Ophthalmologists</option>
                              <option</pre>
value="gynecologists" <?php if ($_SESSION['cat'] ==</pre>
"gynecologists") echo "selected";
?>>Gynecologists</option>
                              <option</pre>
value="cardiologists" <?php if ($_SESSION['cat'] ==</pre>
"cardiologists") echo "selected";
?>>Cardiologists
                              <option
value="endocrinologists" <?php if ($_SESSION['cat']</pre>
== "endocrinologists") echo "selected";
?>>Endocrinologists</option>
                              <option
value="gastroenterologists" <?php if</pre>
($_SESSION['cat'] == "gastroenterologists") echo
"selected"; ?>>Gastroenterologists</option>
                              <option
value="nephrologists" <?php if ($_SESSION['cat'] ==</pre>
"nephrologists") echo "selected";
?>>Nephrologists</option>
                              <option
value="neurologists" <?php if ($_SESSION['cat'] ==</pre>
"neurologists") echo "selected";
?>>Neurologists
                              <option
value="psychiatrists" <?php if ($ SESSION['cat'] ==</pre>
```

```
'psychiatrists") echo "selected";
?>>Psychiatrists</option>
                   </select>
                </div>
                <div class="col float-left">
                   <button type="submit"> <i</pre>
class="fa fa-filter"></i></button>
                </div>
            </form>
         </div>
      </div>
   </div>
   <h2 style="color:red; text-align:center">
Appointment List </h2>
   <thead class="table-dark">
          Appointment <br> Number
          Appointment ID
          Doctor Name
         User Name
         Patient Name
          Age
         Gender
         Blood Group
          Date 
         Status
```

```
</thead>
       <?php
       $i = 1;
       foreach ($appointment as $a) { ?>
           <!-- style="background-color: blue;">
               <?= $a["appid"] ?>
               <?= $a["title"] . " " .
$a["dfname"] . " " . $a["dlname"] ?>
             <?= $a["ufname"] . " " .
$a["ulname"] ?>
               <?= $a["pname"] ?>
               <?= $a["page"] ?>
               <?= $a["pgender"] ?>
               <?= $a["pbg"] ?>
               <?= $a["date"] ?>
               <form action="<?=</pre>
base_url("/AppointmentController/updateStatus/" .
$a['appid']) ?>" method="POST">
                      <input type="radio"</pre>
name="status" value="To be Served" class="form ms-
2" <?php if ($a['status'] == "To be Served") echo</pre>
"checked"; ?> /> To be Served <br>
                      <input type="radio"</pre>
name="status" value="Served" class="form ms-2"
```

```
<?php if ($a['status'] == "Served") echo "checked";</pre>
?> /> Served <br>
                       <input type="radio"</pre>
name="status" value="Missed" class="form ms-2"
<?php if ($a['status'] == "Missed") echo "checked";</pre>
?> /> Missed
               <input type="submit"
value="Change" class="btn btn-primary btn-sm">
               </form>
            <?php $i++;
       }
            ?>
    <div class="footer footer-color">
         All rights reserved ©
HalfCircle
    </div>
</body>
</html>
```

AppointmentController:

```
<?php
namespace App\Controllers;
use App\Controllers\BaseController;
use App\Models\AppointmentModel;
class AppointmentController extends BaseController
    public function index()
        session start();
        $docid['docid'] = $this->request-
>getGet('docid');
        //print_r($docid);
        return view("createAppointmentView",
$docid);
    public function getHistory()
    {
        session_start();
        // $a=new AppointmentModel();
        // $appoinment['appointment']=$a-
>where('uid',$ SESSION['uid'])->findAll();
        $db = \Config\Database::connect();
        $build = $db->table('appointment');
```

```
$build->select('*');
        $build->join('user',
'user.uid=appointment.uid');
        $build->join('doctor',
'doctor.docid=appointment.docid');
        $build->where('appointment.uid',
$_SESSION['uid']);
        $query = $build->get();
        $appoinment['appointment'] = $query-
>getResultArray();
        return view("appointmentHistoryView",
$appoinment);
    public function getAppointmentList()
    {
        session_start();
        $db = \Config\Database::connect();
        $build = $db->table('appointment');
        $build->select('*');
        $build->join('user',
'user.uid=appointment.uid');
        $build->join('doctor',
'doctor.docid=appointment.docid');
        $build->where('appointment.docid',
$ SESSION['uid']);
        $query = $build->get();
```

```
$appoinment['appointment'] = $query-
>getResultArray();
        // echo "";
        // print r($appoinment);
        return
view("appointmentListView",$appoinment);
    public function saveAppointment($docid)
    {
        session_start();
        $pname = $this->request->getPost('pname');
        $page = $this->request->getPost('page');
        $pgender = $this->request-
>getPost('pgender');
        $pbg = $this->request->getPost('pbg');
        $date = $this->request->getPost('date');
        $appoinment = array(
            'docid' => $docid,
            'uid' => $_SESSION['uid'],
            'pname' => $pname,
            'page' => $page,
            'pgender' => $pgender,
            'pbg' => $pbg,
            'status' => "To be Served",
            'date' => $date,
```

```
);
        echo "";
        print_r($appoinment);
        $ap = new AppointmentModel();
        $ap->insert($appoinment);
        return redirect()-
>to('/AppointmentController/getHistory');
    public function updateStatus($appid){
        $status = $this->request-
>getPost('status');
        $data = array(
            'status' => $status
        );
        $ap = new AppointmentModel();
        $ap->update($appid, $data);
        return redirect()-
>to('/AppointmentController/getAppointmentList');
```