Arrays
(Assignment Solutions)

Question 1 : Sorting is used in this solution but more efficient solutions exist using other data structures we haven't studied yet.

```
bool containsDuplicate(vector<int>& nums) {
        sort(nums.begin(), nums.end());

        for(int i=1; i<nums.size(); i++) {
            if(nums[i-1] == nums[i]) {
                return true;
            }
        }

        return false;
    }
```

Question 2 : This problem will be solved using the binary search approach. Infact, whenever the Qs asks us to solve it with O(nlogn) complexity, it is sometimes a hint towards some sort of a binary approach.

```
int search(vector<int>& nums, int target) {
        int low = 0, high = nums.size()-1;

        while (low <= high) {
            int mid = (low + high) / 2;

            if (nums[mid] == target) {
                return mid;
            }

            if (nums[low] <= nums[mid]) {
                if (nums[low] <= target && target < nums[mid]) {
                    high = mid - 1;
```

```
                } else {
                    low = mid + 1;
                }
            } else {
                if (nums[mid] < target && target <= nums[high]) {
                    low = mid + 1;
                } else {
                    high = mid - 1;
                }
            }
        }

        return -1;
    }
```

Question 3 :

```
int maxProduct(vector<int>& nums) {
        int maxTillNow = nums[0];
        int minTillNow = nums[0];
        int ans = maxTillNow;

        for (int i=1; i<nums.size(); i++) {
            int curr = nums[i];

                        int tempMaxTillNow = max(curr, max(maxTillNow*curr,
minTillNow*curr));
            minTillNow = min(curr, min(maxTillNow*curr, minTillNow*curr));
            maxTillNow = tempMaxTillNow;

            ans = max(maxTillNow, ans);
        }

        return ans;
    }
```