

Pharmaceutical Case Study: MCQ Assessment

Use the AsterNova Pharmaceuticals case context and dataset from the companion case-study PDF.

Choose the single best answer for each question.

1. What is the fictional product in the case primarily intended to address?

- A. Hypertension
- B. Influenza
- C. Migraine
- D. Osteoporosis

2. How many patients were exposed by Month 6?

- A. 1,200
- B. 8,500
- C. 22,000
- D. 790,000

3. What happened to mean systolic BP reduction by Month 6?

- A. It increased
- B. It declined modestly
- C. It doubled
- D. It was not measured

4. What percentage reached target BP at Month 6?

- A. 68%
- B. 66%
- C. 65%
- D. 63%

5. Reported dizziness at Month 6 was:

- A. 6.2%
- B. 7.8%
- C. 16%
- D. 1.0%

6. Which trend most directly signals a medication-taking problem?

- A. Rising unit sales
- B. Falling adherence
- C. Patient exposure growth

D. Trial enrollment

7. Estimated adherence fell from 82% to:

- A. 74%
- B. 68%
- C. 66%
- D. 63%

8. Treatment discontinuation at Month 6 was:

- A. 9%
- B. 12%
- C. 16%
- D. 22%

9. On-time monthly refills at Month 6 were:

- A. 68%
- B. 76%
- C. 82%
- D. 63%

10. Which function primarily monitors adverse drug reactions after launch?

- A. Pharmacovigilance
- B. Payroll
- C. Procurement
- D. Advertising

11. Why might adverse-event reports rise after launch?

- A. More patients are exposed
- B. The drug automatically changes composition
- C. Trials become illegal
- D. Packaging stops

12. Packaging-line deviations rose to how many per month by Month 6?

- A. 2
- B. 4
- C. 6
- D. 7

13. The best response to rising packaging deviations is to:

- A. Ignore them if sales rise
- B. Investigate root causes and strengthen controls
- C. Stop documenting them
- D. Increase advertising

14. Which is a limitation of refill data?

- A. It proves ingestion
- B. It cannot confirm the patient swallowed each dose
- C. It measures blood pressure directly
- D. It replaces safety reporting

15. A decline in real-world effectiveness compared with trials could be influenced by:

- A. Lower adherence
- B. Broader patient populations
- C. Both A and B
- D. Neither

16. Which outcome increased from 9% to 16%?

- A. Target BP achievement
- B. Treatment discontinuation
- C. Serious adverse events
- D. Adherence

17. The fictional company's best patient-centered response to falling adherence would include:

- A. Adherence support and follow-up
- B. Less safety monitoring
- C. Fewer quality checks
- D. Hiding refill data

18. Which department should collaborate with pharmacovigilance on clinical interpretation?

- A. Medical affairs
- B. Building maintenance only
- C. Payroll only
- D. None

19. Post-market studies are useful primarily because they can:

- A. Generate additional evidence after launch
- B. Eliminate all risk

- C. Guarantee adherence
- D. Replace manufacturing controls

20. Which metric shows the strongest direct commercial growth?

- A. Cumulative units sold
- B. Dizziness rate
- C. Discontinuation
- D. Packaging deviations

21. What is the most appropriate interpretation of the case overall?

- A. Commercial success removes safety obligations
- B. Growth should be balanced with safety, quality, and adherence management
- C. Only sales matter
- D. Post-market data are irrelevant

22. Which risk deserves management attention despite final batches meeting specifications?

- A. Rising packaging deviations
- B. Office furniture
- C. Logo design
- D. Parking capacity

23. What is the strongest executive-level approach?

- A. Use integrated evidence to manage benefit, risk, quality, and access
- B. Base all decisions on sales alone
- C. Ignore real-world data
- D. End pharmacovigilance

Answer Key

Question	Answer
1	A
2	C
3	B
4	D
5	B
6	B
7	C
8	C
9	A
10	A
11	A
12	D
13	B
14	B
15	C
16	B
17	A
18	A
19	A
20	A
21	B
22	A
23	A