


The Maersk Mc-Kinney Møller Institute

Advanced Topics in Software Architecture (E23)

Quality Attributes – 1. I4.0 QAs

SDU  Torben Worm

February 2023

1


sdumk
#sdumk

1

The Maersk Mc-Kinney Møller Institute

Agenda

- Follow-up on last weeks exercise
- Empirical Research in Software Architecture
- Quality Attributes – 1. I4.0 Quality Attributes
- Exercise – peer review or your experiments

SDU  Torben Worm

February 2023

2

sdumk
#sdumk

2


The Maersk Mc-Kinney Moller Institute
sdudk
#sdudk

Where are we?

- Use cases defined
- System structure determined
- Message bus(es) considered
- Patterns applied
- Programming languages considered
- Databases considered
- System for experimentation created and run -> ready for experimentation

→ Next:

- Patterns (lecture 6)
- Analytical Architecture evaluation (lecture 6)
- Consider and design experiment (lecture 7)
- **Peer review (lecture 8)**
- Presentation of architectural experiment (lecture 9)
- Work with experiments and paper (lecture 10-12)


SDU  Torben Worm
February 2023
3

3

The Maersk Mc-Kinney Moller Institute
sdudk
#sdudk

Learning Objective

- Describe the architecture of software systems associated qualities
- Analyze and specify architectural requirements for software architecture
- Describe advanced software architecture topics to support software architecture processes and modeling
- Analyze existing software architectures and identify architectural problems
- Ability to analyze and document software architectures and motivate the usage of adequate software architectures to obtain relevant quality attributes

SDU  Torben Worm
February 2023
4


4

The Maersk Mc-Kinney Møller Institute

#sdutk

Follow-up on last weeks exercise

- What experiment did you decide to conduct?
- How did you set it up?
- What did you measure
- Did you encounter any problems?

SDU  Torben Worm

February 2023


5

5

The Maersk Mc-Kinney Møller Institute

#sdutk

Empirical Research in Software Architecture

SDU  Torben Worm

February 2023

6

What empirical methods are there?


- Survey
- Case Study
- Experiment


Table 2.2 Research strategy factors

Factor	Survey	Case study	Experiment
Execution control	No	No	Yes
Measurement control	No	Yes	Yes
Investigation cost	Low	Medium	High
Ease of replication	High	Low	High


[Wohlin, 2016]

Relationships between empirical theory and software architecture theory





9




10

The Maersk Mc-Kinney Møller Institute

Lessons Learned

- LL1. Contribution: Methodology Over Results
- LL2. Population: Size Over Experience
- LL3. Design: Freedom Over Imposition
- LL4. Execution: Imposition Over Freedom
- LL5. Objects: Intended Artificiality Over Aimed Realism
- LL6. Pilot Studies for Subjects and Researchers
- LL7. Pilot Studies and Replications
- LL8. Interviews for Triangulating Results
- LL9. Gathering Qualitative Data to Explain Quantitative Data
- LL10. Attracting Practitioners as Participants

SDU  Torben Worm

February 2023

sdudk #sdudk 11

11



The Maersk Mc-Kinney Møller Institute

Quality Attributes – 1

I4.0 Quality Attributes

- Availability
- Deployability
- Interoperability

SDU  Torben Worm

February 2023

sdudk #sdudk

12

The Maersk Mc-Kinney Møller Institute

Availability

- Builds on the concept of reliability by adding the notion of recovery
 - When the system breaks – it repairs it self
- A failure is the deviation of the system from its specification
- A failure's cause is a fault
- Faults can be
 - Prevented
 - Tolerated
 - Removed
 - Forecast
- -> Resilient to faults

sdudk

#sdudk

SDU **Torben Worm**

February 2023 **13**

13

The Maersk Mc-Kinney Møller Institute

Availability

- Understand the nature of failures that can arise during operation is difficult
- When the nature of the faults are understood mitigation strategies can be designed into the system
- Failures are observable by the users
- Time to repair is the time until the failure is no longer observable
- Failure may not need to be complete -> Degraded operating mode
- If a system can recover from a fault no failure has occurred
- Availability: $MTBF / (MTBF + MTTR)$ -> In software probability
- Scheduled downtime doesn't count

sdudk

#sdudk

SDU **Torben Worm**

February 2023 **14**

14

The Maersk Mc-Kinney Møller Institute

Tactics

```

graph LR
    Fault --> Tactics[Tactics to Control Response]
    Tactics --> Result[Fault masked, prevented, or repair made]
  
```

```

graph TD
    AT[Availability Tactics] --> DF[Detect Faults]
    AT --> RF[Recover from Faults]
    AT --> PF[Prevent Faults]
    RF --> PR[Preparation and Repair]
    RF --> RI[Reintroduction]
  
```

Detect Faults	Recover from Faults	Prevent Faults
Monitor	Redundant Spare	Shadow
Ping/Echo	Rollback	State Resynchronization
Heartbeat	Exception Handling	Escalating Restart
Timestamp	Software Upgrade	Nonstop Forwarding
Condition Monitoring	Retry	Removal from Service
Sanity Checking	Ignore Faulty Behavior	Transactions
Voting	Graceful Degradation	Predictive Model
Exception Detection	Reconfiguration	Exception Prevention
Self-Test		Increase Competence Set

SDU Torben Worm February 2023 15

15

The Maersk Mc-Kinney Møller Institute

Tactics based questionnaire

Tactics Group	Tactics Question	Support (Y/N)	Risk	Design Decisions and Location	Rationale and Assumptions
Detect Faults	Does the system use ping/echo to detect failure of component or connection, or network congestion?				
	...				
Recover from Faults	...				
	...				
Prevent Faults	...				
	...				


SDU Torben Worm February 2023 16

16

Deployability

- The software may be deployed within a predictable and acceptable amount of time and effort
- The ability to roll-back
- The architect must consider how an executable is updated a host platform
 - Invoked
 - Measured
 - Monitored
 - Controlled
- Degree of support of deployability
 - Granularity (parts or whole system)
 - Control (monitor and roll-back)
 - Efficiency (rapid deployment with reasonable effort)

Deployability - scenario



The Maersk Mc-Kinney Møller Institute

Patterns

- Structure
 - Microservice architecture
- Complete replacement of services
 - Blue/green
 - Rolling upgrade
- Partial replacement of services
 - Canary testing
 - A/B testing

```

graph TD
    Start(( )) --> UpdateASG[Update Auto Scaling Group (ASG)]
    UpdateASG --> SortInstances[Sort Instances]
    SortInstances --> ConfirmSpec[Confirm Upgrade Spec]
    ConfirmSpec --> RemoveOld[Remove and De-register Old Instance from Elastic Load Balancer]
    RemoveOld --> TerminateOld[Terminate Old Instance]
    TerminateOld --> WaitASG[Wait for ASG to Start New Instance]
    WaitASG --> RegisterNew[Register New Instance with Elastic Load Balancer]
    RegisterNew --> End(( ))
  
```

SDU Torben Worm

February 2023 19

19

The Maersk Mc-Kinney Møller Institute

Tactics

```

graph LR
    A[New elements arrive] --> B[Tactics to Control Response]
    B --> C[Elements deployed within time, cost, and quality constraints]
  
```

```

graph TD
    Root[Deployability Tactics] --> Pipeline[Manage Deployment Pipeline]
    Root --> System[Manage Deployed System]
    Pipeline --> Scale[Scale Rollouts]
    Pipeline --> Script[Script Deployment Commands]
    Pipeline --> Rollback[Rollback]
    System --> Interactions[Manage Service Interactions]
    System --> Dependencies[Package Dependencies]
    System --> Toggle[Toggle Features]
  
```

SDU Torben Worm


February 2023 20

20

The Maersk Mc-Kinney Møller Institute

Interoperability

→ Interoperability is about the degree to which two or more systems can usefully exchange meaningful information via interfaces in a particular context

SDU  Torben Worm



February 2023 21


sdudk #sdudk

21

The Maersk Mc-Kinney Møller Institute

Tactics


SDU  Torben Worm

February 2023 22

sdudk #sdudk

22


Levels of interoperability




- Level 0: Stand-alone systems have No Interoperability
- Level 1: On the level of Technical Interoperability, a communication protocol exists for exchanging data between participating systems
- Level 2: The Syntactic Interoperability level introduces a common structure to exchange information, i.e., a common data format is applied
- Level 3: If a common information exchange reference model is used, the level of Semantic Interoperability is reached
- Level 4: Pragmatic Interoperability is reached when the interoperating systems are aware of the methods and procedures that each other are employing
- Level 5: Dynamic Interoperability means the systems are able to comprehend the state changes that occur in the assumptions and constraints that each other is making over time, and are able to take advantage of those changes
- Level 6: Conceptual Interoperability requires a "fully specified but implementation independent model"

[Tolk, 2007]

An I4.0 Example




Technical: Common communication protocol
 Syntactic: JSON
 Semantic: Capabilities (ontology)



The Maersk Mc-Kinney Møller Institute

Exercise

- Peer review of you experiment
 - Design
 - Measurements
 - Execution
 - Analysis
- Prepare presentation for next lecture

SDU  Torben Worm

February 2023

#sdumk

#sdumk

25

The Maersk Mc-Kinney Møller Institute

End of Presentation

SDU  Torben Worm

February 2023

#sdumk

#sdumk

26