A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Puisur Moddopara, Hatiara, Kasiani, Gopalganj.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.61m below from Road Level.
CLIENT : Grameenphone Ltd.		DATE OF BORING: 09-04-2015.	B. W. T : 3.35m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
9.0m	Gray 7.5YR (5/1), medium plasticity, very soft to medium stiff, Clay, CL.		UD-1, UD-2, UD-3, UD-4	D-1 to D-8	2, 2, 3, 4, 2, 5, 8, 7		
6.0m	Gray 7.5YR (5/1), medium dense to dense, silty Sand, SM.			D-9 to D-12	13, 15, 24, 30		
6.45m	Gray 7.5YR (5/1), dense to very dense, fine Sand, SM.			D-13 to D-16	35, 39, 41, 44		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED