A2 PROSOIL	BOREHOLE NO: BH-1	
	LOCATION : Alamdanga, Chuadanga.	
PROJECT : Telecommunication Tower.	DEPTH OF BORING : 21.0m	R. L.: 1.37m below from Road Level.
CLIENT : Grameen Phone Ltd.	DATE OF BORING : 22-06-2005	G. W. T : 3.50m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
2.0m	Pale brown 10YR(6/3), medium plastic, very soft, silty Clay, CL.			D-1	1		
				D-2	7		
1.0m	Pale brown 10YR(6/3), medium dense, cohesionless silt, SM.			D-3	5		
1.0m	Pale brown 10YR(6/3), low plastic, soft, clayey Silt, ML.			D-4	32		
1.0m	Light gray 10YR (7/2), medium dense, fine sand, SM.			D-5	12		
1.0m	Gray 10YR (5/1), medium dense to very dense, fine sand, SM.			D-6	35		
3.0m	Light gray 10YR (7/2), very dense, fine sand, SM.			D-7	50		Over
				D-8	8		
1.5m	Gray 10YR (5/1), medium dense, fine sand with mica, SM.			D-9	28		
				D-10	50		Over
				D-11	50		Over
				D-12	50		Over
				D-13	50		Over
				D-14	50		Over
				D-15	50		Over
10.5m	Light gray 10YR (7/2), dense to very dense, fine sand, SM.			D-16	50		Over

0 10 20 30 40 50 60 70 80 0 20 40 60 80 100

ID FOR BORELOG A RAIN SIZE DISTRIBU

PLASTIC SILTY CLAY

LOW PLASTIC CLAYEY SILT

NON PLASTIC SILT

SAND

UNDISTURBED SAMPLE

ORGANIC

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED