A2.A1.1

Project Name: Basurhat-Moulvibazar-Kazirhat-Sonagazi Road (Z-1441)

Location: Hazarihat Bridge

Type of Drilling Rig: Hydraulic Rotary

Drilling Log

Client Name: ROADS & HIGHWAYS DEPARTMENT

Coordinate: Northing: 2531081 Easting: 326780

Start Date: 15-09-2023

Finish Date: 18-09-2023

BH NO: A-1


BH Depth: 60.0m

Elevation: 6.40m

Water Table: GL -1.0m

Remarks:

Scale in m	Elevation in m	Thickness in m	Legend	Type of Soil	Color	Relative Density /Consistensy	General Remarks	Sampling: Depth in m From	To	Center	Sample No.	Standard Penetration Test: Blows per each 15 cm 1st	2nd	3rd	N-value blows/ 30cm
1.5	3.4	3.0		Silt, ML (AS2)	Light Gray	Loose		1.5	1.95	1.725	D-1	1	2	3	5
3								3	3.45	3.225	D-2	1		1	1
4.5	0.4	3.0		Silt, ML (AS1)	Gray	Very Loose		4.5	4.95	4.725	D-3	1		1	1
6								6	6.45	6.225	D-4	3	6	9	15
7.5								7.5	7.95	7.725	D-5	5	7	10	17
9								9	9.45	9.225	D-6	4	9	11	20
10.5								10.5	10.95	10.725	D-7	5	8	13	21
12		12.0		Silty Sand, SM (AS3)	Gray	Medium Dense		12	12.45	12.225	D-8	6	10	13	23
13.5								13.5	13.95	13.725	D-9	5	8	10	18
15								15	15.45	15.225	D-10	4	8	11	19
16.5	-11.6							16.5	16.95	16.725	D-11	5	9	12	21
18		3.0		Silty Sand, SM (AS4)	Gray	Dense		18	18.45	18.225	D-12	12	17	24	41
19.5	-14.6							19.5	19.95	19.725	D-13	14	20	26	46
21		1.5		Silt, ML (AS2)	Gray	Loose		21	21.45	21.225	D-14	2	4	5	9
22.5	-16.1							22.5	22.95	22.725	D-15	2	5	6	11
24								24	24.45	24.225	D-16	2	5	5	10
25.5		15.0		Sandy Silt, ML (AS3)	Gray	Medium Dense		25.5	25.95	25.725	D-17	3	5	7	12
27								27	27.45	27.225	D-18	4	6	9	15
28.5								28.5	28.95	28.725	D-19	5	8	8	16



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

FILL, AC-1, AC-2, AC-3, AC-4, AC-5, AC-6, AC-7, AS-1, AS-2, AS-3, AS-4, AS-5, Organic, UNDISTURBED SAMPLE, DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX PENETRATION= 100 BLOWS. AFTER 100 BLOWS PENETRATION DEPTH WERE MEASURED

A2.A1.1

Project Name: Basurhat-Moulvibazar-Kazirhat-Sonagazi Road (Z-1441)

Location: Hazarihat Bridge

Type of Drilling Rig: Hydraulic Rotary

Drilling Log

Client Name: ROADS & HIGHWAYS DEPARTMENT

Coordinate: Northing: 2531081 Easting: 326780

Start Date: 15-09-2023

Finish Date: 18-09-2023

BH NO: A-1


BH Depth: 60.0m

Elevation: 6.40m

Water Table: GL -1.0m

Remarks:

Scale in m	Elevation in m	Thickness in m	Legend	Type of Soil	Color	Relative Density /Consistensy	General Remarks	Sampling: Depth in m From	To	Center	Sample No.	Standard Penetration Test: Blows per each 15 cm 1st	2nd	3rd	N-value blows/ 30cm
								28.5	28.95	28.725	D-19	5	8	8	16
30								30	30.45	30.225	D-20	4	6	9	15
31.5								31.5	31.95	31.725	D-21	4	6	8	14
33		15.0		Sandy Silt, ML (AS3)	Gray	Medium Dense		33	33.45	33.225	D-22	5	7	9	16
34.5								34.5	34.95	34.725	D-23	8	10	13	23
36	-31.1							36	36.45	36.225	D-24	8	10	12	22
37.5								37.5	37.95	37.725	D-25	10	18	23	41
39								39	39.45	39.225	D-26	12	20	28	48
40.5		6.0		Silty Sand, SM (AS4)	Gray	Dense		40.5	40.95	40.725	D-27	9	17	23	40
42	-37.1							42	42.45	42.225	D-28	8	18	24	42
43.5								43.5	43.95	43.725	D-29	7	11	14	25
45		4.5		Silty Sand, SM (AS3)	Gray	Medium Dense		45	45.45	45.225	D-30	8	12	15	27
46.5	-41.6							46.5	46.95	46.725	D-31	8	12	16	28
48	-43.1	1.5		Silty Sand, SM (AS4)	Gray	Dense		48	48.45	48.225	D-32	12	18	23	41
49.5								49.5	49.95	49.725	D-33	16	25	25	50
51								51	51.45	51.225	D-34	18	27	23	50
52.5								52.5	52.95	52.725	D-35	17	26	24	50
54		10.95		Silty Sand, SM (AS5)	Gray	Very Dense		54	54.45	54.225	D-36	19	27	23	50
55.5								55.5	55.95	55.725	D-37	16	24	26	50
57								57	57.45	57.225	D-38	17	26	24	50
58.5								58.5	58.95	58.725	D-39	20	28	22	50



LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

FILL, AC-1, AC-2, AC-3, AC-4, AC-5, AC-6, AC-7, AS-1, AS-2, AS-3, AS-4, AS-5, Organic, UNDISTURBED SAMPLE, DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX PENETRATION= 100 BLOWS. AFTER 100 BLOWS PENETRATION DEPTH WERE MEASURED

A2.A1.1

Project Name: Basurhat-Moulvibazar-Kazirhat-Sonagazi Road (Z-1441)

Location: Hazarihat Bridge

Type of Drilling Rig: Hydraulic Rotary

Drilling Log

Client Name: ROADS & HIGHWAYS DEPARTMENT

Coordinate: Northing: 2531081 Easting: 326780

Start Date: 15-09-2023

Finish Date: 18-09-2023

BH NO: A-1

BH Depth: 60.0m

Elevation: 6.40m

Water Table: GL -1.0m

Remarks:

Scale in m	Elevation in m	Thickness in m	Legend	Type of Soil	Color	Relative Density /Consistensy	General Remarks	Sampling: Depth in m From	To	Center	Sample No.	Standard Penetration Test: Blows per each 15 cm 1st	2nd	3rd	N-value blows/ 30cm
58.5		10.95		Silty Sand, SM (AS5)	Gray	Very Dense		58.5	58.95	58.725	D-39	20	28	22	50
60	-54.1							60	60.45	60.225	D-40	21	30	20	50

N-value: 50/40; 50/50

LEGEND FOR BOREHOLE AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

FILL, AC-1, AC-2, AC-3, AC-4, AC-5, AC-6, AC-7, AS-1, AS-2, AS-3, AS-4, AS-5, Organic, UNDISTURBED SAMPLE, DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX PENETRATION= 100 BLOWS. AFTER 100 BLOWS PENETRATION DEPTH WERE MEASURED